

**BOARD OF PESTICIDES CONTROL
APPLICATION FOR VARIANCE PERMIT
(Pursuant to Chapter 29, Section 6 of the Board's Regulations)**

I. Michael Legasse (207) 989-1433
Name Telephone Number

Green Thumb Lawn Service
Company Name

64 Stevens Rd. Brewer ME 04412
Address City State Zip

II. Area(s) where pesticide will be applied:
92 Beechwood Ave. Old Town ME. Area is approximately 7ft x 80ft in size within the 25ft buffer area abutting surface water of Pushaw Lake.

III. Pesticide(s) to be applied:
Roundup Pro EPA# 524-475 at a 4% solution rate

IV. Purpose of pesticide application:
To eradicate poison ivy at Shoreline of a home's water-front.

V. Approximate dates of spray application:
After variance is granted on best day weather permits.

VI. Application Equipment:
Low pressure hand held powered sprayer.

VII. Standard(s) to be varied from:

CmR 01-026 Chapter 29 Section 6, possibly
item # 4 of this policy and item 5.


VIII. Reason for variance:

Poison ivy has taken over approximately 80% of
the owner's access to his waterfront and limits
their access and use of the property as well as a serious
health and safety concern. The owner owns approximately
110 ft of waterfront which equals 2750 ± sq ft of area.
Poison ivy comprises approximately 7 x 80' which equals
560 sq ft or 20% ± of the area located within 25 ft of
surface water.

IX. Method to assure equivalent protection:

Due to the delay caused by processing this application, powered
spray equipment must be used as a result of increased growth
in size of stand of poison ivy. All sprays are to be directed
away from the surface water and directed only at the target
pest. At no time will a discharge of pesticide be made into
the water body. Two applicators will be onsite at the time
of application and a screen will be used to this occurrence.

Signed:

Date: June 9, 2011Return completed form to: **Board of Pesticides Control, 28 State House Station, Augusta, ME 04333-0028****OR E-mail to: pesticides@maine.gov**