

# Maine DMR Shellfish Growing Area Classification Program Tabulated Data Report

## Growing Area: WB

DMR collects additional water samples during flood events, to document pollution sources and under other adverse conditions which may not be included in this tabulated data report. Please refer to the specific growing area annual, triennial or sanitary survey report for further information on these samples and explanation of current classifications in each growing area. The 30 most recent data scores are used in the P90 calculation to determine classifications in a growing area. Additional information can be found on the DMR website under the Public Health Division Shellfish Program: [www.maine.gov/dmr/rm/public\\_health/htm](http://www.maine.gov/dmr/rm/public_health/htm).

**Data Key** Score: fecal coliform/100ml sea water sample Strategy: R = Random sample E = Extra sample

**Method:** MFCOL = membrane filtration, mTEC agar, A1COL = multiple tube fermentation MPN A1 media

**Adversity:** B = minimum 5 enclosed boats (i.e. not open skiffs) that might have a head; F= statewide flood closure, H= seasonal habitation of homes; M= marinas with 10 or more enclosed boats in the water; N= flowing streams, stormwater pipes, or overland runoff, P= rain or mixed precipitation anytime within past 2 days (i.e. thunderstorms, rainfall more than a drizzle); T= thawing snow and ice melt; S= sewage treatment plant malfunction or bypass events; W= Waterfowl (10 or more), domestic or wild animals (i.e., at the station or in close enough proximity to have a possible impact).

**Wind:** Wind direction      **Class:** Classification when sample was collected; A= approved, CA=Conditionally Approved, R=restricted, CR=Conditionally restricted, P=Prohibited

**Tide:** Tide stage

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB002.00	1/30/2006	R	3.6	A1COL	LL			H	A
WB002.00	2/13/2006	R	<3	A1COL	FP		CL	HF	A
WB002.00	4/19/2006	R	<3	A1COL	LL		N	HF	A
WB002.00	8/8/2006	R	23	A1COL	LL		W	H	A
WB002.00	9/19/2006	R	27	MFCOL	JXK		SE	H	A
WB002.00	12/12/2006	R	<2	MFCOL	JB		CL	F	A
WB002.00	1/2/2007	R	<2	MFCOL	EXT	P	NW	E	A
WB002.00	3/5/2007	R	<2	MFCOL	LL		CL	H	R
WB002.00	6/18/2007	R	2	MFCOL	JMCA	P	SW	F	R
WB002.00	7/24/2007	R	10	MFCOL	JMCA	P	S	HE	R
WB002.00	8/13/2007	R	<2	MFCOL	JMCA	W	CL	HF	R
WB002.00	10/9/2007	R	25	MFCOL	JMCA		N	HF	R
WB002.00	3/31/2008	R	2	MFCOL	LL		CL	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB002.00	4/16/2008	R	<2	MFCOL	EXT		SE	E	R
WB002.00	6/2/2008	R	<2	MFCOL	JVM		CL	E	R
WB002.00	7/22/2008	R	2	MFCOL	DCP	P	S	HF	R
WB002.00	9/15/2008	R	42	MFCOL	DCP	P	CL	F	R
WB002.00	11/19/2008	R	2	MFCOL	DCP		W	F	R
WB002.00	3/16/2009	R	<2	MFCOL	DCP			F	P
WB002.00	6/17/2009	R	4	MFCOL	DCP		CL	E	P
WB002.00	8/12/2009	R	33	MFCOL	DCP	P	E	F	P
WB002.00	8/26/2009	R	2	MFCOL	EXT		CL	H	P
WB002.00	9/29/2009	R	16	MFCOL	DCP	P	CL	H	P
WB002.00	11/30/2009	R	12	MFCOL	EXT		CL	HE	P
WB002.00	2/24/2010	R	8	MFCOL	EXT	P	E	E	P
WB002.00	4/13/2010	R	6	MFCOL	AB		CL	H	P
WB002.00	6/1/2010	R	5.5	MFCOL	EXT		S	F	P
WB002.00	7/26/2010	R	5.5	MFCOL	LSM		S	H	P
WB002.00	9/29/2010	R	18	MFCOL	EXT		CL	F	P
WB002.00	10/25/2010	R	<2	MFCOL	ESK		SE	HF	P
WB002.00	11/17/2010	E	28	MFCOL	ESK		S	H	P
WB002.00	12/1/2010	R	<2	MFCOL	LSM		NE	HE	P
WB002.00	1/31/2011	R	<2	MFCOL	LSM		N	H	P
WB002.00	3/21/2011	R	<2	MFCOL	LSM		W	F	P
WB002.00	5/9/2011	R	<2	MFCOL	LSM		NE	F	P
WB002.00	6/21/2011	R	<2	MFCOL	HG		E	F	P
WB002.00	8/8/2011	R	9.1	MFCOL	LSM		CL	HE	P
WB002.00	9/21/2011	R	6	MFCOL	EXT		CL	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB005.00	1/30/2006	R	3.6	A1COL	LL			H	A
WB005.00	2/13/2006	R	<3	A1COL	FP		NW	H	A
WB005.00	4/19/2006	R	7.3	A1COL	LL		N	F	A
WB005.00	8/8/2006	R	9.1	A1COL	LL		W	H	A
WB005.00	9/19/2006	R	<2	MFCOL	JXK		SE	H	A
WB005.00	12/18/2006	R	<2	MFCOL	LL		CL	E	A
WB005.00	1/2/2007	R	<2	MFCOL	EXT	P	NW	E	A
WB005.00	3/5/2007	R	<2	MFCOL	LL		CL	HF	A
WB005.00	6/18/2007	R	2	MFCOL	JMCA	P	SE	F	A
WB005.00	7/24/2007	R	2	MFCOL	JMCA	P	CL	H	A
WB005.00	8/13/2007	R	<2	MFCOL	JMCA		NW	HF	A
WB005.00	10/9/2007	R	2	MFCOL	JMCA		NE	HF	A
WB005.00	2/4/2008	R	<2	MFCOL	LL		CL	E	A
WB005.00	3/31/2008	R	<2	MFCOL	LL		CL	E	A
WB005.00	6/2/2008	R	2	MFCOL	JVM		N	E	A
WB005.00	7/22/2008	R	<2	MFCOL	DCP	P	S	HF	A
WB005.00	9/15/2008	R	8	MFCOL	DCP	P	NW	F	A
WB005.00	11/19/2008	R	<2	MFCOL	DCP		W	F	A
WB005.00	3/16/2009	R	<2	MFCOL	DCP			F	P
WB005.00	6/17/2009	R	4	MFCOL	DCP		CL	E	P
WB005.00	8/12/2009	R	4	MFCOL	DCP	P	CL	F	P
WB005.00	8/26/2009	R	<2	MFCOL	EXT		CL	H	P
WB005.00	9/29/2009	R	44	MFCOL	DCP	P	CL	H	P
WB005.00	11/30/2009	R	<2	MFCOL	EXT		CL	HE	P
WB005.00	2/24/2010	R	<2	MFCOL	EXT	P	E	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB005.00	4/13/2010	R	<2	MFCOL	AB		NE	H	P
WB005.00	6/1/2010	R	4	MFCOL	EXT		CL	F	P
WB005.00	7/26/2010	R	<2	MFCOL	LSM		S	H	P
WB005.00	9/29/2010	R	8	MFCOL	EXT		W	F	P
WB005.00	10/25/2010	R	<2	MFCOL	ESK		E	HF	P
WB005.00	11/17/2010	E	14	MFCOL	ESK		S	HE	P
WB005.00	12/1/2010	R	<2	MFCOL	LSM		NE	HE	P
WB005.00	3/21/2011	R	2	MFCOL	LSM		W	F	A
WB005.00	4/6/2011	R	<2	MFCOL	HG		NW	F	A
WB005.00	5/9/2011	R	<2	MFCOL	LSM		NE	F	A
WB005.00	6/21/2011	R	<2	MFCOL	HG		S	HF	A
WB005.00	8/8/2011	R	10	MFCOL	LSM		CL	HE	A
WB005.00	9/21/2011	R	10	MFCOL	EXT		CL	HE	A
WB016.00	1/10/2006	R	21	A1COL	JB		CL	E	P
WB016.00	2/13/2006	R	<3	A1COL	FP		CL	F	P
WB016.00	4/19/2006	R	<3	A1COL	FP		CL	LE	P
WB016.00	7/5/2006	R	3.6	A1COL	SXR		CL	E	P
WB016.00	9/19/2006	R	8	MFCOL	JXK		CL	HF	P
WB016.00	12/12/2006	R	2	MFCOL	JB	W	CL	HF	P
WB016.00	1/2/2007	R	38	MFCOL	EXT	P	NW	E	P
WB016.00	3/5/2007	R	4	MFCOL	LL		CL	HE	P
WB016.00	6/18/2007	R	30	MFCOL	OROY	P	NE	LF	P
WB016.00	7/24/2007	R	4	MFCOL	OROY	P	CL	E	P
WB016.00	8/13/2007	R	13	MFCOL	OROY		SW	F	P
WB016.00	10/9/2007	R	3.6	MFCOL	OROY		NE	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB016.00	2/4/2008	R	11	MFCOL	LL		CL	E	P
WB016.00	3/31/2008	R	<2	MFCOL	LL		CL	E	P
WB016.00	6/2/2008	R	<2	MFCOL	EXT		CL	H	P
WB016.00	7/22/2008	R	86	MFCOL	MLP			HF	P
WB016.00	9/15/2008	R	31	MFCOL	MLP		NW	HF	P
WB016.00	11/19/2008	R	<2	MFCOL	MLP		NW	F	P
WB016.00	3/16/2009	R	<2	MFCOL	MLP		SW	F	P
WB016.00	5/4/2009	R	<2	MFCOL	LSM		CL	HE	P
WB016.00	6/17/2009	R	6	MFCOL	EXT		CL	F	P
WB016.00	8/12/2009	R	158	MFCOL	MLP		CL	F	P
WB016.00	9/29/2009	R	16	MFCOL	MLP		CL	H	P
WB016.00	11/30/2009	R	110	MFCOL	EXT		CL	H	P
WB016.00	2/24/2010	R	6	MFCOL	EXT	P	E	E	P
WB016.00	4/13/2010	R	2	MFCOL	AB		N	F	P
WB016.00	6/1/2010	R	8	MFCOL	EXT		CL	F	P
WB016.00	7/26/2010	R	9.1	MFCOL	LSM		S	HF	P
WB016.00	9/29/2010	R	24	MFCOL	EXT		S	F	P
WB016.00	10/25/2010	R	4	MFCOL	ESK		CL	HF	P
WB016.00	1/31/2011	R	<2	MFCOL	LSM		CL	HF	P
WB016.00	3/21/2011	R	4	MFCOL	LSM		CL	F	P
WB016.00	5/9/2011	R	<2	MFCOL	LSM		NE	HF	P
WB016.00	6/21/2011	R	8	MFCOL	HG		E	F	P
WB016.00	8/8/2011	R	11	MFCOL	LSM		CL	H	P
WB016.00	9/21/2011	R	<2	MFCOL	EXT		CL	E	P
WB020.00	1/10/2006	R	15	A1COL	JB		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB020.00	2/13/2006	R	<3	A1COL	FP		CL	F	P
WB020.00	4/19/2006	R	<3	A1COL	FP		CL	E	P
WB020.00	7/5/2006	R	<3	A1COL	SXR		CL	E	P
WB020.00	9/19/2006	R	16	MFCOL	JXK		CL	HF	P
WB020.00	12/12/2006	R	13	MFCOL	JB		NE	L	P
WB020.00	1/2/2007	R	48	MFCOL	EXT	P	NW	E	P
WB020.00	3/5/2007	R	<2	MFCOL	LL		CL	HE	P
WB020.00	6/18/2007	R	72	MFCOL	OROY	P	NE	F	P
WB020.00	7/24/2007	R	14	MFCOL	OROY	P	CL	E	P
WB020.00	8/13/2007	R	22	MFCOL	OROY		SW	F	P
WB020.00	10/9/2007	R	>1600	MFCOL	OROY		NE	H	P
WB020.00	2/4/2008	R	6	MFCOL	LL		CL	E	P
WB020.00	3/31/2008	R	<2	MFCOL	LL		CL	E	P
WB020.00	6/2/2008	R	2	MFCOL	EXT		W	H	P
WB020.00	7/22/2008	R	104	MFCOL	MLP		CL	HF	P
WB020.00	9/15/2008	R	42	MFCOL	MLP		NW	HF	P
WB020.00	11/19/2008	R	4	MFCOL	MLP		N	F	P
WB020.00	3/16/2009	R	2	MFCOL	MLP		SW	F	P
WB020.00	5/4/2009	R	4	MFCOL	LSM		CL	HE	P
WB020.00	6/17/2009	R	8	MFCOL	EXT		CL	L	P
WB020.00	8/12/2009	R	106	MFCOL	MLP		SE	F	P
WB020.00	9/29/2009	R	6	MFCOL	MLP		CL	H	P
WB020.00	11/30/2009	R	42	MFCOL	EXT		CL	H	P
WB020.00	2/24/2010	R	<2	MFCOL	EXT	P	NE	E	P
WB020.00	4/13/2010	R	<2	MFCOL	AB		N	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB020.00	6/1/2010	R	20	MFCOL	EXT		CL	F	P
WB020.00	7/26/2010	R	220	MFCOL	LSM		S	HF	P
WB020.00	9/29/2010	R	32	MFCOL	EXT		CL	F	P
WB020.00	10/25/2010	R	2	MFCOL	ESK		CL	F	P
WB020.00	1/31/2011	R	<2	MFCOL	LSM		NW	HF	P
WB020.00	3/21/2011	R	4	MFCOL	LSM		CL	F	P
WB020.00	5/9/2011	R	2	MFCOL	LSM		NE	HF	P
WB020.00	6/21/2011	R	2	MFCOL	HG		SE	F	P
WB020.00	8/8/2011	R	7.3	MFCOL	LSM		CL	H	P
WB020.00	9/21/2011	R	2	MFCOL	EXT		CL	HE	P
WB021.00	1/10/2006	R	<3	A1COL	JB		CL	E	A
WB021.00	2/13/2006	R	3.6	A1COL	FP		CL	HF	A
WB021.00	4/19/2006	R	3.6	A1COL	FP		CL	LE	A
WB021.00	7/5/2006	R	43	A1COL	SXR		S	E	A
WB021.00	9/19/2006	R	6	MFCOL	JXK		SW	HF	A
WB021.00	12/12/2006	R	4	MFCOL	JB		CL	F	A
WB021.00	1/2/2007	R	40	MFCOL	EXT	P	NW	E	A
WB021.00	3/5/2007	R	3	MFCOL	LL		SW	HE	A
WB021.00	6/18/2007	R	42	MFCOL	MHE		CL	F	A
WB021.00	7/24/2007	R	4	MFCOL	MHE		CL	E	A
WB021.00	8/13/2007	R	7.3	MFCOL	MHE		W	F	A
WB021.00	10/9/2007	R	6	MFCOL	MHE		NE	HF	A
WB021.00	2/4/2008	R	4	MFCOL	LL		CL	E	A
WB021.00	3/31/2008	R	2	MFCOL	LL		S	E	A
WB021.00	6/2/2008	R	9.1	MFCOL	EXT		W	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB021.00	7/22/2008	R	58	MFCOL	MLP		CL	HF	A
WB021.00	11/19/2008	R	2	MFCOL	MLP		NE	F	A
WB021.00	12/2/2008	R	60	MFCOL	EXT		NW	F	A
WB021.00	3/16/2009	R	<2	MFCOL	MLP		CL	F	P
WB021.00	5/4/2009	R	<2	MFCOL	LSM		NW	HE	P
WB021.00	6/17/2009	R	15	MFCOL	EXT		CL	L	P
WB021.00	8/12/2009	R	82	MFCOL	MLP		CL	F	P
WB021.00	9/29/2009	R	5.5	MFCOL	MLP		CL	H	P
WB021.00	11/30/2009	R	12	MFCOL	EXT		CL	H	P
WB021.00	2/24/2010	R	<2	MFCOL	EXT	P	CL	E	P
WB021.00	4/13/2010	R	<2	MFCOL	AB		NE	F	P
WB021.00	6/1/2010	R	5.5	MFCOL	EXT		CL	F	P
WB021.00	7/26/2010	R	28	MFCOL	LSM		S	HF	P
WB021.00	9/29/2010	R	9.1	MFCOL	EXT		S	F	P
WB021.00	10/25/2010	R	<2	MFCOL	ESK		CL	H	P
WB021.00	1/31/2011	R	<2	MFCOL	LSM		NW	H	P
WB021.00	3/21/2011	R	<2	MFCOL	LSM		W	F	P
WB021.00	5/9/2011	R	<2	MFCOL	LSM		NE	HF	P
WB021.00	6/21/2011	R	2	MFCOL	HG		E	F	P
WB021.00	8/8/2011	R	4	MFCOL	LSM		CL	H	P
WB021.00	9/21/2011	R	2	MFCOL	EXT		CL	E	P
WB023.00	1/10/2006	R	<3	A1COL	JB		SW	E	A
WB023.00	2/13/2006	R	9.1	A1COL	FP	W	NW	HF	A
WB023.00	3/7/2006	R	<3	A1COL	KEM		NE	F	A
WB023.00	4/19/2006	R	3.6	A1COL	FP		CL	LE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB023.00	7/5/2006	R	23	A1COL	SXR		SW	LE	A
WB023.00	9/19/2006	R	102	MFCOL	JXK		CL	HF	A
WB023.00	11/29/2006	R	8	MFCOL	LL		CL	LF	A
WB023.00	12/12/2006	R	<2	MFCOL	JB		CL	LF	A
WB023.00	1/2/2007	R	10	MFCOL	EXT	P	NW	E	A
WB023.00	1/7/2007	R	<2	MFCOL	LL		CL	F	A
WB023.00	2/12/2007	R	<2	MFCOL	EXT		W	E	A
WB023.00	3/5/2007	R	<2	MFCOL	LL		SW	E	A
WB023.00	6/18/2007	R	<2	MFCOL	MHE		CL	F	A
WB023.00	7/24/2007	R	<2	MFCOL	MHE		CL	E	A
WB023.00	8/13/2007	R	6	MFCOL	MHE		CL	F	A
WB023.00	10/9/2007	R	4	MFCOL	MHE		CL	HF	A
WB023.00	11/19/2007	R	<2	MFCOL	LL		NE	LF	A
WB023.00	12/5/2007	R	<2	MFCOL	LL		CL	E	A
WB023.00	12/17/2007	R	6	MFCOL	LL	PT	NW	L	A
WB023.00	1/7/2008	R	<2	MFCOL	LL		CL	HE	A
WB023.00	2/4/2008	R	<2	MFCOL	LL		CL	E	A
WB023.00	3/31/2008	R	<2	MFCOL	LL		CL	E	A
WB023.00	4/14/2008	R	<2	MFCOL	EXT		NE	HE	A
WB023.00	6/2/2008	R	<2	MFCOL	EXT		W	H	A
WB023.00	7/22/2008	R	44	MFCOL	MLP		CL	F	A
WB023.00	11/19/2008	R	12	MFCOL	MLP		NE	F	A
WB023.00	12/2/2008	R	40	MFCOL	EXT		NW	F	A
WB023.00	1/12/2009	R	<2	MFCOL	MLP		NE	H	P
WB023.00	3/16/2009	R	<2	MFCOL	MLP		S	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB023.00	5/4/2009	R	<2	MFCOL	LSM		CL	H	P
WB023.00	6/17/2009	R	8	MFCOL	EXT		SE	L	P
WB023.00	8/12/2009	R	36	MFCOL	MLP		CL	F	P
WB023.00	9/29/2009	R	48	MFCOL	MLP		CL	HE	P
WB023.00	11/30/2009	R	2	MFCOL	EXT		CL	HE	P
WB023.00	12/14/2009	E	6	MFCOL	EXT		CL	H	P
WB023.00	1/5/2010	R	<2	MFCOL	EXT		CL	HF	CA
WB023.00	2/24/2010	R	<2	MFCOL	EXT	P	E	E	CA
WB023.00	4/13/2010	R	<2	MFCOL	AB		NE	HF	CA
WB023.00	4/28/2010	R	2	MFCOL	HG		CL	HE	CA
WB023.00	6/1/2010	R	<2	MFCOL	EXT		CL	F	CA
WB023.00	7/26/2010	R	6	MFCOL	LSM		S	HF	CA
WB023.00	9/29/2010	R	25	MFCOL	EXT		CL	F	CA
WB023.00	10/25/2010	R	16	MFCOL	ESK		E	H	CA
WB023.00	11/17/2010	R	130	MFCOL	ESK		S	H	CA
WB023.00	12/1/2010	R	<2	MFCOL	LSM		NE	H	CA
WB023.00	1/3/2011	R	31	MFCOL	EXT		NW	H	CA
WB023.00	1/31/2011	R	82	MFCOL	LSM		NW	H	CA
WB023.00	3/21/2011	R	2	MFCOL	LSM		W	F	CA
WB023.00	4/6/2011	R	<2	MFCOL	HG		W	F	CA
WB023.00	5/9/2011	R	<2	MFCOL	LSM		NE	F	CA
WB023.00	6/21/2011	R	8	MFCOL	HG		E	F	CA
WB023.00	8/8/2011	R	74	MFCOL	LSM		CL	HE	CA
WB023.00	9/21/2011	R	22	MFCOL	EXT		CL	E	CA
WB023.00	11/16/2011	R	4	MFCOL	HG		CL	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB023.00	12/5/2011	R	<2	MFCOL	LSM		CL	H	CA
WB026.00	1/10/2006	R	<3	A1COL	JB		CL	E	P
WB026.00	2/13/2006	R	<3	A1COL	FP		CL	HF	P
WB026.00	3/7/2006	R	3.6	A1COL	KEM	N	NE	F	P
WB026.00	4/19/2006	R	43	A1COL	LL		N	HF	P
WB026.00	8/8/2006	R	9.1	A1COL	LL		W	H	P
WB026.00	9/19/2006	R	<2	MFCOL	JXK		S	HF	P
WB026.00	12/12/2006	R	<2	MFCOL	JB	N	CL	F	P
WB026.00	1/2/2007	R	8	MFCOL	EXT	P	NW	E	P
WB026.00	1/7/2007	E	2	MFCOL	LL		CL	F	P
WB026.00	2/12/2007	R	12	MFCOL	EXT	N	W	E	P
WB026.00	3/5/2007	R	<2	MFCOL	LL		CL	H	P
WB026.00	6/18/2007	R	8	MFCOL	MHE		NE	F	P
WB026.00	7/24/2007	R	3.6	MFCOL	MHE		CL	E	P
WB026.00	8/13/2007	R	33	MFCOL	MHE		CL	F	P
WB026.00	10/9/2007	R	9.1	MFCOL	MHE		NE	HF	P
WB026.00	12/5/2007	R	<2	MFCOL	LL		CL	E	P
WB026.00	12/17/2007	R	16	MFCOL	LL	PT	NW	F	P
WB026.00	1/7/2008	R	2	MFCOL	LL		CL	E	P
WB026.00	3/31/2008	R	<2	MFCOL	LL		CL	E	CA
WB026.00	4/14/2008	R	<2	MFCOL	EXT		NE	HE	CA
WB026.00	6/2/2008	R	4	MFCOL	EXT		NW	H	CA
WB026.00	7/22/2008	R	76	MFCOL	MLP		SE	F	CA
WB026.00	11/19/2008	R	2	MFCOL	MLP		NE	F	CA
WB026.00	12/2/2008	R	14	MFCOL	EXT		CL	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB026.00	12/17/2008	R	14	MFCOL	MLP	P	CL	F	CA
WB026.00	1/12/2009	R	<2	MFCOL	MLP		CL	HE	P
WB026.00	3/16/2009	R	<2	MFCOL	MLP		NE	F	P
WB026.00	5/4/2009	R	<2	MFCOL	LSM		CL	H	P
WB026.00	6/17/2009	R	4	MFCOL	EXT		SE	F	P
WB026.00	8/12/2009	R	108	MFCOL	MLP		NE	F	P
WB026.00	9/29/2009	R	11	MFCOL	MLP		CL	HE	P
WB026.00	11/30/2009	R	4	MFCOL	EXT		CL	HE	P
WB026.00	12/14/2009	E	11	MFCOL	EXT		CL	HE	P
WB026.00	1/5/2010	R	<2	MFCOL	EXT	W	CL	HF	CA
WB026.00	2/24/2010	R	4	MFCOL	EXT	P	NE	E	CA
WB026.00	4/13/2010	R	10	MFCOL	AB		CL	HF	CA
WB026.00	4/28/2010	R	<2	MFCOL	HG		CL	HE	CA
WB026.00	6/1/2010	R	2	MFCOL	EXT		CL	F	CA
WB026.00	7/26/2010	R	5.5	MFCOL	LSM		S	H	CA
WB026.00	9/29/2010	R	78	MFCOL	EXT		CL	F	CA
WB026.00	10/25/2010	R	42	MFCOL	ESK		E	H	CA
WB026.00	11/17/2010	R	122	MFCOL	ESK		S	HE	CA
WB026.00	12/1/2010	R	4	MFCOL	LSM	W	CL	H	CA
WB026.00	1/3/2011	R	2	MFCOL	EXT		NW	H	CA
WB026.00	1/31/2011	R	4	MFCOL	LSM		CL	H	CA
WB026.00	3/21/2011	R	<2	MFCOL	LSM		CL	F	CA
WB026.00	4/6/2011	R	<2	MFCOL	HG		NW	F	CA
WB026.00	5/9/2011	R	29	MFCOL	LSM		NE	F	CA
WB026.00	6/21/2011	R	2	MFCOL	HG		S	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB026.00	8/8/2011	R	20	MFCOL	LSM		CL	HE	CA
WB026.00	9/21/2011	R	4	MFCOL	EXT		CL	HE	CA
WB026.00	11/16/2011	R	<2	MFCOL	HG		NE	HF	CA
WB026.00	12/5/2011	R	<2	MFCOL	LSM		CL	H	CA
WB026.50	1/10/2006	R	<3	A1COL	JB		CL	E	CA
WB026.50	2/13/2006	R	3	A1COL	FP		CL	HF	CA
WB026.50	3/7/2006	R	3.6	A1COL	KEM	N	NE	F	CA
WB026.50	4/19/2006	R	43	A1COL	LL		N	F	CA
WB026.50	7/5/2006	R	3.6	A1COL	SXR		SW	LE	CA
WB026.50	9/19/2006	R	2	MFCOL	JXK		SW	H	CA
WB026.50	10/30/2006	R	112	MFCOL	LL	P	SW	LF	CA
WB026.50	11/7/2006	R	<2	MFCOL	LL		CL	HE	CA
WB026.50	11/29/2006	R	48	MFCOL	LL		CL	LF	CA
WB026.50	12/12/2006	R	2	MFCOL	JB		E	LF	CA
WB026.50	1/2/2007	R	12	MFCOL	EXT	P	NW	E	CA
WB026.50	1/7/2007	R	<2	MFCOL	LL		CL	HF	CA
WB026.50	2/12/2007	R	<2	MFCOL	EXT		W	E	CA
WB026.50	3/5/2007	R	<2	MFCOL	LL		CL	H	CA
WB026.50	6/18/2007	R	5.5	MFCOL	MHE		NE	F	CA
WB026.50	7/24/2007	R	<2	MFCOL	MHE		CL	E	CA
WB026.50	8/13/2007	R	2	MFCOL	MHE		NW	F	CA
WB026.50	10/9/2007	R	4	MFCOL	MHE		NE	HF	CA
WB026.50	11/19/2007	R	6	MFCOL	LL		NE	F	CA
WB026.50	12/5/2007	R	2	MFCOL	LL		CL	E	CA
WB026.50	12/17/2007	R	<2	MFCOL	LL	PT	NW	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB026.50	1/7/2008	R	<2	MFCOL	LL		CL	E	CA
WB026.50	2/4/2008	R	<2	MFCOL	LL		CL	E	CA
WB026.50	3/31/2008	R	<2	MFCOL	LL		CL	E	CA
WB026.50	4/14/2008	R	<2	MFCOL	EXT		NE	HE	CA
WB026.50	6/2/2008	R	<2	MFCOL	EXT		NW	H	CA
WB026.50	7/22/2008	R	16	MFCOL	MLP		E	F	CA
WB026.50	11/19/2008	R	<2	MFCOL	MLP		NE	F	CA
WB026.50	12/2/2008	R	12	MFCOL	EXT		CL	HF	CA
WB026.50	1/12/2009	R	<2	MFCOL	MLP		CL	HE	P
WB026.50	3/16/2009	R	<2	MFCOL	MLP		NE	F	P
WB026.50	5/4/2009	R	<2	MFCOL	LSM		CL	H	P
WB026.50	6/17/2009	R	<2	MFCOL	EXT		CL	F	P
WB026.50	8/12/2009	R	5.5	MFCOL	MLP		NE	F	P
WB026.50	9/29/2009	R	16	MFCOL	MLP		CL	HE	P
WB026.50	11/30/2009	R	7.3	MFCOL	EXT		CL	HE	P
WB026.50	12/14/2009	E	52	MFCOL	EXT		CL	H	P
WB026.50	1/5/2010	R	<2	MFCOL	EXT		CL	HF	CA
WB026.50	2/24/2010	R	<2	MFCOL	EXT	P	NE	E	CA
WB026.50	4/13/2010	R	<2	MFCOL	AB		NE	HF	CA
WB026.50	4/28/2010	R	<2	MFCOL	HG		CL	HE	CA
WB026.50	6/1/2010	R	<2	MFCOL	EXT		CL	F	CA
WB026.50	7/26/2010	R	2	MFCOL	LSM		S	H	CA
WB026.50	9/29/2010	R	<2	MFCOL	EXT		W	F	CA
WB026.50	10/25/2010	R	<2	MFCOL	ESK		E	H	CA
WB026.50	11/17/2010	R	80	MFCOL	ESK		S	HE	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB026.50	12/1/2010	R	1320	MFCOL	LSM		NE	H	CA
WB026.50	1/3/2011	R	<2	MFCOL	EXT		NW	H	CA
WB026.50	1/31/2011	R	<2	MFCOL	LSM		NW	H	P
WB026.50	3/21/2011	R	<2	MFCOL	LSM		CL	F	P
WB026.50	5/9/2011	R	<2	MFCOL	LSM		NE	F	P
WB026.50	6/21/2011	R	<2	MFCOL	HG		E	F	P
WB026.50	8/8/2011	R	6	MFCOL	LSM		CL	HE	P
WB026.50	9/21/2011	R	4	MFCOL	EXT		CL	HE	P
WB026.50	11/16/2011	R	2	MFCOL	HG		CL	HF	P
WB027.00	1/10/2006	R	<3	A1COL	JB		SW	E	CA
WB027.00	2/13/2006	R	<3	A1COL	FP		NW	HE	CA
WB027.00	3/7/2006	R	<3	A1COL	KEM		CL	LF	CA
WB027.00	4/19/2006	R	<3	A1COL	FP		CL	L	CA
WB027.00	7/5/2006	R	15	A1COL	SXR		SW	LE	CA
WB027.00	9/19/2006	R	<2	MFCOL	JXK		SW	HE	CA
WB027.00	10/30/2006	R	200	MFCOL	LL	P	SW	F	CA
WB027.00	11/7/2006	R	2	MFCOL	LL		CL	HE	CA
WB027.00	11/29/2006	R	<2	MFCOL	LL		CL	LF	CA
WB027.00	12/12/2006	R	6	MFCOL	JB		E	F	CA
WB027.00	1/2/2007	R	<2	MFCOL	EXT	P	NW	E	CA
WB027.00	1/7/2007	R	<2	MFCOL	LL		CL	HF	CA
WB027.00	2/12/2007	R	<2	MFCOL	EXT		W	E	CA
WB027.00	3/5/2007	R	2	MFCOL	LL		SW	E	CA
WB027.00	6/18/2007	R	<2	MFCOL	MHE		E	F	CA
WB027.00	7/24/2007	R	6	MFCOL	MHE		CL	E	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB027.00	8/13/2007	R	<2	MFCOL	MHE		W	F	CA
WB027.00	10/9/2007	R	<2	MFCOL	MHE		NE	H	CA
WB027.00	11/19/2007	R	<2	MFCOL	LL		NE	L	CA
WB027.00	12/5/2007	R	<2	MFCOL	LL		CL	E	CA
WB027.00	12/17/2007	R	<2	MFCOL	LL	PT	NW	L	CA
WB027.00	1/7/2008	R	<2	MFCOL	LL		CL	E	CA
WB027.00	2/4/2008	R	4	MFCOL	LL		CL	E	CA
WB027.00	3/31/2008	R	<2	MFCOL	LL		CL	E	CA
WB027.00	4/14/2008	R	<2	MFCOL	EXT		NE	E	CA
WB027.00	6/2/2008	R	<2	MFCOL	EXT		NW	H	CA
WB027.00	7/22/2008	R	20	MFCOL	MLP	B	CL	F	CA
WB027.00	11/19/2008	R	<2	MFCOL	MLP		NE	F	CA
WB027.00	12/2/2008	R	<2	MFCOL	EXT		NW	HF	CA
WB027.00	1/12/2009	R	<2	MFCOL	MLP		NW	HE	P
WB027.00	3/16/2009	R	<2	MFCOL	MLP		SE	F	P
WB027.00	5/4/2009	R	<2	MFCOL	LSM		CL	H	P
WB027.00	6/17/2009	R	6	MFCOL	EXT		SE	L	P
WB027.00	8/12/2009	R	16	MFCOL	MLP	B	E	F	P
WB027.00	9/29/2009	R	4	MFCOL	MLP	BM	W	HE	P
WB027.00	11/30/2009	R	<2	MFCOL	EXT		NW	H	P
WB027.00	12/14/2009	E	4	MFCOL	EXT		CL	HE	P
WB027.00	1/5/2010	R	<2	MFCOL	EXT		NW	HF	CA
WB027.00	2/24/2010	R	<2	MFCOL	EXT	P	E	E	CA
WB027.00	4/13/2010	R	<2	MFCOL	AB		NE	HF	CA
WB027.00	4/28/2010	R	<2	MFCOL	HG		CL	HE	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB027.00	6/1/2010	R	<2	MFCOL	EXT		SW	F	CA
WB027.00	7/26/2010	R	<2	MFCOL	LSM		S	H	CA
WB027.00	9/29/2010	R	6	MFCOL	EXT		S	F	CA
WB027.00	10/25/2010	R	<2	MFCOL	ESK		SE	H	CA
WB027.00	11/17/2010	R	3.6	MFCOL	ESK		S	HE	CA
WB027.00	12/1/2010	R	<2	MFCOL	LSM		NE	HE	CA
WB027.00	1/3/2011	R	<2	MFCOL	EXT		NW	HE	CA
WB027.00	1/31/2011	R	<2	MFCOL	LSM		NW	H	CA
WB027.00	3/21/2011	R	<2	MFCOL	LSM		W	F	CA
WB027.00	4/6/2011	R	<2	MFCOL	HG		NW	F	CA
WB027.00	5/9/2011	R	<2	MFCOL	LSM		NE	HF	CA
WB027.00	6/21/2011	R	<2	MFCOL	HG		S	F	CA
WB027.00	8/8/2011	R	2	MFCOL	LSM		CL	HE	CA
WB027.00	9/21/2011	R	7.3	MFCOL	EXT		CL	E	CA
WB027.00	11/16/2011	R	<2	MFCOL	HG		CL	HF	CA
WB027.00	12/5/2011	R	<2	MFCOL	LSM		CL	HE	CA
WB029.00	1/10/2006	R	<3	A1COL	JB		CL	E	A
WB029.00	2/13/2006	R	<3	A1COL	FP		NW	HE	A
WB029.00	4/19/2006	R	<3	A1COL	FP		N	L	A
WB029.00	7/5/2006	R	<3	A1COL	SXR		SW	LE	A
WB029.00	9/19/2006	R	<2	MFCOL	JXK		SW	HE	A
WB029.00	12/12/2006	R	<2	MFCOL	JB		E	F	A
WB029.00	1/2/2007	R	<2	MFCOL	EXT	P	NW	E	A
WB029.00	3/5/2007	R	<2	MFCOL	LL		CL	E	A
WB029.00	6/18/2007	R	8	MFCOL	MHE		NE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB029.00	7/24/2007	R	<2	MFCOL	MHE		CL	E	A
WB029.00	8/13/2007	R	14	MFCOL	MHE		W	F	A
WB029.00	10/9/2007	R	6	MFCOL	MHE		NW	H	A
WB029.00	2/4/2008	R	<2	MFCOL	LL		CL	E	A
WB029.00	3/31/2008	R	<2	MFCOL	LL		S	E	A
WB029.00	6/2/2008	R	<2	MFCOL	EXT		NW	HE	A
WB029.00	7/22/2008	R	2	MFCOL	MLP		SE	F	A
WB029.00	11/19/2008	R	<2	MFCOL	MLP		NE	F	A
WB029.00	12/2/2008	R	2	MFCOL	EXT		NW	HF	A
WB029.00	3/16/2009	R	<2	MFCOL	MLP		SE	F	P
WB029.00	5/4/2009	R	<2	MFCOL	LSM		N	HE	P
WB029.00	6/17/2009	R	6	MFCOL	EXT		SE	LF	P
WB029.00	8/12/2009	R	62	MFCOL	MLP		E	F	P
WB029.00	9/29/2009	R	6	MFCOL	MLP		W	HE	P
WB029.00	11/30/2009	R	6	MFCOL	EXT		CL	H	P
WB029.00	2/24/2010	R	2	MFCOL	EXT	P	E	E	P
WB029.00	4/13/2010	R	<2	MFCOL	AB		NE	HF	P
WB029.00	6/1/2010	R	2	MFCOL	EXT		S	F	P
WB029.00	7/26/2010	R	<2	MFCOL	LSM		S	HE	P
WB029.00	9/29/2010	R	<2	MFCOL	EXT		S	F	P
WB029.00	10/25/2010	R	300	MFCOL	ESK		SE	H	P
WB029.00	1/31/2011	R	<2	MFCOL	LSM		NW	H	P
WB029.00	3/21/2011	R	<2	MFCOL	LSM		W	F	P
WB029.00	5/9/2011	R	<2	MFCOL	LSM		NE	HF	P
WB029.00	6/21/2011	R	<2	MFCOL	HG		SE	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WB029.00	8/8/2011	R	<2	MFCOL	LSM		CL	HE	P
WB029.00	9/21/2011	R	<2	MFCOL	EXT		CL	E	P

---

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.