

Maine DMR Shellfish Growing Area Classification Program Tabulated Data Report

Growing Area: WS

DMR collects additional water samples during flood events, to document pollution sources and under other adverse conditions which may not be included in this tabulated data report. Please refer to the specific growing area annual, triennial or sanitary survey report for further information on these samples and explanation of current classifications in each growing area. The 30 most recent data scores are used in the P90 calculation to determine classifications in a growing area. Additional information can be found on the DMR website under the Public Health Division Shellfish Program: www.maine.gov/dmr/rm/public_health/htm.

Data Key **Score:** fecal coliform/100ml sea water sample **Strategy:** R = Random sample E = Extra sample

Method: MFCOL = membrane filtration, mTEC agar, A1COL = multiple tube fermentation MPN A1 media

Adversity: B = minimum 5 enclosed boats (i.e. not open skiffs) that might have a head; F= statewide flood closure, H= seasonal habitation of homes; M= marinas with 10 or more enclosed boats in the water; N= flowing streams, stormwater pipes, or overland runoff, P= rain or mixed precipitation anytime within past 2 days (i.e.thunderstorms, rainfall more than a drizzle); T= thawing snow and ice melt; S= sewage treatment plant malfunction or bypass events; W= Waterfowl (10 or more), domestic or wild animals (i.e., at the station or in close enough proximity to have a possible impact).

Wind: Wind direction **Class:** Classification when sample was collected; A= approved, CA=Conditionally Approved, R=restricted, CR=Conditionally restricted, P=Prohibited

Tide: Tide stage

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS016.00	2/6/2006	R	<3	A1COL	LL	P	SW	E	P
WS016.00	3/1/2006	R	<3	A1COL	FP		CL	F	P
WS016.00	5/16/2006	R	93	A1COL	JB	PN	E	F	P
WS016.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	P
WS016.00	11/14/2006	R	18	MFCOL	JB	PN	CL	F	P
WS016.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	P
WS016.00	1/23/2007	R	<2	MFCOL	EXT		E	F	P
WS016.00	4/4/2007	R	2	MFCOL	EXT		E	F	P
WS016.00	5/9/2007	R	<2	MFCOL	FP		CL	E	P
WS016.00	7/9/2007	R	4	MFCOL	EXT		SE	LF	P
WS016.00	8/27/2007	R	<2	MFCOL	MHE		NE	E	P
WS016.00	10/30/2007	R	<2	MFCOL	EXT		NW	LF	P
WS016.00	1/16/2008	R	<2	MFCOL	LL		CL	LE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS016.00	3/5/2008	R	2	MFCOL	EXT	P	NE	HF	P
WS016.00	5/6/2008	R	2	MFCOL	EXT		SE	F	P
WS016.00	6/30/2008	R	8	MFCOL	FP		SW	HE	P
WS016.00	8/19/2008	R	<2	MFCOL	MLP	P	CL	F	P
WS016.00	10/14/2008	R	<2	MFCOL	EXT		CL	HF	P
WS016.00	3/17/2009	R	<2	MFCOL	MLP		SE	F	P
WS016.00	3/31/2009	R	<2	MFCOL	FP	P	CL	F	P
WS016.00	5/19/2009	R	<2	MFCOL	FP		CL	H	P
WS016.00	7/15/2009	R	2	MFCOL	EXT		CL	LF	P
WS016.00	9/23/2009	R	2	MFCOL	FP		SW	F	P
WS016.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	HE	P
WS016.00	3/10/2010	R	<2	MFCOL	ESK		NW	E	P
WS016.00	4/28/2010	R	6	MFCOL	FP	P	CL	F	P
WS016.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	P
WS016.00	8/4/2010	R	35	MFCOL	HG		SW	HF	P
WS016.00	9/21/2010	R	<2	MFCOL	FP		CL	F	P
WS016.00	11/15/2010	R	<2	MFCOL	GN		CL	E	P
WS016.00	3/1/2011	R	<2	MFCOL	ESK		NW	F	P
WS016.00	4/20/2011	R	<2	MFCOL	EXT		E	F	P
WS016.00	6/7/2011	R	7.3	MFCOL	ESK		SE	HE	P
WS016.00	7/25/2011	R	2	MFCOL	LSM		CL	E	P
WS016.00	9/7/2011	R	4	MFCOL	HG		E	F	P
WS016.00	10/19/2011	R	4	MFCOL	ESK		S	F	P
WS017.00	2/6/2006	R	<3	A1COL	LL	P	SW	E	A
WS017.00	3/1/2006	R	<3	A1COL	FP		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS017.00	5/16/2006	R	43	A1COL	JB	PN	SE	F	A
WS017.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS017.00	11/14/2006	R	12	MFCOL	JB	P	CL	F	A
WS017.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	A
WS017.00	1/23/2007	R	<2	MFCOL	EXT		E	F	A
WS017.00	4/4/2007	R	<2	MFCOL	EXT		E	F	A
WS017.00	5/16/2007	R	<2	MFCOL	LL	P	NE	F	A
WS017.00	7/9/2007	R	8	MFCOL	EXT		CL	LF	A
WS017.00	8/27/2007	R	2	MFCOL	MHE		CL	E	A
WS017.00	10/30/2007	R	60	MFCOL	EXT		NW	LF	A
WS017.00	2/6/2008	R	<2	MFCOL	FP	P	CL	F	A
WS017.00	3/5/2008	R	<2	MFCOL	EXT	P	NE	HF	A
WS017.00	5/6/2008	R	<2	MFCOL	EXT		CL	F	A
WS017.00	6/30/2008	R	4	MFCOL	FP		CL	HE	A
WS017.00	8/19/2008	R	13	MFCOL	MLP	P	CL	F	A
WS017.00	10/14/2008	R	8	MFCOL	EXT		CL	HF	A
WS017.00	3/17/2009	R	<2	MFCOL	MLP		SE	F	A
WS017.00	3/31/2009	R	<2	MFCOL	FP	PW	NE	F	A
WS017.00	5/19/2009	R	<2	MFCOL	FP		CL	H	A
WS017.00	7/15/2009	R	<2	MFCOL	EXT		CL	H	A
WS017.00	9/23/2009	R	<2	MFCOL	FP		SW	F	A
WS017.00	10/13/2009	R	2	MFCOL	EXT	P	CL	HE	A
WS017.00	3/10/2010	R	<2	MFCOL	ESK		SW	E	A
WS017.00	4/28/2010	R	<2	MFCOL	FP	W	SE	F	A
WS017.00	6/21/2010	R	<2	MFCOL	EXT		S	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS017.00	8/4/2010	R	20	MFCOL	HG		S	HF	A
WS017.00	9/21/2010	R	<2	MFCOL	FP		CL	HF	A
WS017.00	11/15/2010	R	<2	MFCOL	GN	W	CL	E	A
WS017.00	3/30/2011	R	<2	MFCOL	EXT		CL	HF	A
WS017.00	4/20/2011	R	<2	MFCOL	EXT		E	F	A
WS017.00	6/7/2011	R	<2	MFCOL	ESK		S	HE	A
WS017.00	7/25/2011	R	2	MFCOL	LSM		CL	E	A
WS017.00	9/7/2011	R	2	MFCOL	HG		NE	F	A
WS017.00	10/19/2011	R	2	MFCOL	ESK		SE	F	A
WS018.00	2/27/2006	R	<3	A1COL	JB		W	HF	A
WS018.00	3/1/2006	R	<3	A1COL	FP		W	F	A
WS018.00	5/16/2006	R	1100	A1COL	JB	P	CL	F	A
WS018.00	8/29/2006	R	10	MFCOL	SXR	P	NW	HF	A
WS018.00	11/27/2006	R	3.6	MFCOL	EXT		CL	HE	A
WS018.00	12/4/2006	R	2	MFCOL	JB	PN	NE	E	A
WS018.00	1/23/2007	R	<2	MFCOL	EXT	N	CL	F	A
WS018.00	4/4/2007	R	<2	MFCOL	EXT	N	CL	F	A
WS018.00	5/16/2007	R	10	MFCOL	LL	P	NE	F	A
WS018.00	7/9/2007	R	2	MFCOL	EXT		CL	L	A
WS018.00	8/27/2007	R	2	MFCOL	MHE		NE	E	A
WS018.00	10/30/2007	R	<2	MFCOL	EXT		CL	H	A
WS018.00	2/6/2008	R	<2	MFCOL	FP	PW	CL	F	A
WS018.00	3/5/2008	R	<2	MFCOL	EXT	P	NE	HF	A
WS018.00	5/6/2008	R	<2	MFCOL	EXT		S	F	A
WS018.00	6/30/2008	R	44	MFCOL	FP		S	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS018.00	8/19/2008	R	6	MFCOL	MLP	P	CL	F	A
WS018.00	10/14/2008	R	<2	MFCOL	EXT		CL	HF	A
WS018.00	3/31/2009	R	<2	MFCOL	FP	P	CL	F	A
WS018.00	4/15/2009	R	<2	MFCOL	MLP		SW	F	A
WS018.00	5/19/2009	R	<2	MFCOL	FP		CL	H	A
WS018.00	7/15/2009	R	<2	MFCOL	EXT		CL	HF	A
WS018.00	9/23/2009	R	<2	MFCOL	FP		SW	F	A
WS018.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	HE	A
WS018.00	3/10/2010	R	<2	MFCOL	ESK		NW	E	A
WS018.00	4/28/2010	R	31	MFCOL	FP		S	F	A
WS018.00	6/21/2010	R	16	MFCOL	EXT		CL	E	A
WS018.00	8/4/2010	R	6	MFCOL	HG		S	HF	A
WS018.00	9/21/2010	R	<2	MFCOL	FP		CL	HF	A
WS018.00	11/15/2010	R	2	MFCOL	GN		CL	E	A
WS018.00	3/30/2011	R	<2	MFCOL	EXT		NW	HF	A
WS018.00	4/20/2011	R	<2	MFCOL	EXT		CL	F	A
WS018.00	6/7/2011	R	<2	MFCOL	ESK		SE	H	A
WS018.00	7/25/2011	R	9.1	MFCOL	LSM		CL	E	A
WS018.00	9/7/2011	R	3.6	MFCOL	HG		CL	F	A
WS018.00	10/19/2011	R	4	MFCOL	ESK	W	NE	H	A
WS019.00	3/1/2006	R	<3	A1COL	FP		W	F	A
WS019.00	5/16/2006	R	3	A1COL	JB	P	CL	F	A
WS019.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS019.00	9/20/2006	R	2	MFCOL	JB	P	NW	E	A
WS019.00	11/14/2006	R	35	MFCOL	JB	P	CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS019.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	A
WS019.00	1/23/2007	R	<2	MFCOL	EXT		CL	F	A
WS019.00	4/4/2007	R	<2	MFCOL	EXT		E	F	A
WS019.00	5/9/2007	R	<2	MFCOL	FP		S	LE	A
WS019.00	7/9/2007	R	2	MFCOL	EXT		SE	L	A
WS019.00	8/27/2007	R	<2	MFCOL	MHE		CL	E	A
WS019.00	10/30/2007	R	2	MFCOL	EXT		NW	F	A
WS019.00	1/16/2008	R	<2	MFCOL	LL		CL	F	A
WS019.00	3/5/2008	R	<2	MFCOL	EXT	P	NE	H	A
WS019.00	5/6/2008	R	<2	MFCOL	EXT		CL	F	A
WS019.00	6/30/2008	R	<2	MFCOL	FP		S	HE	A
WS019.00	8/19/2008	R	<2	MFCOL	MLP	P	CL	F	A
WS019.00	10/14/2008	R	<2	MFCOL	EXT		SW	HF	A
WS019.00	3/17/2009	R	<2	MFCOL	MLP		SW	F	A
WS019.00	3/31/2009	R	<2	MFCOL	FP	P	NE	F	A
WS019.00	5/19/2009	R	<2	MFCOL	FP	W	CL	H	A
WS019.00	7/15/2009	R	2	MFCOL	EXT		CL	H	A
WS019.00	9/23/2009	R	<2	MFCOL	FP		SW	F	A
WS019.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	HE	A
WS019.00	3/10/2010	R	<2	MFCOL	ESK		NW	E	A
WS019.00	4/28/2010	R	<2	MFCOL	FP		S	F	A
WS019.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	A
WS019.00	8/4/2010	R	<2	MFCOL	HG		S	HF	A
WS019.00	9/21/2010	R	2	MFCOL	FP		NW	HF	A
WS019.00	11/15/2010	R	<2	MFCOL	GN		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS019.00	3/1/2011	R	<2	MFCOL	ESK		N	HF	A
WS019.00	4/20/2011	R	<2	MFCOL	EXT		CL	F	A
WS019.00	6/7/2011	R	2	MFCOL	ESK		S	HE	A
WS019.00	7/25/2011	R	<2	MFCOL	LSM		CL	E	A
WS019.00	9/7/2011	R	<2	MFCOL	HG		N	HF	A
WS019.00	10/19/2011	R	<2	MFCOL	ESK		N	F	A
WS019.80	4/26/2006	R	<3	A1COL	FP		S	HE	A
WS019.80	6/20/2006	R	<3	A1COL	FP		S	L	A
WS019.80	7/12/2006	R	3.6	A1COL	FP	P	S	HE	A
WS019.80	9/5/2006	R	<2	MFCOL	JB	P	S	E	A
WS019.80	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS019.80	10/17/2006	R	<2	MFCOL	FP		S	E	A
WS019.80	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS019.80	6/11/2007	R	2	MFCOL	FP		NE	LE	A
WS019.80	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS019.80	7/30/2007	R	<2	MFCOL	EXT		SW	H	A
WS019.80	8/15/2007	R	<2	MFCOL	JB	B	SW	E	A
WS019.80	9/24/2007	R	<2	MFCOL	AJS		CL	L	A
WS019.80	4/7/2008	R	<2	MFCOL	FP		NE	HE	A
WS019.80	8/11/2008	R	<2	MFCOL	MLP		S	L	A
WS019.80	8/26/2008	R	2	MFCOL	MLP		NW	LE	A
WS019.80	10/6/2008	R	<2	MFCOL	FP		N	F	A
WS019.80	10/20/2008	R	<2	MFCOL	FP		NE	F	A
WS019.80	11/3/2008	R	<2	MFCOL	FP		SW	F	A
WS019.80	5/4/2009	R	<2	MFCOL	FP		S	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS019.80	6/2/2009	R	<2	MFCOL	FP		CL	LE	A
WS019.80	8/10/2009	R	<2	MFCOL	FP		S	HF	A
WS019.80	9/21/2009	R	<2	MFCOL	AB		CL	HF	A
WS019.80	10/5/2009	R	<2	MFCOL	FP		W	H	A
WS019.80	10/26/2009	R	<2	MFCOL	FP	P	NW	LF	A
WS019.80	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS019.80	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS019.80	6/9/2010	R	<2	MFCOL	FP		S	E	A
WS019.80	8/10/2010	R	<2	MFCOL	FP		CL	HE	A
WS019.80	9/27/2010	R	<2	MFCOL	FP		NE	HF	A
WS019.80	10/12/2010	R	<2	MFCOL	FP		CL	F	A
WS019.80	5/16/2011	R	2	MFCOL	FP		NE	E	A
WS019.80	6/6/2011	R	<2	MFCOL	FP		S	F	A
WS019.80	7/5/2011	R	<2	MFCOL	FP		CL	F	A
WS019.80	7/25/2011	R	2	MFCOL	FP		S	LE	A
WS019.80	9/6/2011	R	2	MFCOL	FP	P	NW	LF	A
WS019.80	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS021.00	2/6/2006	R	<3	A1COL	LL	P	SW	LE	A
WS021.00	3/1/2006	R	<3	A1COL	FP		CL	F	A
WS021.00	5/16/2006	R	23	A1COL	JB	PB	CL	F	A
WS021.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS021.00	11/14/2006	R	15	MFCOL	JB	PB	SW	F	A
WS021.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	A
WS021.00	1/23/2007	R	<2	MFCOL	EXT		E	F	A
WS021.00	4/4/2007	R	<2	MFCOL	EXT		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS021.00	5/9/2007	R	2	MFCOL	FP		CL	LE	A
WS021.00	7/9/2007	R	40	MFCOL	EXT		CL	L	A
WS021.00	8/27/2007	R	4	MFCOL	MHE		N	E	A
WS021.00	10/30/2007	R	29	MFCOL	EXT		CL	F	A
WS021.00	1/16/2008	R	<2	MFCOL	LL		N	LE	A
WS021.00	3/5/2008	R	22	MFCOL	EXT	P	NE	H	A
WS021.00	5/6/2008	R	<2	MFCOL	EXT		SW	F	A
WS021.00	6/30/2008	R	2	MFCOL	FP		CL	HE	A
WS021.00	8/19/2008	R	10	MFCOL	MLP	P	CL	F	A
WS021.00	10/14/2008	R	<2	MFCOL	EXT		SW	HF	A
WS021.00	3/17/2009	R	<2	MFCOL	MLP		CL	F	A
WS021.00	3/31/2009	R	<2	MFCOL	FP	P	CL	F	A
WS021.00	5/19/2009	R	<2	MFCOL	FP		CL	H	A
WS021.00	7/15/2009	R	<2	MFCOL	EXT		CL	F	A
WS021.00	9/23/2009	R	<2	MFCOL	FP		SW	F	A
WS021.00	10/13/2009	R	2	MFCOL	EXT	P	CL	HE	A
WS021.00	3/10/2010	R	<2	MFCOL	ESK		CL	E	A
WS021.00	4/28/2010	R	<2	MFCOL	FP		S	F	A
WS021.00	6/21/2010	R	2	MFCOL	EXT		CL	E	A
WS021.00	8/4/2010	R	<2	MFCOL	HG		S	H	A
WS021.00	9/21/2010	R	<2	MFCOL	FP		N	HF	A
WS021.00	11/15/2010	R	4	MFCOL	GN		CL	E	A
WS021.00	3/1/2011	R	<2	MFCOL	ESK		N	HF	A
WS021.00	4/20/2011	R	<2	MFCOL	EXT		E	F	A
WS021.00	6/7/2011	R	2	MFCOL	ESK		SE	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS021.00	7/25/2011	R	2	MFCOL	LSM		CL	E	A
WS021.00	9/7/2011	R	<2	MFCOL	HG		E	HF	A
WS021.00	10/19/2011	R	<2	MFCOL	ESK		N	F	A
WS022.00	2/6/2006	R	<3	A1COL	LL	P	SW	LE	P
WS022.00	3/1/2006	R	<3	A1COL	FP		CL	F	P
WS022.00	5/16/2006	R	460	A1COL	JB	PB	CL	F	P
WS022.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	P
WS022.00	11/14/2006	R	<2	MFCOL	JB	P	SE	LF	P
WS022.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	P
WS022.00	1/23/2007	R	<2	MFCOL	EXT		CL	F	P
WS022.00	4/4/2007	R	<2	MFCOL	EXT		E	F	P
WS022.00	5/9/2007	R	2	MFCOL	FP		CL	LE	P
WS022.00	7/9/2007	R	<2	MFCOL	EXT		E	L	P
WS022.00	8/27/2007	R	<2	MFCOL	MHE		CL	E	P
WS022.00	10/30/2007	R	<2	MFCOL	EXT		CL	F	P
WS022.00	1/16/2008	R	5.5	MFCOL	LL		N	LE	P
WS022.00	3/5/2008	R	4	MFCOL	EXT	P	NE	H	P
WS022.00	5/6/2008	R	<2	MFCOL	EXT		SW	F	P
WS022.00	6/30/2008	R	48	MFCOL	FP		CL	E	P
WS022.00	8/19/2008	R	14	MFCOL	MLP	P	NE	F	P
WS022.00	10/14/2008	R	<2	MFCOL	EXT		SW	H	P
WS022.00	3/17/2009	R	<2	MFCOL	MLP		SE	F	P
WS022.00	3/31/2009	R	<2	MFCOL	FP	P	CL	F	P
WS022.00	5/19/2009	R	<2	MFCOL	FP		CL	HE	P
WS022.00	7/15/2009	R	2	MFCOL	EXT		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS022.00	9/23/2009	R	<2	MFCOL	FP		SW	F	P
WS022.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	P
WS022.00	3/10/2010	R	<2	MFCOL	ESK		NW	E	P
WS022.00	4/28/2010	R	<2	MFCOL	FP		S	F	P
WS022.00	6/21/2010	R	2	MFCOL	EXT		CL	E	P
WS022.00	8/4/2010	R	2	MFCOL	HG		S	H	P
WS022.00	9/21/2010	R	4	MFCOL	FP		N	HF	P
WS022.00	11/15/2010	R	35	MFCOL	GN		CL	E	P
WS022.00	3/1/2011	R	<2	MFCOL	ESK		E	H	A
WS022.00	4/20/2011	R	2	MFCOL	EXT		E	F	A
WS022.00	6/7/2011	R	<2	MFCOL	ESK		SE	H	A
WS022.00	7/25/2011	R	<2	MFCOL	LSM		CL	E	A
WS022.00	9/7/2011	R	2	MFCOL	HG		NE	HF	A
WS022.00	10/19/2011	R	<2	MFCOL	ESK		N	F	A
WS024.00	2/6/2006	R	3.6	A1COL	LL	P	SW	LE	P
WS024.00	3/1/2006	R	<3	A1COL	FP		CL	F	P
WS024.00	5/16/2006	R	460	A1COL	JB	P	CL	F	P
WS024.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	P
WS024.00	11/14/2006	R	22	MFCOL	JB	P	SE	LF	P
WS024.00	11/27/2006	R	2	MFCOL	EXT		CL	F	P
WS024.00	1/23/2007	R	<2	MFCOL	EXT		E	F	P
WS024.00	4/4/2007	R	2	MFCOL	EXT		E	F	P
WS024.00	5/9/2007	R	<2	MFCOL	FP		CL	LE	P
WS024.00	7/9/2007	R	<2	MFCOL	EXT		E	LE	P
WS024.00	8/27/2007	R	<2	MFCOL	MHE		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS024.00	10/30/2007	R	2	MFCOL	EXT		NW	F	P
WS024.00	1/16/2008	R	<2	MFCOL	LL		N	L	P
WS024.00	3/5/2008	R	2	MFCOL	EXT	P	NE	H	P
WS024.00	5/6/2008	R	<2	MFCOL	EXT		S	F	P
WS024.00	6/30/2008	R	10	MFCOL	FP		CL	E	P
WS024.00	8/19/2008	R	7.3	MFCOL	MLP	P	NE	HF	P
WS024.00	10/14/2008	R	2	MFCOL	EXT		CL	H	P
WS024.00	3/17/2009	R	<2	MFCOL	MLP		CL	F	P
WS024.00	3/31/2009	R	<2	MFCOL	FP	P	NE	F	P
WS024.00	5/19/2009	R	<2	MFCOL	FP		CL	HE	P
WS024.00	7/15/2009	R	<2	MFCOL	EXT		CL	F	P
WS024.00	9/23/2009	R	<2	MFCOL	FP		S	F	P
WS024.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	P
WS024.00	3/10/2010	R	<2	MFCOL	ESK		SW	E	P
WS024.00	4/28/2010	R	2	MFCOL	FP		S	F	P
WS024.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	P
WS024.00	8/4/2010	R	2	MFCOL	HG		CL	H	P
WS024.00	9/21/2010	R	<2	MFCOL	FP		CL	HF	P
WS024.00	11/15/2010	R	5.5	MFCOL	GN		CL	E	P
WS024.00	3/1/2011	R	<2	MFCOL	ESK		E	H	A
WS024.00	4/20/2011	R	<2	MFCOL	EXT		NE	F	A
WS024.00	6/7/2011	R	2	MFCOL	ESK		CL	H	A
WS024.00	7/25/2011	R	<2	MFCOL	LSM		CL	E	A
WS024.00	9/7/2011	R	2	MFCOL	HG		E	HF	A
WS024.00	10/19/2011	R	<2	MFCOL	ESK		NE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS025.00	2/27/2006	R	<3	A1COL	JB		W	H	A
WS025.00	3/1/2006	R	<3	A1COL	FP		CL	F	A
WS025.00	5/16/2006	R	460	A1COL	JB	PN	CL	F	A
WS025.00	8/29/2006	R	<2	MFCOL	SXR	PN	NW	F	A
WS025.00	11/27/2006	R	<2	MFCOL	EXT	N	CL	F	A
WS025.00	12/4/2006	R	22	MFCOL	JB	P	CL	E	A
WS025.00	1/23/2007	R	<2	MFCOL	EXT	N	CL	F	A
WS025.00	4/4/2007	R	<2	MFCOL	EXT	N	E	F	A
WS025.00	5/16/2007	R	26	MFCOL	LL	P	NE	F	A
WS025.00	8/27/2007	R	25	MFCOL	MHE		NE	E	A
WS025.00	10/30/2007	R	<2	MFCOL	EXT		CL	F	A
WS025.00	12/5/2007	R	<2	MFCOL	FP		CL	HE	A
WS025.00	2/6/2008	R	<2	MFCOL	FP	P	CL	F	A
WS025.00	3/5/2008	R	11	MFCOL	EXT	P	NE	HE	A
WS025.00	5/6/2008	R	<2	MFCOL	EXT		SE	F	A
WS025.00	6/30/2008	R	11	MFCOL	FP		CL	E	A
WS025.00	8/19/2008	R	16	MFCOL	MLP	P	NE	HF	A
WS025.00	10/14/2008	R	<2	MFCOL	EXT		CL	H	CA
WS025.00	12/15/2008	R	20	MFCOL	AB	N	W	H	CA
WS025.00	1/13/2009	R	<2	MFCOL	EXT		CL	HE	CA
WS025.00	3/17/2009	R	<2	MFCOL	MLP		CL	F	CA
WS025.00	3/31/2009	R	<2	MFCOL	FP	P	N	HF	CA
WS025.00	4/15/2009	R	2	MFCOL	MLP		CL	F	CA
WS025.00	5/19/2009	R	2	MFCOL	FP		CL	HE	CA
WS025.00	7/15/2009	R	<2	MFCOL	EXT		CL	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS025.00	9/23/2009	R	<2	MFCOL	FP		CL	HF	CA
WS025.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	CA
WS025.00	10/27/2009	E	4	MFCOL	FP	P	CL	HE	CA
WS025.00	12/1/2009	R	<2	MFCOL	EXT		CL	F	CA
WS025.00	12/15/2009	E	2	MFCOL	EXT		CL	HF	CA
WS025.00	1/11/2010	R	<2	MFCOL	EXT		CL	H	CA
WS025.00	2/3/2010	R	<2	MFCOL	EXT		NE	F	CA
WS025.00	3/10/2010	R	<2	MFCOL	ESK		CL	E	CA
WS025.00	4/28/2010	R	2	MFCOL	FP		CL	HF	CA
WS025.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	CA
WS025.00	8/4/2010	R	2	MFCOL	HG		CL	H	CA
WS025.00	9/21/2010	R	3.6	MFCOL	FP		CL	H	CA
WS025.00	10/13/2010	R	<2	MFCOL	GN		SE	HF	CA
WS025.00	11/15/2010	R	<2	MFCOL	GN		CL	E	CA
WS025.00	1/5/2011	R	<2	MFCOL	ESK		CL	F	CA
WS025.00	2/14/2011	R	<2	MFCOL	FP		CL	H	CA
WS025.00	3/30/2011	R	<2	MFCOL	EXT		CL	HF	CA
WS025.00	4/20/2011	R	7.3	MFCOL	EXT		NE	F	CA
WS025.00	6/7/2011	R	<2	MFCOL	ESK		CL	H	CA
WS025.00	7/25/2011	R	6	MFCOL	LSM		CL	E	A
WS025.00	9/7/2011	R	6	MFCOL	HG		E	HF	A
WS025.00	10/19/2011	R	<2	MFCOL	ESK		NE	F	A
WS026.00	2/27/2006	R	<3	A1COL	JB		W	H	A
WS026.00	3/1/2006	R	<3	A1COL	FP		CL	F	A
WS026.00	5/16/2006	R	460	A1COL	JB	PN	E	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS026.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS026.00	11/27/2006	R	4	MFCOL	EXT		CL	F	A
WS026.00	12/4/2006	R	<2	MFCOL	JB	P	N	E	A
WS026.00	1/23/2007	R	<2	MFCOL	EXT		E	F	A
WS026.00	4/4/2007	R	<2	MFCOL	EXT		E	F	A
WS026.00	5/16/2007	R	2	MFCOL	LL	P	NE	F	A
WS026.00	7/9/2007	R	8	MFCOL	EXT		CL	E	A
WS026.00	8/27/2007	R	<2	MFCOL	MHE		N	E	R
WS026.00	10/30/2007	R	4	MFCOL	EXT		NW	F	R
WS026.00	2/6/2008	R	<2	MFCOL	FP	P	CL	HF	R
WS026.00	3/5/2008	R	<2	MFCOL	EXT	P	NE	HE	R
WS026.00	5/6/2008	R	2	MFCOL	EXT		SE	HF	R
WS026.00	6/30/2008	R	44	MFCOL	FP		S	E	R
WS026.00	8/19/2008	R	7.3	MFCOL	MLP	P	CL	HF	R
WS026.00	10/14/2008	R	27	MFCOL	EXT		CL	H	CA
WS026.00	12/15/2008	R	2	MFCOL	AB		W	H	CA
WS026.00	1/13/2009	R	<2	MFCOL	EXT		SW	HE	CA
WS026.00	3/17/2009	R	2	MFCOL	MLP		SE	F	CA
WS026.00	3/31/2009	R	<2	MFCOL	FP	P	CL	HF	CA
WS026.00	4/15/2009	R	<2	MFCOL	MLP		S	F	CA
WS026.00	5/19/2009	R	<2	MFCOL	FP	W	CL	HE	CA
WS026.00	7/15/2009	R	2	MFCOL	EXT		NW	HF	CA
WS026.00	9/23/2009	R	8	MFCOL	FP		S	HF	CA
WS026.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	CA
WS026.00	10/27/2009	E	2	MFCOL	FP	P	CL	HE	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS026.00	12/1/2009	R	<2	MFCOL	EXT		CL	HF	CA
WS026.00	12/15/2009	E	<2	MFCOL	EXT		CL	HF	CA
WS026.00	1/11/2010	R	<2	MFCOL	EXT		CL	H	CA
WS026.00	2/3/2010	R	<2	MFCOL	EXT		CL	F	CA
WS026.00	3/10/2010	R	<2	MFCOL	ESK		NE	HE	CA
WS026.00	4/28/2010	R	146	MFCOL	FP		CL	HF	CA
WS026.00	6/23/2010	R	<2	MFCOL	FP	P	CL	HF	CA
WS026.00	8/4/2010	R	<2	MFCOL	HG		CL	H	CA
WS026.00	9/21/2010	R	<2	MFCOL	FP		CL	H	CA
WS026.00	10/13/2010	R	<2	MFCOL	GN		CL	HF	CA
WS026.00	11/15/2010	R	4	MFCOL	GN		CL	H	CA
WS026.00	1/5/2011	R	<2	MFCOL	ESK		NW	HF	CA
WS026.00	3/30/2011	R	<2	MFCOL	EXT		CL	HF	CA
WS026.00	4/20/2011	R	<2	MFCOL	EXT		CL	F	CA
WS026.00	5/4/2011	R	56	MFCOL	ESK		SE	HF	CA
WS026.00	6/7/2011	R	<2	MFCOL	ESK		SE	H	CA
WS026.00	7/25/2011	R	<2	MFCOL	LSM		CL	E	A
WS026.00	9/7/2011	R	108	MFCOL	HG	W,P	E	H	A
WS026.00	10/19/2011	R	<2	MFCOL	ESK		E	F	A
WS026.50	8/28/2007	R	11	MFCOL	EXT		S	E	R
WS026.50	10/30/2007	R	2	MFCOL	EXT		NW	F	R
WS026.50	12/5/2007	R	<2	MFCOL	FP		CL	HE	R
WS026.50	2/6/2008	R	<2	MFCOL	FP	P	CL	HF	R
WS026.50	3/5/2008	R	<2	MFCOL	EXT	P	NE	HE	R
WS026.50	5/6/2008	R	<2	MFCOL	EXT		SE	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS026.50	6/30/2008	R	25	MFCOL	FP		S	E	R
WS026.50	8/19/2008	R	9.1	MFCOL	MLP	P	N	HF	R
WS026.50	10/14/2008	R	4	MFCOL	EXT		SW	H	CA
WS026.50	12/15/2008	R	<2	MFCOL	AB		W	H	CA
WS026.50	1/13/2009	R	<2	MFCOL	EXT		CL	HE	CA
WS026.50	3/17/2009	R	<2	MFCOL	MLP		SE	F	CA
WS026.50	3/31/2009	R	<2	MFCOL	FP	P	N	HF	CA
WS026.50	4/15/2009	R	<2	MFCOL	MLP		S	F	CA
WS026.50	5/19/2009	R	<2	MFCOL	FP		CL	HE	CA
WS026.50	7/15/2009	R	<2	MFCOL	EXT		N	F	CA
WS026.50	9/23/2009	R	<2	MFCOL	FP		S	HF	CA
WS026.50	10/13/2009	R	2	MFCOL	EXT	P	CL	E	CA
WS026.50	10/27/2009	E	4	MFCOL	FP	P	CL	E	CA
WS026.50	12/1/2009	R	2	MFCOL	EXT		CL	HF	CA
WS026.50	12/15/2009	E	<2	MFCOL	EXT		CL	H	CA
WS026.50	1/11/2010	R	<2	MFCOL	EXT		CL	HE	CA
WS026.50	2/3/2010	R	<2	MFCOL	EXT		CL	F	CA
WS026.50	3/10/2010	R	<2	MFCOL	ESK		CL	HE	CA
WS026.50	4/28/2010	R	<2	MFCOL	FP		SE	HF	CA
WS026.50	6/21/2010	R	<2	MFCOL	EXT		CL	E	CA
WS026.50	8/4/2010	R	2	MFCOL	HG		CL	HE	CA
WS026.50	9/21/2010	R	6	MFCOL	FP		CL	H	CA
WS026.50	10/13/2010	R	<2	MFCOL	GN		CL	HF	CA
WS026.50	11/15/2010	R	<2	MFCOL	GN		CL	HE	CA
WS026.50	1/5/2011	R	<2	MFCOL	ESK		N	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS026.50	2/14/2011	R	<2	MFCOL	FP		CL	H	CA
WS026.50	3/1/2011	R	<2	MFCOL	ESK		NW	H	CA
WS026.50	4/20/2011	R	<2	MFCOL	EXT		NE	HF	CA
WS026.50	6/7/2011	R	8	MFCOL	ESK		S	H	CA
WS026.50	7/25/2011	R	2	MFCOL	LSM		CL	E	A
WS026.50	9/7/2011	R	2	MFCOL	HG	P	S	H	A
WS026.50	10/19/2011	R	<2	MFCOL	ESK		NE	F	A
WS027.00	2/6/2006	R	5.7	A1COL	LL	P	SW	LE	A
WS027.00	3/1/2006	R	<3	A1COL	FP		N	F	A
WS027.00	5/16/2006	R	93	A1COL	JB	P	S	HF	A
WS027.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS027.00	11/14/2006	R	64	MFCOL	JB	P	SE	LF	A
WS027.00	11/27/2006	R	<2	MFCOL	EXT		CL	F	A
WS027.00	1/23/2007	R	<2	MFCOL	EXT		NE	F	A
WS027.00	4/4/2007	R	<2	MFCOL	EXT		E	F	A
WS027.00	5/9/2007	R	2	MFCOL	FP		CL	L	A
WS027.00	7/9/2007	R	<2	MFCOL	EXT		CL	E	A
WS027.00	8/27/2007	R	26	MFCOL	MHE		CL	HE	R
WS027.00	10/30/2007	R	<2	MFCOL	EXT		NW	F	R
WS027.00	1/16/2008	R	<2	MFCOL	LL			L	R
WS027.00	3/5/2008	R	<2	MFCOL	EXT	P	NE	HE	R
WS027.00	5/6/2008	R	<2	MFCOL	EXT		SE	HF	R
WS027.00	6/30/2008	R	20	MFCOL	FP		S	E	R
WS027.00	8/19/2008	R	2	MFCOL	MLP	P	N	HF	R
WS027.00	10/14/2008	R	4	MFCOL	EXT		SW	H	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS027.00	12/15/2008	E	<2	MFCOL	AB		W	H	CA
WS027.00	1/13/2009	R	<2	MFCOL	EXT		CL	HE	CA
WS027.00	3/17/2009	R	<2	MFCOL	MLP		SE	F	CA
WS027.00	3/31/2009	R	2	MFCOL	FP	P	N	HF	CA
WS027.00	4/15/2009	R	<2	MFCOL	MLP		S	F	CA
WS027.00	5/19/2009	R	<2	MFCOL	FP		CL	HE	CA
WS027.00	7/15/2009	R	<2	MFCOL	EXT		CL	F	CA
WS027.00	9/23/2009	R	2	MFCOL	FP		S	HF	CA
WS027.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	CA
WS027.00	10/27/2009	E	6	MFCOL	FP	P	CL	HE	CA
WS027.00	12/1/2009	R	<2	MFCOL	EXT		CL	HF	CA
WS027.00	12/15/2009	E	<2	MFCOL	EXT		CL	H	CA
WS027.00	1/11/2010	R	<2	MFCOL	EXT		CL	HE	CA
WS027.00	2/3/2010	R	<2	MFCOL	EXT		CL	F	CA
WS027.00	3/10/2010	R	<2	MFCOL	ESK		CL	HE	CA
WS027.00	4/28/2010	R	<2	MFCOL	FP		SE	HF	CA
WS027.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	CA
WS027.00	8/4/2010	R	<2	MFCOL	HG		CL	HE	CA
WS027.00	9/21/2010	R	2	MFCOL	FP		CL	H	CA
WS027.00	10/13/2010	R	<2	MFCOL	GN		NE	HF	CA
WS027.00	11/15/2010	R	2	MFCOL	GN		CL	H	CA
WS027.00	1/5/2011	R	<2	MFCOL	ESK		N	HF	CA
WS027.00	2/14/2011	R	<2	MFCOL	FP		CL	H	CA
WS027.00	3/1/2011	R	<2	MFCOL	ESK		NW	H	CA
WS027.00	4/20/2011	R	6	MFCOL	EXT		NE	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS027.00	6/7/2011	R	12	MFCOL	ESK		S	H	CA
WS027.00	7/25/2011	R	<2	MFCOL	LSM		CL	E	A
WS027.00	9/7/2011	R	2	MFCOL	HG	P	NE	H	A
WS027.00	10/19/2011	R	<2	MFCOL	ESK		NE	F	A
WS028.00	2/27/2006	R	<3	A1COL	JB		W	H	A
WS028.00	3/1/2006	R	<3	A1COL	FP		CL	HF	A
WS028.00	5/16/2006	R	460	A1COL	JB	PN	S	HF	A
WS028.00	8/29/2006	R	2	MFCOL	SXR	P	NW	F	A
WS028.00	9/20/2006	R	144	MFCOL	JB	PN	W	E	A
WS028.00	11/27/2006	R	2	MFCOL	EXT		CL	HF	A
WS028.00	12/4/2006	R	15	MFCOL	JB	P	CL	E	A
WS028.00	1/23/2007	R	<2	MFCOL	EXT		CL	HF	A
WS028.00	4/4/2007	R	44	MFCOL	EXT		CL	HF	A
WS028.00	5/16/2007	R	16	MFCOL	LL	P	NE	HF	A
WS028.00	7/9/2007	R	6	MFCOL	EXT		CL	E	A
WS028.00	8/27/2007	R	33	MFCOL	MHE		CL	HE	R
WS028.00	10/30/2007	R	14	MFCOL	EXT		CL	F	R
WS028.00	2/6/2008	R	4	MFCOL	FP	P	CL	HF	R
WS028.00	3/5/2008	R	<2	MFCOL	EXT	P	CL	E	R
WS028.00	5/6/2008	R	6	MFCOL	EXT		S	HF	R
WS028.00	6/30/2008	R	300	MFCOL	FP		CL	E	R
WS028.00	8/19/2008	R	18	MFCOL	MLP	P	CL	HF	R
WS028.00	10/14/2008	R	3.6	MFCOL	EXT		SW	HE	R
WS028.00	3/31/2009	R	<2	MFCOL	FP	P	CL	H	R
WS028.00	4/15/2009	R	<2	MFCOL	MLP		S	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS028.00	5/19/2009	R	2	MFCOL	FP		CL	E	R
WS028.00	7/15/2009	R	2	MFCOL	EXT		CL	HF	R
WS028.00	9/23/2009	R	<2	MFCOL	FP		CL	HF	R
WS028.00	10/13/2009	R	7.3	MFCOL	EXT	P	CL	E	R
WS028.00	10/27/2009	E	6	MFCOL	FP	P	CL	E	R
WS028.00	3/10/2010	R	<2	MFCOL	ESK		CL	HE	R
WS028.00	4/28/2010	R	16	MFCOL	FP		S	HF	R
WS028.00	6/21/2010	R	10	MFCOL	EXT		CL	H	R
WS028.00	8/4/2010	R	20	MFCOL	HG		CL	HE	R
WS028.00	9/21/2010	R	<2	MFCOL	FP		CL	H	R
WS028.00	11/15/2010	R	4	MFCOL	GN		CL	HE	R
WS028.00	3/30/2011	R	4	MFCOL	EXT		CL	H	R
WS028.00	4/20/2011	R	4	MFCOL	EXT		CL	HF	R
WS028.00	6/7/2011	R	5.5	MFCOL	ESK		SE	H	R
WS028.00	7/26/2011	R	62	MFCOL	ESK		CL	F	R
WS028.00	9/7/2011	R	52	MFCOL	HG	P	CL	H	R
WS028.00	10/19/2011	R	2	MFCOL	ESK		CL	F	R
WS029.50	8/28/2007	R	<2	MFCOL	EXT		S	E	R
WS029.50	10/30/2007	R	2	MFCOL	EXT		NW	F	R
WS029.50	12/5/2007	R	<2	MFCOL	FP		CL	H	R
WS029.50	2/6/2008	R	2	MFCOL	FP	P	CL	HF	R
WS029.50	3/5/2008	R	<2	MFCOL	EXT	P	NE	E	R
WS029.50	5/6/2008	R	<2	MFCOL	EXT		SE	HF	R
WS029.50	6/30/2008	R	2	MFCOL	FP		S	E	R
WS029.50	8/19/2008	R	2	MFCOL	MLP	P	CL	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS029.50	10/14/2008	R	136	MFCOL	EXT		SW	HE	CA
WS029.50	12/15/2008	R	6	MFCOL	AB		SW	HE	CA
WS029.50	1/13/2009	R	2	MFCOL	EXT		SW	E	CA
WS029.50	3/17/2009	R	22	MFCOL	MLP		S	HF	CA
WS029.50	3/31/2009	R	<2	MFCOL	FP	P	CL	H	CA
WS029.50	4/15/2009	R	<2	MFCOL	MLP		S	HF	CA
WS029.50	5/19/2009	R	<2	MFCOL	FP		CL	E	CA
WS029.50	7/15/2009	R	<2	MFCOL	EXT		NW	F	CA
WS029.50	9/23/2009	R	<2	MFCOL	FP		SW	H	CA
WS029.50	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	CA
WS029.50	10/27/2009	E	4	MFCOL	FP	P	CL	E	CA
WS029.50	12/1/2009	R	<2	MFCOL	EXT		CL	HF	CA
WS029.50	12/15/2009	E	2	MFCOL	EXT		CL	H	CA
WS029.50	1/11/2010	R	<2	MFCOL	EXT		W	HE	CA
WS029.50	2/3/2010	R	2	MFCOL	EXT		CL	HF	CA
WS029.50	3/10/2010	R	<2	MFCOL	ESK		CL	HE	CA
WS029.50	4/28/2010	R	2	MFCOL	FP		S	H	CA
WS029.50	6/21/2010	R	<2	MFCOL	EXT		CL	E	CA
WS029.50	8/4/2010	R	2	MFCOL	HG		S	HE	CA
WS029.50	9/21/2010	R	<2	MFCOL	FP		W	HE	CA
WS029.50	10/13/2010	R	<2	MFCOL	GN		CL	H	CA
WS029.50	11/15/2010	R	8	MFCOL	GN		CL	E	CA
WS029.50	1/5/2011	R	<2	MFCOL	ESK		NW	H	CA
WS029.50	3/1/2011	R	<2	MFCOL	ESK		NW	HE	CA
WS029.50	3/30/2011	R	<2	MFCOL	EXT		NW	H	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS029.50	4/20/2011	R	<2	MFCOL	EXT		SE	HF	CA
WS029.50	6/7/2011	R	6	MFCOL	ESK		SE	HF	CA
WS029.50	7/25/2011	R	<2	MFCOL	ESK		SE	E	A
WS029.50	9/7/2011	R	<2	MFCOL	HG	P	CL	H	A
WS029.50	10/19/2011	R	<2	MFCOL	ESK		NW	F	A
WS030.00	2/27/2006	R	<3	A1COL	JB		CL	HE	A
WS030.00	3/1/2006	R	<3	A1COL	FP		CL	HF	A
WS030.00	5/16/2006	R	9.1	A1COL	JB	P	S	HF	A
WS030.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS030.00	11/14/2006	R	32	MFCOL	JB	P	SE	L	A
WS030.00	11/27/2006	R	<2	MFCOL	EXT		CL	HF	A
WS030.00	1/23/2007	R	<2	MFCOL	EXT		CL	HF	A
WS030.00	4/4/2007	R	<2	MFCOL	EXT		E	HF	A
WS030.00	5/16/2007	R	<2	MFCOL	LL	P	NE	HF	A
WS030.00	8/27/2007	R	32	MFCOL	MHE		NE	HE	A
WS030.00	10/30/2007	R	<2	MFCOL	EXT		CL	F	A
WS030.00	12/5/2007	R	2	MFCOL	FP		CL	H	A
WS030.00	2/6/2008	R	<2	MFCOL	FP	P	NE	HF	A
WS030.00	3/5/2008	R	3.6	MFCOL	EXT	P	NE	E	A
WS030.00	5/6/2008	R	<2	MFCOL	EXT		SE	HF	A
WS030.00	6/30/2008	R	31	MFCOL	FP		S	E	A
WS030.00	8/19/2008	R	88	MFCOL	MLP	P	NE	H	A
WS030.00	10/14/2008	R	8	MFCOL	EXT		SW	HE	CA
WS030.00	12/15/2008	R	4	MFCOL	AB		SW	HE	A
WS030.00	1/13/2009	R	<2	MFCOL	EXT		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS030.00	3/17/2009	R	<2	MFCOL	MLP	W	S	HF	A
WS030.00	3/31/2009	R	<2	MFCOL	FP	P	NE	H	A
WS030.00	4/15/2009	R	<2	MFCOL	MLP	W	S	HF	A
WS030.00	5/19/2009	R	<2	MFCOL	FP		CL	E	A
WS030.00	7/15/2009	R	<2	MFCOL	EXT		NW	F	A
WS030.00	9/23/2009	R	<2	MFCOL	FP		CL	H	A
WS030.00	10/13/2009	R	<2	MFCOL	EXT	P	CL	E	A
WS030.00	10/27/2009	E	4	MFCOL	FP	P	CL	E	A
WS030.00	12/1/2009	R	2	MFCOL	EXT		CL	HF	A
WS030.00	12/15/2009	E	2	MFCOL	EXT		CL	H	A
WS030.00	1/11/2010	R	<2	MFCOL	EXT		CL	HE	A
WS030.00	2/3/2010	R	<2	MFCOL	EXT		NE	HF	A
WS030.00	3/10/2010	R	<2	MFCOL	ESK		CL	HE	A
WS030.00	4/28/2010	R	3.6	MFCOL	FP		S	H	A
WS030.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	A
WS030.00	8/4/2010	R	6	MFCOL	HG		CL	HE	A
WS030.00	9/21/2010	R	<2	MFCOL	FP		CL	HE	A
WS030.00	10/13/2010	R	<2	MFCOL	GN		CL	H	A
WS030.00	11/15/2010	R	6	MFCOL	GN		CL	E	A
WS030.00	1/5/2011	R	<2	MFCOL	ESK		CL	H	A
WS030.00	2/14/2011	R	<2	MFCOL	FP		CL	HE	A
WS030.00	3/1/2011	R	<2	MFCOL	ESK		NW	HE	A
WS030.00	4/20/2011	R	2	MFCOL	EXT		SE	HF	A
WS030.00	6/7/2011	R	2	MFCOL	ESK		S	HF	A
WS030.00	7/25/2011	R	<2	MFCOL	ESK		S	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS030.00	9/7/2011	R	<2	MFCOL	HG	P	E	H	A
WS030.00	10/19/2011	R	<2	MFCOL	ESK		NE	F	A
WS031.00	2/27/2006	R	<3	A1COL	JB		CL	HE	A
WS031.00	3/1/2006	R	<3	A1COL	FP		CL	HF	A
WS031.00	5/16/2006	R	23	A1COL	JB	P	S	HF	A
WS031.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS031.00	11/27/2006	R	<2	MFCOL	EXT		CL	HF	A
WS031.00	12/4/2006	R	4	MFCOL	JB	P	N	E	A
WS031.00	1/23/2007	R	<2	MFCOL	EXT		E	HF	A
WS031.00	4/4/2007	R	<2	MFCOL	EXT		E	HF	A
WS031.00	5/16/2007	R	<2	MFCOL	LL	P	NE	HF	A
WS031.00	7/9/2007	R	<2	MFCOL	EXT		CL	LE	A
WS031.00	8/27/2007	R	<2	MFCOL	MHE		CL	HE	A
WS031.00	10/30/2007	R	2	MFCOL	EXT		CL	F	A
WS031.00	2/6/2008	R	<2	MFCOL	FP	P	NE	H	A
WS031.00	3/5/2008	R	2	MFCOL	EXT	P	NE	E	A
WS031.00	5/6/2008	R	<2	MFCOL	EXT		S	H	A
WS031.00	6/30/2008	R	12	MFCOL	FP		S	E	A
WS031.00	8/19/2008	R	2	MFCOL	MLP	P	NE	H	A
WS031.00	10/14/2008	R	12	MFCOL	EXT		SW	HE	A
WS031.00	3/17/2009	R	<2	MFCOL	MLP	T	S	HF	A
WS031.00	3/31/2009	R	<2	MFCOL	FP	P	CL	H	A
WS031.00	5/19/2009	R	<2	MFCOL	FP		CL	E	A
WS031.00	7/15/2009	R	<2	MFCOL	EXT		CL	F	A
WS031.00	9/23/2009	R	<2	MFCOL	FP		S	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS031.00	10/13/2009	R	2	MFCOL	EXT	P	CL	E	A
WS031.00	3/10/2010	R	<2	MFCOL	ESK		CL	HE	A
WS031.00	4/28/2010	R	2	MFCOL	FP		S	H	A
WS031.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	A
WS031.00	8/4/2010	R	<2	MFCOL	HG		S	HE	A
WS031.00	9/21/2010	R	11	MFCOL	FP		CL	HE	A
WS031.00	11/15/2010	R	2	MFCOL	GN		CL	E	A
WS031.00	3/1/2011	R	<2	MFCOL	ESK		NW	HE	A
WS031.00	4/20/2011	R	<2	MFCOL	EXT		SE	H	A
WS031.00	6/7/2011	R	<2	MFCOL	ESK		SE	HF	A
WS031.00	8/1/2011	R	6	MFCOL	ESK		S	F	A
WS031.00	9/7/2011	R	6	MFCOL	HG	P	E	HE	A
WS031.00	10/19/2011	R	<2	MFCOL	ESK		NE	F	A
WS032.00	2/6/2006	R	3.6	A1COL	FP	PNW	W	E	A
WS032.00	3/1/2006	R	<3	A1COL	FP		W	HF	A
WS032.00	5/16/2006	R	240	A1COL	JB	PN	CL	H	A
WS032.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS032.00	11/27/2006	R	<2	MFCOL	EXT		CL	HF	A
WS032.00	12/4/2006	R	2	MFCOL	JB	P	N	E	A
WS032.00	1/23/2007	R	<2	MFCOL	EXT		CL	H	A
WS032.00	4/4/2007	R	<2	MFCOL	EXT		CL	HF	A
WS032.00	5/30/2007	R	<2	MFCOL	JB		CL	H	A
WS032.00	7/10/2007	R	6	MFCOL	EXT		CL	HE	A
WS032.00	8/27/2007	R	4	MFCOL	MHE		CL	H	A
WS032.00	10/30/2007	R	2	MFCOL	EXT		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS032.00	2/6/2008	R	<2	MFCOL	FP	PW	CL	HE	A
WS032.00	3/5/2008	R	2	MFCOL	EXT	P	CL	E	A
WS032.00	5/6/2008	R	<2	MFCOL	EXT		S	H	A
WS032.00	7/7/2008	R	<2	MFCOL	FP		SW	H	A
WS032.00	8/19/2008	R	38	MFCOL	MLP	P	CL	HE	A
WS032.00	10/14/2008	R	<2	MFCOL	EXT		CL	E	A
WS032.00	3/31/2009	R	<2	MFCOL	FP	P	N	HE	A
WS032.00	4/15/2009	R	<2	MFCOL	MLP		CL	HF	A
WS032.00	5/19/2009	R	<2	MFCOL	FP		CL	E	A
WS032.00	7/15/2009	R	<2	MFCOL	EXT		CL	F	A
WS032.00	9/23/2009	R	<2	MFCOL	FP		SW	H	A
WS032.00	10/13/2009	R	2	MFCOL	EXT	P	CL	E	A
WS032.00	3/10/2010	R	<2	MFCOL	ESK	W	CL	H	A
WS032.00	4/28/2010	R	3.6	MFCOL	FP		SW	H	A
WS032.00	6/21/2010	R	<2	MFCOL	EXT		CL	HE	A
WS032.00	8/4/2010	R	6	MFCOL	HG		CL	E	A
WS032.00	9/21/2010	R	<2	MFCOL	FP		NW	HE	A
WS032.00	11/15/2010	R	<2	MFCOL	GN		CL	HE	A
WS032.00	3/30/2011	R	<2	MFCOL	EXT		NW	HE	A
WS032.00	4/20/2011	R	2	MFCOL	EXT		CL	H	A
WS032.00	6/7/2011	R	6	MFCOL	ESK		S	HF	A
WS032.00	8/1/2011	R	<2	MFCOL	ESK		SW	F	A
WS032.00	9/7/2011	R	2	MFCOL	HG	P	CL	HE	A
WS032.00	10/19/2011	R	<2	MFCOL	ESK	P	CL	HF	A
WS034.00	2/6/2006	R	9.1	A1COL	FP	PN	W	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS034.00	3/1/2006	R	<3	A1COL	FP		W	H	A
WS034.00	5/16/2006	R	93	A1COL	JB	PN	CL	HE	A
WS034.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	F	A
WS034.00	11/14/2006	R	78	MFCOL	JB	P	E	E	A
WS034.00	11/27/2006	R	<2	MFCOL	EXT		CL	H	A
WS034.00	1/23/2007	R	<2	MFCOL	EXT		CL	H	A
WS034.00	4/4/2007	R	<2	MFCOL	EXT		CL	H	A
WS034.00	5/30/2007	R	<2	MFCOL	JB		CL	H	A
WS034.00	7/9/2007	R	2	MFCOL	EXT		CL	E	A
WS034.00	8/27/2007	R	<2	MFCOL	MHE		E	HF	A
WS034.00	10/30/2007	R	2	MFCOL	EXT		CL	HF	A
WS034.00	2/6/2008	R	2	MFCOL	FP	P	CL	HE	A
WS034.00	3/5/2008	R	<2	MFCOL	EXT	P	CL	E	A
WS034.00	5/6/2008	R	<2	MFCOL	EXT		S	H	A
WS034.00	6/30/2008	R	15	MFCOL	FP		S	E	A
WS034.00	8/20/2008	R	<2	MFCOL	MLP		CL	HE	A
WS034.00	10/14/2008	R	2	MFCOL	EXT		SW	E	A
WS034.00	3/17/2009	R	<2	MFCOL	MLP		S	H	A
WS034.00	3/31/2009	R	<2	MFCOL	FP	P	E	HE	A
WS034.00	5/19/2009	R	<2	MFCOL	FP		CL	E	A
WS034.00	7/15/2009	R	4	MFCOL	EXT		NW	F	A
WS034.00	9/23/2009	R	<2	MFCOL	FP		CL	H	A
WS034.00	10/13/2009	R	34	MFCOL	EXT	P	CL	E	A
WS034.00	3/10/2010	R	<2	MFCOL	ESK		CL	H	A
WS034.00	4/28/2010	R	2	MFCOL	FP		SW	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS034.00	6/21/2010	R	<2	MFCOL	EXT		CL	HE	A
WS034.00	8/4/2010	R	12	MFCOL	HG		SW	E	A
WS034.00	9/21/2010	R	<2	MFCOL	FP		CL	HE	A
WS034.00	11/15/2010	R	4	MFCOL	GN		CL	HE	A
WS034.00	3/30/2011	R	<2	MFCOL	EXT		CL	HE	A
WS034.00	4/20/2011	R	<2	MFCOL	EXT		CL	H	A
WS034.00	6/7/2011	R	2	MFCOL	ESK		S	HF	A
WS034.00	7/25/2011	R	2	MFCOL	LSM		CL	E	A
WS034.00	9/7/2011	R	4	MFCOL	HG	P	NE	HE	A
WS034.00	10/19/2011	R	<2	MFCOL	ESK	P	CL	HF	A
WS035.00	2/6/2006	R	9.1	A1COL	FP	P	SW	E	A
WS035.00	3/1/2006	R	<3	A1COL	FP	W	CL	H	A
WS035.00	5/16/2006	R	150	A1COL	JB	P	SE	HE	A
WS035.00	8/29/2006	R	2	MFCOL	SXR	P	NW	HF	A
WS035.00	11/14/2006	R	156	MFCOL	JB	P	E	LE	A
WS035.00	11/27/2006	R	<2	MFCOL	EXT		CL	H	A
WS035.00	1/23/2007	R	6	MFCOL	EXT		CL	H	A
WS035.00	4/4/2007	R	<2	MFCOL	EXT		E	H	A
WS035.00	5/9/2007	R	<2	MFCOL	FP		S	F	A
WS035.00	7/9/2007	R	14	MFCOL	EXT		NE	E	A
WS035.00	8/27/2007	R	<2	MFCOL	MHE		E	HF	A
WS035.00	10/30/2007	R	2	MFCOL	EXT		NW	HF	A
WS035.00	1/16/2008	R	<2	MFCOL	LL		CL	LF	A
WS035.00	3/5/2008	R	34	MFCOL	EXT	P	NE	E	A
WS035.00	5/6/2008	R	<2	MFCOL	EXT		SE	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS035.00	6/30/2008	R	10	MFCOL	FP		S	E	A
WS035.00	8/19/2008	R	4	MFCOL	MLP	P	CL	HE	A
WS035.00	10/14/2008	R	18	MFCOL	EXT		SW	E	A
WS035.00	3/17/2009	R	<2	MFCOL	MLP		CL	H	A
WS035.00	3/31/2009	R	<2	MFCOL	FP	P	CL	HE	A
WS035.00	5/19/2009	R	<2	MFCOL	FP		S	E	A
WS035.00	7/15/2009	R	2	MFCOL	EXT		CL	F	A
WS035.00	9/23/2009	R	88	MFCOL	FP		CL	HE	A
WS035.00	10/13/2009	R	7.3	MFCOL	EXT	P	CL	E	A
WS035.00	3/10/2010	R	<2	MFCOL	ESK		CL	H	A
WS035.00	4/28/2010	R	3.6	MFCOL	FP		SW	HE	A
WS035.00	6/21/2010	R	2	MFCOL	EXT		CL	HE	A
WS035.00	8/4/2010	R	<2	MFCOL	HG		CL	E	A
WS035.00	9/21/2010	R	<2	MFCOL	FP		CL	E	A
WS035.00	3/1/2011	R	<2	MFCOL	ESK		N	HE	A
WS035.00	4/20/2011	R	<2	MFCOL	EXT		CL	H	A
WS035.00	6/7/2011	R	2	MFCOL	ESK		SE	F	A
WS035.00	7/25/2011	R	6	MFCOL	LSM		CL	E	A
WS035.00	9/7/2011	R	<2	MFCOL	HG	P	E	HE	A
WS035.00	10/19/2011	R	<2	MFCOL	ESK	P	E	HF	A
WS036.00	2/6/2006	R	3.6	A1COL	FP	P	SW	E	P
WS036.00	3/1/2006	R	<3	A1COL	FP		NW	H	P
WS036.00	5/16/2006	R	3.6	A1COL	JB	P	SE	HE	P
WS036.00	8/29/2006	R	<2	MFCOL	SXR	PW	NW	HF	P
WS036.00	11/14/2006	R	29	MFCOL	JB	P	E	LE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS036.00	11/27/2006	R	92	MFCOL	EXT		CL	H	P
WS036.00	1/23/2007	R	<2	MFCOL	EXT		CL	HE	P
WS036.00	4/4/2007	R	<2	MFCOL	EXT		E	H	P
WS036.00	5/9/2007	R	4	MFCOL	FP		S	F	P
WS036.00	7/9/2007	R	10	MFCOL	EXT		NE	E	P
WS036.00	8/27/2007	R	300	MFCOL	MHE		NE	H	A
WS036.00	10/30/2007	R	3.6	MFCOL	EXT		NW	HF	A
WS036.00	1/16/2008	R	<2	MFCOL	LL		N	LF	A
WS036.00	3/5/2008	R	66	MFCOL	EXT	P	E	E	R
WS036.00	5/6/2008	R	10	MFCOL	EXT		SE	HE	R
WS036.00	6/30/2008	R	<2	MFCOL	FP		SW	E	R
WS036.00	8/19/2008	R	28	MFCOL	MLP	P	N	HE	R
WS036.00	10/14/2008	R	8	MFCOL	EXT		SW	E	R
WS036.00	3/17/2009	R	<2	MFCOL	MLP		CL	H	R
WS036.00	3/31/2009	R	2	MFCOL	FP	P	N	HE	R
WS036.00	5/19/2009	R	4	MFCOL	FP		S	E	R
WS036.00	7/15/2009	R	2	MFCOL	EXT		NW	F	R
WS036.00	9/23/2009	R	10	MFCOL	FP		S	HE	R
WS036.00	10/13/2009	R	<2	MFCOL	EXT	P	N	E	R
WS036.00	3/10/2010	R	<2	MFCOL	ESK		CL	H	R
WS036.00	4/28/2010	R	2	MFCOL	FP		S	HE	R
WS036.00	6/21/2010	R	4	MFCOL	EXT		CL	E	R
WS036.00	8/4/2010	R	2	MFCOL	HG		S	E	R
WS036.00	9/21/2010	R	<2	MFCOL	FP		W	E	R
WS036.00	3/1/2011	R	<2	MFCOL	ESK		NW	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS036.00	4/20/2011	R	<2	MFCOL	EXT		E	HE	R
WS036.00	6/7/2011	R	<2	MFCOL	ESK		SE	F	R
WS036.00	7/25/2011	R	<2	MFCOL	LSM		CL	HE	R
WS036.00	9/7/2011	R	4	MFCOL	HG	P	E	E	R
WS036.00	10/19/2011	R	2	MFCOL	ESK	P	E	HF	R
WS037.00	2/6/2006	R	9.1	A1COL	FP	P	SW	E	A
WS037.00	3/1/2006	R	<3	A1COL	FP		CL	H	A
WS037.00	5/16/2006	R	21	A1COL	JB	PN	CL	H	A
WS037.00	8/29/2006	R	<2	MFCOL	SXR	P	NW	HF	A
WS037.00	11/14/2006	R	92	MFCOL	JB	PN	SE	LE	A
WS037.00	11/27/2006	R	<2	MFCOL	EXT		CL	H	A
WS037.00	1/23/2007	R	82	MFCOL	EXT		CL	HE	A
WS037.00	4/4/2007	R	<2	MFCOL	EXT		E	HE	A
WS037.00	5/9/2007	R	<2	MFCOL	FP		S	F	A
WS037.00	7/9/2007	R	13	MFCOL	EXT		CL	E	A
WS037.00	8/27/2007	R	18	MFCOL	MHE		CL	H	A
WS037.00	10/30/2007	R	9.1	MFCOL	EXT		CL	HF	A
WS037.00	2/6/2008	R	8	MFCOL	FP	P	CL	E	A
WS037.00	3/5/2008	R	124	MFCOL	EXT	P	CL	E	A
WS037.00	5/6/2008	R	2	MFCOL	EXT		S	HE	A
WS037.00	6/30/2008	R	<2	MFCOL	FP		S	E	A
WS037.00	8/19/2008	R	3.6	MFCOL	MLP	P	NE	HE	A
WS037.00	10/14/2008	R	<2	MFCOL	EXT		SW	E	A
WS037.00	3/17/2009	R	4	MFCOL	MLP	T	CL	HE	R
WS037.00	3/31/2009	R	<2	MFCOL	FP	P	NE	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS037.00	5/19/2009	R	2	MFCOL	FP		SE	E	R
WS037.00	7/15/2009	R	3.6	MFCOL	EXT		CL	F	R
WS037.00	9/23/2009	R	4	MFCOL	FP		S	HE	R
WS037.00	10/20/2009	R	<2	MFCOL	EXT		CL	HF	R
WS037.00	3/10/2010	R	<2	MFCOL	ESK		CL	H	R
WS037.00	4/28/2010	R	<2	MFCOL	FP		CL	HE	R
WS037.00	6/21/2010	R	<2	MFCOL	EXT		CL	E	R
WS037.00	8/4/2010	R	2	MFCOL	HG		CL	E	R
WS037.00	9/21/2010	R	2	MFCOL	FP		CL	E	R
WS037.00	3/30/2011	R	<2	MFCOL	EXT		CL	HE	R
WS037.00	4/20/2011	R	6	MFCOL	EXT		E	HE	R
WS037.00	6/7/2011	R	<2	MFCOL	ESK		CL	F	R
WS037.00	7/25/2011	R	<2	MFCOL	LSM		CL	HE	CA
WS037.00	8/1/2011	R	2	MFCOL	ESK		S	HF	CA
WS037.00	9/7/2011	R	2	MFCOL	HG	P	E	E	CA
WS037.00	9/20/2011	R	<2	MFCOL	EXT		CL	H	CA
WS037.00	10/19/2011	R	2	MFCOL	ESK	P	NE	HF	CA
WS038.00	2/6/2006	R	43	A1COL	FP	P	CL	E	CA
WS038.00	3/1/2006	R	<3	A1COL	FP		CL	H	CA
WS038.00	5/16/2006	R	15	A1COL	JB	PN	CL	HE	CA
WS038.00	8/29/2006	R	8	MFCOL	SXR	P	NW	HF	CA
WS038.00	9/19/2006	R	2	MFCOL	JB		SW	E	CA
WS038.00	10/11/2006	R	2	MFCOL	JB		NE	F	CA
WS038.00	11/14/2006	R	44	MFCOL	JB	P		LE	CA
WS038.00	11/29/2006	R	2	MFCOL	WRB	P	N	E	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS038.00	12/11/2006	R	<2	MFCOL	WRB		CL	F	CA
WS038.00	1/23/2007	R	84	MFCOL	EXT		CL	HE	CA
WS038.00	4/4/2007	R	2	MFCOL	EXT		E	HE	CA
WS038.00	5/16/2007	R	2	MFCOL	WRB	P	SW	H	CA
WS038.00	6/11/2007	E	10	MFCOL	EXT		NE	H	CA
WS038.00	7/9/2007	R	10	MFCOL	EXT		CL	E	CA
WS038.00	8/7/2007	R	6	MFCOL	EXT		S	HF	CA
WS038.00	8/27/2007	R	16	MFCOL	MHE		N	H	CA
WS038.00	10/29/2007	E	29	MFCOL	EXT		N	H	CA
WS038.00	10/30/2007	R	40	MFCOL	EXT		N	H	CA
WS038.00	2/6/2008	R	2	MFCOL	FP	P	CL	E	CA
WS038.00	3/5/2008	R	134	MFCOL	EXT	P	CL	E	CA
WS038.00	5/6/2008	R	2	MFCOL	EXT		CL	HE	CA
WS038.00	7/7/2008	R	2	MFCOL	FP		S	F	CA
WS038.00	8/19/2008	R	15	MFCOL	MLP	P	N	E	CA
WS038.00	9/3/2008	R	<2	MFCOL	WRB			HF	CA
WS038.00	10/14/2008	R	2	MFCOL	EXT		SW	E	CA
WS038.00	10/15/2008	R	4	MFCOL	AB		CL	H	CA
WS038.00	10/23/2008	R	<2	MFCOL	WRB		S	HE	CA
WS038.00	11/17/2008	R	26	MFCOL	EXT		NW	F	CA
WS038.00	3/17/2009	R	<2	MFCOL	MLP		CL	HE	R
WS038.00	3/31/2009	R	<2	MFCOL	FP	P	N	E	R
WS038.00	5/19/2009	R	6	MFCOL	FP		SE	E	R
WS038.00	7/15/2009	R	6	MFCOL	EXT		CL	F	R
WS038.00	9/9/2009	R	<2	MFCOL	WRB		W	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS038.00	9/23/2009	R	2	MFCOL	FP		S	HE	R
WS038.00	1/11/2010	R	<2	MFCOL	EXT		CL	HE	R
WS038.00	4/14/2010	R	<2	MFCOL	ESK		N	HF	R
WS038.00	4/28/2010	R	<2	MFCOL	FP		CL	HE	R
WS038.00	5/11/2010	R	<2	MFCOL	ESK		NW	H	R
WS038.00	6/21/2010	R	2	MFCOL	EXT		CL	HE	R
WS038.00	6/23/2010	R	2	MFCOL	FP	P	CL	HF	R
WS038.00	8/4/2010	R	<2	MFCOL	HG		CL	E	R
WS038.00	8/16/2010	R	<2	MFCOL	ESK		SE	F	R
WS038.00	9/21/2010	R	6	MFCOL	FP		CL	E	R
WS038.00	1/5/2011	R	<2	MFCOL	ESK		N	HF	R
WS038.00	3/30/2011	R	<2	MFCOL	EXT		CL	HE	R
WS038.00	4/20/2011	R	6	MFCOL	EXT		E	HE	R
WS038.00	6/7/2011	R	4	MFCOL	ESK		CL	F	R
WS038.00	7/25/2011	R	3.6	MFCOL	LSM		CL	HE	CA
WS038.00	8/1/2011	R	6	MFCOL	ESK		S	HF	CA
WS038.00	9/7/2011	R	2	MFCOL	HG	P	E	E	CA
WS038.00	9/20/2011	R	<2	MFCOL	EXT		CL	HF	CA
WS038.00	10/19/2011	R	6	MFCOL	ESK	P	CL	H	CA
WS038.50	3/30/2009	R	<2	MFCOL	WRB	P		HF	R
WS038.50	5/18/2009	R	<2	MFCOL	WRB		CL	H	R
WS038.50	6/3/2009	R	<2	MFCOL	MLP		CL	H	R
WS038.50	7/19/2009	R	31	MFCOL	WRB		N	H	R
WS038.50	9/9/2009	R	<2	MFCOL	WRB		W	F	R
WS038.50	9/23/2009	R	2	MFCOL	EXT		CL	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS038.50	10/13/2009	R	110	MFCOL	WRB	P		HE	R
WS038.50	4/13/2010	R	<2	MFCOL	WRB			F	R
WS038.50	4/28/2010	R	4	MFCOL	WRB		SE	HF	R
WS038.50	6/21/2010	R	<2	MFCOL	EXT		CL	HE	R
WS038.50	8/4/2010	R	4	MFCOL	HG		CL	E	R
WS038.50	8/16/2010	R	<2	MFCOL	ESK		S	F	R
WS038.50	9/21/2010	R	<2	MFCOL	FP		CL	E	R
WS038.50	1/5/2011	R	2	MFCOL	ESK		CL	H	R
WS038.50	3/30/2011	R	<2	MFCOL	EXT		CL	E	R
WS038.50	4/20/2011	R	4	MFCOL	EXT		E	HE	R
WS038.50	6/7/2011	R	4	MFCOL	ESK		CL	F	R
WS038.50	7/25/2011	R	<2	MFCOL	LSM		CL	HE	CA
WS038.50	8/1/2011	R	<2	MFCOL	ESK		S	HF	CA
WS038.50	9/7/2011	R	2	MFCOL	HG	P	E	E	CA
WS038.50	9/20/2011	R	<2	MFCOL	EXT		CL	HF	CA
WS038.50	10/19/2011	R	9.1	MFCOL	ESK	P	CL	H	CA
WS039.00	2/6/2006	R	43	A1COL	FP	PNW	CL	E	CA
WS039.00	3/1/2006	R	<3	A1COL	FP		N	HF	CA
WS039.00	5/16/2006	R	150	A1COL	JB	PN	CL	H	CA
WS039.00	8/29/2006	R	6	MFCOL	SXR	P	NW	HF	CA
WS039.00	9/19/2006	R	8	MFCOL	JB		SW	E	CA
WS039.00	10/11/2006	R	4	MFCOL	JB		CL	F	CA
WS039.00	11/14/2006	R	520	MFCOL	JB	P	CL	E	CA
WS039.00	11/29/2006	R	2	MFCOL	WRB	P	N	E	CA
WS039.00	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS039.00	1/23/2007	R	11	MFCOL	EXT	W	CL	HE	CA
WS039.00	4/4/2007	R	2	MFCOL	EXT		CL	HE	CA
WS039.00	5/16/2007	R	12	MFCOL	WRB	P	SW	HE	CA
WS039.00	6/11/2007	E	18	MFCOL	EXT		NE	H	CA
WS039.00	7/9/2007	R	<2	MFCOL	EXT		CL	E	CA
WS039.00	8/7/2007	R	<2	MFCOL	EXT		CL	F	CA
WS039.00	8/27/2007	R	4	MFCOL	MHE		NE	H	CA
WS039.00	10/29/2007	E	35	MFCOL	EXT		N	H	CA
WS039.00	10/30/2007	R	7.3	MFCOL	EXT		N	H	CA
WS039.00	2/6/2008	R	<2	MFCOL	FP	PW	CL	E	CA
WS039.00	5/6/2008	R	2	MFCOL	EXT		SW	HE	CA
WS039.00	5/27/2008	R	2	MFCOL	EXT	P	CL	F	CA
WS039.00	7/7/2008	R	2	MFCOL	FP		CL	F	CA
WS039.00	8/19/2008	R	24	MFCOL	MLP	P	N	E	CA
WS039.00	9/3/2008	R	2	MFCOL	WRB			HF	CA
WS039.00	10/14/2008	R	4.5	MFCOL	EXT		CL	HE	CA
WS039.00	10/15/2008	R	7.3	MFCOL	AB		CL	H	CA
WS039.00	10/23/2008	R	<2	MFCOL	WRB		S	H	CA
WS039.00	11/17/2008	R	20	MFCOL	EXT		CL	F	CA
WS039.00	3/31/2009	R	<2	MFCOL	FP	PW	N	E	CA
WS039.00	5/19/2009	R	2	MFCOL	FP		CL	E	CA
WS039.00	6/3/2009	R	2	MFCOL	MLP		CL	H	CA
WS039.00	7/15/2009	R	3.6	MFCOL	EXT		CL	HF	CA
WS039.00	9/23/2009	R	<2	MFCOL	FP		CL	HE	CA
WS039.00	10/13/2009	R	4	MFCOL	EXT	P	CL	E	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS039.00	4/14/2010	R	4	MFCOL	ESK	W	W	HF	CA
WS039.00	4/28/2010	R	<2	MFCOL	FP		CL	HE	CA
WS039.00	5/11/2010	R	2	MFCOL	ESK		NW	H	CA
WS039.00	6/21/2010	R	2	MFCOL	EXT		CL	HE	CA
WS039.00	6/23/2010	R	4	MFCOL	FP	P	CL	H	CA
WS039.00	8/4/2010	R	4	MFCOL	HG	W	SW	E	CA
WS039.00	8/16/2010	R	5.5	MFCOL	ESK		S	F	CA
WS039.00	9/21/2010	R	<2	MFCOL	FP		CL	E	CA
WS039.00	12/1/2010	R	18	MFCOL	GN	W	S	E	CA
WS039.00	1/5/2011	R	<2	MFCOL	ESK		N	HF	CA
WS039.00	3/30/2011	R	<2	MFCOL	EXT	W	CL	H	CA
WS039.00	4/20/2011	R	4	MFCOL	EXT		E	HE	CA
WS039.00	5/4/2011	R	9.1	MFCOL	ESK		E	HF	CA
WS039.00	6/7/2011	R	2	MFCOL	ESK		W	F	CA
WS039.00	7/25/2011	R	<2	MFCOL	LSM		CL	HE	CA
WS039.00	8/1/2011	R	<2	MFCOL	ESK		S	HF	CA
WS039.00	9/7/2011	R	18	MFCOL	HG	P	N	E	CA
WS039.00	9/20/2011	R	<2	MFCOL	EXT		CL	HF	CA
WS039.00	10/19/2011	R	12	MFCOL	ESK	P,W	NE	H	CA
WS040.00	2/6/2006	R	15	A1COL	FP	PNW	CL	E	CA
WS040.00	3/1/2006	R	<3	A1COL	FP		W	HE	CA
WS040.00	5/16/2006	R	150	A1COL	JB	PN	CL	E	CA
WS040.00	8/29/2006	R	10	MFCOL	JB	P	CL	H	CA
WS040.00	9/19/2006	R	3.6	MFCOL	JB		SW	E	CA
WS040.00	10/11/2006	R	12	MFCOL	JB		NE	F	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS040.00	11/14/2006	R	960	MFCOL	JB	PNW	SE	E	CA
WS040.00	11/29/2006	R	2	MFCOL	WRB	P	N	E	CA
WS040.00	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	CA
WS040.00	1/23/2007	R	7.3	MFCOL	FP	N	CL	H	CA
WS040.00	5/14/2007	R	<2	MFCOL	EXT		E	E	CA
WS040.00	6/11/2007	E	22	MFCOL	EXT		NE	HE	CA
WS040.00	7/10/2007	R	4	MFCOL	JB	P	CL	E	CA
WS040.00	7/25/2007	R	<2	MFCOL	FP		CL	HE	CA
WS040.00	8/7/2007	R	<2	MFCOL	EXT		CL	F	CA
WS040.00	8/28/2007	R	2	MFCOL	EXT		CL	F	CA
WS040.00	10/3/2007	R	<2	MFCOL	MHE		CL	F	CA
WS040.00	10/29/2007	R	35	MFCOL	EXT		CL	H	CA
WS040.00	1/22/2008	R	2	MFCOL	FP		CL	F	CA
WS040.00	3/10/2008	R	2	MFCOL	WARS		N	HE	CA
WS040.00	5/7/2008	R	10	MFCOL	FP		CL	E	CA
WS040.00	7/7/2008	R	2	MFCOL	FP		S	F	CA
WS040.00	8/20/2008	R	2	MFCOL	WRB		NE	HF	CA
WS040.00	9/3/2008	R	2	MFCOL	WRB			HF	CA
WS040.00	10/15/2008	R	18	MFCOL	AB		SW	H	CA
WS040.00	10/23/2008	R	<2	MFCOL	WRB		S	H	CA
WS040.00	11/17/2008	R	10	MFCOL	EXT		CL	F	CA
WS040.00	3/30/2009	R	40	MFCOL	EXT	PT	CL	E	CA
WS040.00	5/18/2009	R	14	MFCOL	EXT		NW	HE	CA
WS040.00	6/3/2009	R	<2	MFCOL	MLP		CL	H	CA
WS040.00	7/15/2009	R	<2	MFCOL	MLP		CL	HE	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS040.00	9/23/2009	R	<2	MFCOL	EXT		CL	HF	CA
WS040.00	10/13/2009	R	3	MFCOL	LSM	P	CL	H	CA
WS040.00	3/9/2010	R	2	MFCOL	FP		CL	HE	CA
WS040.00	4/14/2010	R	<2	MFCOL	ESK		NW	HF	CA
WS040.00	4/28/2010	R	<2	MFCOL	EXT		CL	F	CA
WS040.00	5/11/2010	R	<2	MFCOL	ESK		N	H	CA
WS040.00	6/21/2010	R	8	MFCOL	LSM		CL	H	CA
WS040.00	6/23/2010	R	6	MFCOL	FP	P	CL	H	CA
WS040.00	8/4/2010	R	2	MFCOL	LSM		CL	H	CA
WS040.00	8/16/2010	R	<2	MFCOL	ESK		S	F	CA
WS040.00	9/21/2010	R	15	MFCOL	ESK		CL	F	CA
WS040.00	12/1/2010	R	24	MFCOL	GN		S	E	CA
WS040.00	1/5/2011	R	6	MFCOL	EXT		CL	F	CA
WS040.00	3/30/2011	R	<2	MFCOL	LSM	W	CL	HF	CA
WS040.00	4/20/2011	R	16	MFCOL	ESK		NE	HE	CA
WS040.00	5/4/2011	R	<2	MFCOL	ESK		CL	H	CA
WS040.00	6/7/2011	R	<2	MFCOL	HG		CL	F	CA
WS040.00	7/25/2011	R	<2	MFCOL	ESK		CL	HF	CA
WS040.00	8/1/2011	R	<2	MFCOL	ESK		S	HF	CA
WS040.00	9/7/2011	R	35	MFCOL	ESK		NE	HF	CA
WS040.00	9/20/2011	R	2	MFCOL	EXT		CL	HF	CA
WS040.00	10/19/2011	R	2	MFCOL	EXT	P	SE	HE	CA
WS041.00	2/6/2006	R	240	A1COL	FP	P	SW	E	P
WS041.00	3/1/2006	R	<3	A1COL	JB		CL	F	P
WS041.00	5/16/2006	R	93	A1COL	JB	PN	CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS041.00	8/29/2006	R	27	MFCOL	JB	P	NE	HE	P
WS041.00	9/19/2006	R	4	MFCOL	JB		SW	E	P
WS041.00	10/11/2006	R	8	MFCOL	JB		NE	F	P
WS041.00	11/14/2006	R	33	MFCOL	FP	PN	SE	E	P
WS041.00	11/29/2006	R	7.3	MFCOL	WRB	P	N	E	P
WS041.00	12/11/2006	R	<2	MFCOL	WRB		CL	F	P
WS041.00	1/23/2007	R	38	MFCOL	FP		CL	H	P
WS041.00	4/11/2007	R	4	MFCOL	JB	N	NE	E	P
WS041.00	5/14/2007	R	4	MFCOL	EXT		SE	H	P
WS041.00	6/11/2007	E	100	MFCOL	EXT		NE	HE	P
WS041.00	7/10/2007	R	24	MFCOL	JB	P	CL	E	P
WS041.00	8/7/2007	R	35	MFCOL	EXT		S	F	R
WS041.00	8/28/2007	R	7.3	MFCOL	EXT		NW	F	R
WS041.00	10/3/2007	R	2	MFCOL	MHE		S	F	R
WS041.00	10/29/2007	R	100	MFCOL	EXT		N	HE	R
WS041.00	1/22/2008	R	<2	MFCOL	FP		CL	F	R
WS041.00	3/10/2008	R	156	MFCOL	WARS		N	H	R
WS041.00	5/7/2008	R	4	MFCOL	FP		CL	HE	R
WS041.00	7/7/2008	R	2	MFCOL	FP		SW	F	R
WS041.00	8/20/2008	R	2	MFCOL	WRB		NE	HF	R
WS041.00	9/3/2008	R	<2	MFCOL	WRB			HF	R
WS041.00	10/15/2008	R	8	MFCOL	AB		CL	H	R
WS041.00	10/23/2008	R	<2	MFCOL	WRB		S	H	R
WS041.00	11/17/2008	R	88	MFCOL	EXT		CL	HF	R
WS041.00	3/30/2009	R	400	MFCOL	EXT	PT	CL	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS041.00	5/18/2009	R	30	MFCOL	EXT		CL	E	R
WS041.00	6/3/2009	R	24	MFCOL	MLP		CL	H	R
WS041.00	7/15/2009	R	12	MFCOL	MLP		CL	H	R
WS041.00	9/23/2009	R	<2	MFCOL	EXT		S	H	R
WS041.00	10/13/2009	R	<2	MFCOL	LSM	P	CL	H	R
WS041.00	3/9/2010	R	6	MFCOL	FP		CL	HE	R
WS041.00	4/14/2010	R	<2	MFCOL	ESK		N	HF	R
WS041.00	4/28/2010	R	11	MFCOL	EXT		SE	F	R
WS041.00	5/11/2010	R	18	MFCOL	ESK		N	HE	R
WS041.00	6/21/2010	R	2	MFCOL	LSM		CL	E	R
WS041.00	6/23/2010	R	44	MFCOL	FP	P	CL	HE	R
WS041.00	8/4/2010	R	24	MFCOL	LSM		CL	HE	R
WS041.00	8/16/2010	R	22	MFCOL	ESK		S	F	R
WS041.00	9/21/2010	R	2	MFCOL	ESK		CL	F	R
WS041.00	1/5/2011	R	<2	MFCOL	EXT		CL	F	R
WS041.00	3/30/2011	R	42	MFCOL	LSM		CL	H	R
WS041.00	4/20/2011	R	128	MFCOL	ESK		NE	HE	R
WS041.00	6/7/2011	R	2	MFCOL	HG		SW	F	R
WS041.00	7/25/2011	R	4	MFCOL	ESK		S	E	R
WS041.00	9/7/2011	R	42	MFCOL	ESK	P	N	E	R
WS041.00	10/19/2011	R	7.3	MFCOL	EXT	P	SE	H	R
WS041.50	2/6/2006	R	93	A1COL	FP	PNW	SW	E	P
WS041.50	3/1/2006	R	9.1	A1COL	JB	N	CL	F	P
WS041.50	5/16/2006	R	240	A1COL	JB	PN	CL	E	P
WS041.50	8/29/2006	R	60	MFCOL	JB	P	N	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS041.50	10/11/2006	R	<2	MFCOL	JB		NE	HF	P
WS041.50	11/14/2006	R	66	MFCOL	FP	P	SE	E	P
WS041.50	11/29/2006	R	<2	MFCOL	WRB	P	N	LE	P
WS041.50	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	P
WS041.50	1/23/2007	R	620	MFCOL	FP		CL	H	P
WS041.50	5/14/2007	R	4	MFCOL	EXT		SE	HE	P
WS041.50	6/11/2007	E	35	MFCOL	EXT		NE	HE	P
WS041.50	7/10/2007	R	16	MFCOL	JB	P	CL	E	P
WS041.50	7/25/2007	R	22	MFCOL	FP		CL	HE	P
WS041.50	8/28/2007	R	9.1	MFCOL	EXT		CL	HF	P
WS041.50	10/29/2007	R	142	MFCOL	EXT		CL	HE	P
WS041.50	1/22/2008	R	7.3	MFCOL	FP		CL	HF	P
WS041.50	3/10/2008	R	86	MFCOL	WARS		CL	HE	P
WS041.50	5/7/2008	R	<2	MFCOL	FP		CL	HE	P
WS041.50	5/12/2008	E	<2	MFCOL	WRB		N	F	P
WS041.50	7/7/2008	R	2	MFCOL	FP		S	F	P
WS041.50	8/20/2008	R	<2	MFCOL	WRB			HF	P
WS041.50	10/15/2008	R	9.1	MFCOL	AB		CL	HE	P
WS041.50	3/30/2009	R	50	MFCOL	EXT	PT	CL	HE	P
WS041.50	5/19/2009	R	20	MFCOL	FP		S	E	P
WS041.50	6/3/2009	R	8	MFCOL	MLP		CL	HE	P
WS041.50	7/15/2009	R	16	MFCOL	MLP		CL	H	P
WS041.50	9/23/2009	R	<2	MFCOL	EXT		S	H	P
WS041.50	10/13/2009	R	7.3	MFCOL	LSM	P	CL	HE	P
WS041.50	3/9/2010	R	6	MFCOL	FP		NE	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS041.50	4/28/2010	R	<2	MFCOL	EXT		CL	HF	P
WS041.50	6/23/2010	R	4	MFCOL	FP	P	CL	HE	P
WS041.50	8/16/2010	R	2	MFCOL	ESK		S	F	P
WS041.50	9/21/2010	R	10	MFCOL	ESK		N	HF	P
WS041.50	3/30/2011	R	<2	MFCOL	LSM		CL	H	P
WS041.50	4/20/2011	R	26	MFCOL	ESK		CL	HE	P
WS041.50	6/7/2011	R	2	MFCOL	HG		SW	F	P
WS041.50	7/26/2011	R	2	MFCOL	ESK		S	HF	P
WS041.50	9/7/2011	R	62	MFCOL	ESK	P	CL	E	P
WS041.50	10/19/2011	R	16	MFCOL	EXT	P	CL	H	P
WS043.90	2/6/2006	R	7.3	A1COL	FP	P	CL	LE	P
WS043.90	3/1/2006	R	460	A1COL	JB		NW	F	P
WS043.90	8/29/2006	R	74	MFCOL	JB	P	N	F	P
WS043.90	9/19/2006	R	220	MFCOL	JB		SW	LE	P
WS043.90	11/14/2006	R	480	MFCOL	JB	PN	SE	L	P
WS043.90	11/27/2006	R	8	MFCOL	JB	N	CL	F	P
WS043.90	1/23/2007	R	104	MFCOL	FP	W	CL	HE	P
WS043.90	4/11/2007	R	4	MFCOL	JB	N	NE	LE	P
WS043.90	5/14/2007	R	76	MFCOL	EXT		CL	HE	P
WS043.90	7/10/2007	R	26	MFCOL	JB	P	CL	E	P
WS043.90	8/28/2007	R	40	MFCOL	EXT		CL	HF	P
WS043.90	10/29/2007	R	128	MFCOL	EXT		NW	HF	P
WS043.90	1/14/2008	R	13	MFCOL	FP	P	NE	LF	P
WS043.90	3/10/2008	R	520	MFCOL	WARS		N	H	P
WS043.90	5/7/2008	R	10	MFCOL	FP		N	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS043.90	7/7/2008	R	29	MFCOL	FP		S	F	P
WS043.90	8/20/2008	R	31	MFCOL	MLP		NW	H	P
WS043.90	10/15/2008	R	20	MFCOL	AB		S	HE	P
WS043.90	3/30/2009	R	40	MFCOL	EXT	PT	CL	HE	P
WS043.90	5/18/2009	R	31	MFCOL	EXT		CL	E	P
WS043.90	6/3/2009	R	8	MFCOL	MLP		CL	HE	P
WS043.90	7/15/2009	R	80	MFCOL	MLP		CL	F	P
WS043.90	9/23/2009	R	24	MFCOL	EXT		S	H	P
WS043.90	10/13/2009	R	8	MFCOL	LSM	P	CL	HE	P
WS043.90	3/9/2010	R	7.3	MFCOL	FP		CL	H	P
WS043.90	4/28/2010	R	50	MFCOL	EXT		SE	F	P
WS043.90	6/21/2010	R	18	MFCOL	LSM		CL	H	P
WS043.90	8/4/2010	R	28	MFCOL	LSM		CL	HE	P
WS043.90	9/21/2010	R	13	MFCOL	ESK		N	HF	P
WS043.90	3/30/2011	R	<2	MFCOL	LSM	N,T	NW	H	P
WS043.90	4/20/2011	R	920	MFCOL	ESK		N	H	P
WS043.90	6/7/2011	R	32	MFCOL	HG		SW	F	P
WS043.90	7/25/2011	R	35	MFCOL	ESK		CL	HF	P
WS043.90	9/7/2011	R	34	MFCOL	ESK		CL	HF	P
WS043.90	10/19/2011	R	200	MFCOL	EXT	P	CL	F	P
WS046.00	2/6/2006	R	7.3	A1COL	FP	PN	CL	LE	P
WS046.00	5/16/2006	R	460	A1COL	FP	PN	CL	LF	P
WS046.00	8/29/2006	R	58	MFCOL	JB	PN	NW	F	P
WS046.00	9/20/2006	R	240	MFCOL	JB	PN	NW	HE	P
WS046.00	11/14/2006	R	340	MFCOL	JB	PN		L	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS046.00	11/27/2006	R	12	MFCOL	JB		CL	F	P
WS046.00	1/23/2007	R	56	MFCOL	FP		CL	HE	P
WS046.00	4/11/2007	R	6	MFCOL	JB	N	CL	E	P
WS046.00	5/14/2007	R	9.1	MFCOL	EXT		CL	H	P
WS046.00	7/10/2007	R	120	MFCOL	JB	P	CL	E	P
WS046.00	8/28/2007	R	15	MFCOL	EXT		CL	F	P
WS046.00	10/29/2007	R	68	MFCOL	EXT		CL	H	P
WS046.00	1/14/2008	R	5.5	MFCOL	FP	P	NE	LF	P
WS046.00	3/10/2008	R	1000	MFCOL	WARS		CL	H	P
WS046.00	5/7/2008	R	16	MFCOL	FP		N	F	P
WS046.00	7/7/2008	R	16	MFCOL	FP		CL	HF	P
WS046.00	8/20/2008	R	96	MFCOL	MLP		NW	HE	P
WS046.00	10/15/2008	R	35	MFCOL	AB		W	E	P
WS046.00	3/30/2009	R	86	MFCOL	EXT	PT	CL	HE	P
WS046.00	5/18/2009	R	86	MFCOL	EXT		CL	HE	P
WS046.00	6/3/2009	R	35	MFCOL	MLP		CL	HE	P
WS046.00	7/15/2009	R	29	MFCOL	MLP		CL	F	P
WS046.00	9/23/2009	R	30	MFCOL	EXT		CL	H	P
WS046.00	10/13/2009	R	56	MFCOL	LSM	P	CL	HE	P
WS046.00	3/9/2010	R	3.6	MFCOL	FP		CL	H	P
WS046.00	4/28/2010	R	52	MFCOL	EXT		CL	F	P
WS046.00	6/21/2010	R	130	MFCOL	LSM		CL	H	P
WS046.00	8/4/2010	R	36	MFCOL	LSM		CL	HE	P
WS046.00	9/21/2010	R	72	MFCOL	ESK		N	HF	P
WS046.00	3/30/2011	R	25	MFCOL	LSM		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS046.00	4/20/2011	R	340	MFCOL	ESK		CL	H	P
WS046.00	6/7/2011	R	35	MFCOL	HG		S	HF	P
WS046.00	7/25/2011	R	25	MFCOL	ESK		CL	HF	P
WS046.00	9/7/2011	R	88	MFCOL	ESK		CL	F	P
WS046.00	10/19/2011	R	25	MFCOL	EXT	P	CL	HE	P
WS047.30	2/6/2006	R	93	A1COL	FP	PNW	SW	E	CA
WS047.30	3/1/2006	R	<3	A1COL	JB	N	NW	E	CA
WS047.30	5/16/2006	R	240	A1COL	FP	PN	CL	HE	CA
WS047.30	8/29/2006	R	4	MFCOL	JB	P	CL	H	CA
WS047.30	9/19/2006	R	2	MFCOL	JB	N	SW	E	CA
WS047.30	10/11/2006	R	<2	MFCOL	JB		E	HF	CA
WS047.30	11/14/2006	R	620	MFCOL	FP	PN	CL	E	CA
WS047.30	11/29/2006	R	16	MFCOL	WRB	P	N	E	CA
WS047.30	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	CA
WS047.30	1/23/2007	R	20	MFCOL	FP		CL	HF	CA
WS047.30	5/14/2007	R	<2	MFCOL	EXT		CL	HE	CA
WS047.30	6/11/2007	E	24	MFCOL	EXT		NE	E	CA
WS047.30	7/11/2007	R	<2	MFCOL	EXT		CL	H	CA
WS047.30	7/25/2007	R	<2	MFCOL	FP		CL	E	CA
WS047.30	8/7/2007	R	<2	MFCOL	EXT		SW	F	CA
WS047.30	8/28/2007	R	4	MFCOL	EXT		CL	HF	CA
WS047.30	10/3/2007	R	2	MFCOL	MHE		CL	F	CA
WS047.30	10/29/2007	R	70	MFCOL	EXT		NW	HF	CA
WS047.30	1/22/2008	R	8	MFCOL	FP		S	HF	CA
WS047.30	3/10/2008	R	2	MFCOL	WARS		W	H	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS047.30	5/7/2008	R	<2	MFCOL	FP		N	HE	CA
WS047.30	7/7/2008	R	<2	MFCOL	FP		SW	F	CA
WS047.30	8/20/2008	R	5.5	MFCOL	WRB		NE	HF	CA
WS047.30	9/3/2008	R	<2	MFCOL	WRB			HF	CA
WS047.30	10/15/2008	R	<2	MFCOL	AB		CL	HE	CA
WS047.30	10/23/2008	R	<2	MFCOL	WRB		S	HE	CA
WS047.30	11/17/2008	R	48	MFCOL	EXT		W	HF	CA
WS047.30	3/30/2009	R	14	MFCOL	EXT	PT	CL	HE	CA
WS047.30	5/18/2009	R	<2	MFCOL	EXT		CL	E	CA
WS047.30	6/3/2009	R	<2	MFCOL	MLP		CL	HE	CA
WS047.30	7/15/2009	R	9.1	MFCOL	MLP		NW	H	CA
WS047.30	9/23/2009	R	<2	MFCOL	EXT		S	H	CA
WS047.30	10/13/2009	R	40	MFCOL	LSM	P	CL	HE	CA
WS047.30	3/9/2010	R	2	MFCOL	FP		CL	HE	CA
WS047.30	4/14/2010	R	<2	MFCOL	ESK		NW	H	CA
WS047.30	4/28/2010	R	10	MFCOL	EXT		SW	HF	CA
WS047.30	5/11/2010	R	<2	MFCOL	ESK		NW	HE	CA
WS047.30	6/21/2010	R	13	MFCOL	LSM		CL	HE	CA
WS047.30	6/23/2010	R	18	MFCOL	FP	P	CL	E	CA
WS047.30	8/4/2010	R	<2	MFCOL	LSM		CL	HE	CA
WS047.30	8/16/2010	R	14	MFCOL	ESK		SE	F	CA
WS047.30	9/21/2010	R	4	MFCOL	ESK		N	HF	CA
WS047.30	12/1/2010	R	14	MFCOL	GN		S	E	CA
WS047.30	1/5/2011	R	4	MFCOL	EXT		NW	HF	CA
WS047.30	3/30/2011	R	<2	MFCOL	LSM		NW	H	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS047.30	4/20/2011	R	<2	MFCOL	ESK		CL	H	CA
WS047.30	5/4/2011	R	20	MFCOL	ESK		SE	H	CA
WS047.30	6/7/2011	R	2	MFCOL	HG		S	HF	CA
WS047.30	7/25/2011	R	2	MFCOL	ESK		S	E	CA
WS047.30	8/1/2011	R	2	MFCOL	ESK		E	H	CA
WS047.30	9/7/2011	R	60	MFCOL	ESK	P	CL	E	CA
WS047.30	9/20/2011	R	<2	MFCOL	EXT		SW	F	CA
WS047.30	10/19/2011	R	22	MFCOL	EXT	P	CL	H	CA
WS048.00	2/6/2006	R	23	A1COL	FP	PN	SW	LE	CA
WS048.00	3/1/2006	R	<3	A1COL	JB		N	HF	CA
WS048.00	5/16/2006	R	23	A1COL	FP	PN	CL	H	CA
WS048.00	8/29/2006	R	3.6	MFCOL	JB	P	NW	F	CA
WS048.00	9/19/2006	R	52	MFCOL	JB		SW	E	CA
WS048.00	10/11/2006	R	<2	MFCOL	JB		CL	F	CA
WS048.00	11/14/2006	R	88	MFCOL	FP	PN	CL	E	CA
WS048.00	11/29/2006	R	<2	MFCOL	WRB	P	N	E	CA
WS048.00	12/11/2006	R	2	MFCOL	WRB		CL	F	CA
WS048.00	1/23/2007	R	8	MFCOL	FP		CL	HF	CA
WS048.00	5/14/2007	R	<2	MFCOL	EXT		SE	HE	CA
WS048.00	6/11/2007	E	20	MFCOL	EXT		CL	E	CA
WS048.00	7/10/2007	R	4	MFCOL	JB	P	SW	E	CA
WS048.00	7/25/2007	R	2	MFCOL	FP		CL	E	CA
WS048.00	8/7/2007	R	<2	MFCOL	EXT		SW	F	CA
WS048.00	8/28/2007	R	<2	MFCOL	EXT		CL	HF	CA
WS048.00	10/29/2007	R	78	MFCOL	EXT		W	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS048.00	1/22/2008	R	<2	MFCOL	FP		S	HF	CA
WS048.00	3/10/2008	R	<2	MFCOL	WARS		W	H	CA
WS048.00	5/7/2008	R	<2	MFCOL	FP		N	H	CA
WS048.00	7/7/2008	R	<2	MFCOL	FP		CL	F	CA
WS048.00	8/20/2008	R	4	MFCOL	WRB		W	HF	CA
WS048.00	9/3/2008	R	<2	MFCOL	WRB			HF	CA
WS048.00	10/15/2008	R	<2	MFCOL	AB		CL	H	CA
WS048.00	10/23/2008	R	<2	MFCOL	WRB		S	HE	CA
WS048.00	11/17/2008	R	64	MFCOL	EXT		W	HF	CA
WS048.00	5/18/2009	R	<2	MFCOL	EXT		CL	E	CA
WS048.00	6/3/2009	R	<2	MFCOL	MLP		N	E	CA
WS048.00	7/15/2009	R	<2	MFCOL	MLP		NW	H	CA
WS048.00	9/23/2009	R	<2	MFCOL	EXT		CL	HE	CA
WS048.00	10/13/2009	R	<2	MFCOL	LSM	P	CL	HE	CA
WS048.00	3/9/2010	R	<2	MFCOL	FP		CL	E	CA
WS048.00	4/14/2010	R	<2	MFCOL	ESK		NW	H	CA
WS048.00	4/28/2010	R	<2	MFCOL	EXT		S	HF	CA
WS048.00	5/11/2010	R	<2	MFCOL	ESK		NW	HE	CA
WS048.00	6/21/2010	R	4	MFCOL	LSM		CL	HE	CA
WS048.00	6/23/2010	R	<2	MFCOL	FP	P	CL	E	CA
WS048.00	8/4/2010	R	2	MFCOL	LSM		CL	E	CA
WS048.00	8/16/2010	R	<2	MFCOL	ESK		SE	F	CA
WS048.00	9/21/2010	R	<2	MFCOL	ESK		NW	HF	CA
WS048.00	12/1/2010	R	4	MFCOL	GN	W	CL	E	CA
WS048.00	1/5/2011	R	2	MFCOL	EXT		NW	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS048.00	3/1/2011	R	<2	MFCOL	FP		NW	H	CA
WS048.00	4/20/2011	R	<2	MFCOL	ESK		NE	H	CA
WS048.00	5/4/2011	R	15	MFCOL	ESK		CL	H	CA
WS048.00	6/7/2011	R	8	MFCOL	HG		SW	HF	CA
WS048.00	7/25/2011	R	<2	MFCOL	ESK		S	E	CA
WS048.00	8/1/2011	R	<2	MFCOL	ESK		CL	H	CA
WS048.00	9/7/2011	R	8	MFCOL	ESK	P	CL	HE	CA
WS048.00	9/20/2011	R	2	MFCOL	EXT		S	F	CA
WS048.00	10/19/2011	R	4	MFCOL	EXT	P	CL	F	CA
WS049.00	2/6/2006	R	23	A1COL	JB	P	W	E	CA
WS049.00	3/1/2006	R	<3	A1COL	JB	N	CL	HF	CA
WS049.00	8/29/2006	R	2	MFCOL	JB	PN	CL	F	CA
WS049.00	9/19/2006	R	92	MFCOL	JB	N	SW	E	CA
WS049.00	10/11/2006	R	4	MFCOL	JB	NW	NE	F	CA
WS049.00	11/14/2006	R	280	MFCOL	FP	PN	CL	E	CA
WS049.00	11/29/2006	R	4	MFCOL	WRB	P	N	E	CA
WS049.00	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	CA
WS049.00	1/23/2007	R	2	MFCOL	FP	N	CL	HF	CA
WS049.00	5/14/2007	R	4	MFCOL	EXT		SE	E	CA
WS049.00	6/11/2007	E	<2	MFCOL	EXT		CL	E	CA
WS049.00	7/11/2007	R	4	MFCOL	EXT		CL	H	CA
WS049.00	7/25/2007	R	<2	MFCOL	FP		S	E	CA
WS049.00	8/7/2007	R	132	MFCOL	EXT		SW	F	CA
WS049.00	8/28/2007	R	12	MFCOL	EXT		CL	HF	CA
WS049.00	10/3/2007	R	7.4	MFCOL	MHE		CL	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS049.00	10/29/2007	R	33	MFCOL	EXT		CL	HF	CA
WS049.00	1/22/2008	R	<2	MFCOL	FP		S	H	CA
WS049.00	3/10/2008	R	2	MFCOL	WARS		CL	H	CA
WS049.00	5/7/2008	R	<2	MFCOL	FP		CL	H	CA
WS049.00	7/7/2008	R	8	MFCOL	FP		S	F	CA
WS049.00	8/20/2008	R	2	MFCOL	WRB			F	CA
WS049.00	9/3/2008	R	<2	MFCOL	WRB			HF	CA
WS049.00	10/15/2008	R	4	MFCOL	AB		S	HE	CA
WS049.00	10/23/2008	R	<2	MFCOL	WRB		S	HE	CA
WS049.00	11/17/2008	R	27	MFCOL	EXT		W	HF	CA
WS049.00	3/30/2009	R	6	MFCOL	EXT	PT	N	H	CA
WS049.00	5/18/2009	R	14	MFCOL	EXT		CL	E	CA
WS049.00	6/3/2009	R	2	MFCOL	MLP		CL	E	CA
WS049.00	7/15/2009	R	10	MFCOL	MLP		NW	HF	CA
WS049.00	9/23/2009	R	14	MFCOL	EXT		SW	HE	CA
WS049.00	10/13/2009	R	11	MFCOL	LSM	P	CL	E	CA
WS049.00	3/9/2010	R	<2	MFCOL	FP		CL	E	CA
WS049.00	4/14/2010	R	2	MFCOL	ESK		NW	H	CA
WS049.00	4/28/2010	R	24	MFCOL	EXT		S	HF	CA
WS049.00	5/11/2010	R	<2	MFCOL	ESK		CL	HE	CA
WS049.00	6/21/2010	R	2	MFCOL	LSM		CL	HE	CA
WS049.00	6/23/2010	R	2	MFCOL	FP	P	CL	E	CA
WS049.00	8/4/2010	R	42	MFCOL	LSM		N	E	CA
WS049.00	8/16/2010	R	24	MFCOL	ESK		S	HF	CA
WS049.00	9/21/2010	R	38	MFCOL	ESK		CL	HF	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS049.00	12/1/2010	R	5.5	MFCOL	GN		S	E	CA
WS049.00	1/5/2011	R	2	MFCOL	EXT		CL	HF	CA
WS049.00	3/30/2011	R	2	MFCOL	LSM		CL	HE	CA
WS049.00	4/20/2011	R	10	MFCOL	ESK		N	H	CA
WS049.00	5/4/2011	R	14	MFCOL	ESK		SE	H	CA
WS049.00	6/7/2011	R	15	MFCOL	HG		SW	HF	CA
WS049.00	7/25/2011	R	13	MFCOL	ESK		S	E	CA
WS049.00	8/1/2011	R	40	MFCOL	ESK		S	H	CA
WS049.00	9/7/2011	R	28	MFCOL	ESK	P	CL	HE	CA
WS049.00	9/20/2011	R	16	MFCOL	EXT		S	F	CA
WS049.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	F	CA
WS049.20	2/6/2006	R	15	A1COL	JB	P	SW	LF	A
WS049.20	3/1/2006	R	<3	A1COL	JB		NW	HF	A
WS049.20	5/16/2006	R	9.1	A1COL	FP	PN	CL	H	A
WS049.20	8/29/2006	R	<2	MFCOL	JB	P	NW	F	A
WS049.20	9/19/2006	R	<2	MFCOL	JB		SW	E	A
WS049.20	10/11/2006	R	6	MFCOL	JB		NE	F	A
WS049.20	11/14/2006	R	<2	MFCOL	FP	PN	CL	E	A
WS049.20	11/29/2006	R	12	MFCOL	WRB	P	N	E	A
WS049.20	12/11/2006	R	<2	MFCOL	WRB		CL	F	A
WS049.20	1/23/2007	R	<2	MFCOL	FP		CL	HF	A
WS049.20	4/11/2007	R	<2	MFCOL	JB		W	LE	A
WS049.20	5/14/2007	R	9.1	MFCOL	EXT		SW	E	A
WS049.20	6/11/2007	E	2	MFCOL	EXT		NE	E	A
WS049.20	7/10/2007	R	2	MFCOL	JB	P	SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS049.20	8/7/2007	R	<2	MFCOL	EXT		SW	F	A
WS049.20	8/28/2007	R	<2	MFCOL	EXT		CL	H	A
WS049.20	10/3/2007	R	<2	MFCOL	MHE		CL	HF	A
WS049.20	10/29/2007	R	18	MFCOL	EXT		CL	HF	A
WS049.20	1/22/2008	R	<2	MFCOL	FP		S	H	A
WS049.20	3/10/2008	R	2	MFCOL	WARS		CL	HF	A
WS049.20	5/7/2008	R	<2	MFCOL	FP		N	H	A
WS049.20	7/7/2008	R	<2	MFCOL	FP		S	F	A
WS049.20	8/20/2008	R	7.3	MFCOL	WRB			F	A
WS049.20	9/3/2008	R	<2	MFCOL	WRB			HF	A
WS049.20	10/15/2008	R	2	MFCOL	AB	W	CL	HE	A
WS049.20	10/23/2008	R	<2	MFCOL	WRB		S	HE	A
WS049.20	11/17/2008	R	22	MFCOL	EXT		CL	H	A
WS049.20	3/30/2009	R	8	MFCOL	EXT	PT	CL	H	A
WS049.20	5/18/2009	R	<2	MFCOL	EXT		CL	E	A
WS049.20	6/3/2009	R	<2	MFCOL	MLP		N	E	A
WS049.20	7/15/2009	R	2	MFCOL	MLP		NW	HF	A
WS049.20	9/23/2009	R	<2	MFCOL	EXT		SW	HE	A
WS049.20	10/13/2009	R	2	MFCOL	LSM	P	CL	E	A
WS049.20	3/9/2010	R	<2	MFCOL	FP		NW	E	A
WS049.20	4/14/2010	R	<2	MFCOL	ESK		NW	H	A
WS049.20	4/28/2010	R	10	MFCOL	EXT		S	H	A
WS049.20	5/11/2010	R	2	MFCOL	ESK		NW	HE	A
WS049.20	6/21/2010	R	7.3	MFCOL	LSM		CL	E	A
WS049.20	6/23/2010	R	36	MFCOL	FP	P	CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS049.20	8/4/2010	R	<2	MFCOL	LSM		N	E	A
WS049.20	8/16/2010	R	22	MFCOL	ESK		S	HF	A
WS049.20	9/21/2010	R	4	MFCOL	ESK		N	H	A
WS049.20	12/1/2010	R	<2	MFCOL	GN		S	E	A
WS049.20	1/5/2011	R	<2	MFCOL	EXT		NW	HF	A
WS049.20	3/30/2011	R	2	MFCOL	LSM		NW	HE	A
WS049.20	4/20/2011	R	4	MFCOL	ESK		CL	HF	A
WS049.20	6/7/2011	R	2	MFCOL	HG		S	HF	A
WS049.20	7/25/2011	R	2	MFCOL	ESK		S	E	A
WS049.20	9/7/2011	R	2	MFCOL	ESK	P	CL	HE	A
WS049.20	10/19/2011	R	<2	MFCOL	EXT	P	CL	F	A
WS050.00	5/16/2006	R	43	A1COL	FP	PN	CL	HF	A
WS050.00	8/29/2006	R	4	MFCOL	JB	P	N	F	A
WS050.00	9/20/2006	R	260	MFCOL	JB	PN	CL	HE	A
WS050.00	11/14/2006	R	74	MFCOL	FP	PNW	CL	E	A
WS050.00	11/27/2006	R	4	MFCOL	JB	N	CL	HF	A
WS050.00	12/5/2006	R	10	MFCOL	JB	N	E	H	A
WS050.00	1/23/2007	R	<2	MFCOL	FP		NE	F	A
WS050.00	5/14/2007	R	2	MFCOL	EXT		SW	E	A
WS050.00	6/5/2007	R	200	MFCOL	FP	P	W	F	A
WS050.00	7/11/2007	R	4	MFCOL	EXT		SW	HE	A
WS050.00	8/28/2007	R	8	MFCOL	EXT		SW	H	A
WS050.00	10/29/2007	R	29	MFCOL	EXT	W	CL	F	A
WS050.00	1/22/2008	R	<2	MFCOL	FP		S	H	A
WS050.00	3/10/2008	R	<2	MFCOL	WARS		CL	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS050.00	5/7/2008	R	<2	MFCOL	FP		CL	H	R
WS050.00	7/7/2008	R	<2	MFCOL	FP		SW	F	R
WS050.00	8/20/2008	R	4	MFCOL	WRB			F	R
WS050.00	10/15/2008	R	10	MFCOL	AB		CL	HE	R
WS050.00	3/30/2009	R	12	MFCOL	EXT	PT	CL	H	R
WS050.00	5/18/2009	R	15	MFCOL	EXT		CL	E	R
WS050.00	6/3/2009	R	4	MFCOL	MLP		N	E	R
WS050.00	7/15/2009	R	2	MFCOL	MLP		CL	HF	R
WS050.00	9/23/2009	R	<2	MFCOL	EXT		SW	HE	R
WS050.00	10/13/2009	R	2	MFCOL	LSM	P	CL	E	R
WS050.00	3/9/2010	R	<2	MFCOL	FP		E	E	R
WS050.00	4/28/2010	R	2	MFCOL	EXT		S	H	R
WS050.00	6/21/2010	R	2	MFCOL	LSM		CL	E	R
WS050.00	8/4/2010	R	4	MFCOL	LSM		N	E	R
WS050.00	9/21/2010	R	4	MFCOL	ESK		NE	H	R
WS050.00	3/30/2011	R	<2	MFCOL	LSM		CL	HE	R
WS050.00	4/20/2011	R	<2	MFCOL	ESK		N	HF	R
WS050.00	6/7/2011	R	2	MFCOL	HG		SW	H	R
WS050.00	7/25/2011	R	6	MFCOL	ESK		S	E	R
WS050.00	9/7/2011	R	36	MFCOL	ESK	P	N	HE	R
WS050.00	10/19/2011	R	2	MFCOL	EXT	P	CL	F	R
WS051.00	2/6/2006	R	43	A1COL	JB	P	SW	E	A
WS051.00	3/1/2006	R	<3	A1COL	JB		N	H	A
WS051.00	5/16/2006	R	3	A1COL	FP	PN	CL	F	A
WS051.00	8/29/2006	R	6	MFCOL	JB	P	CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS051.00	11/14/2006	R	27	MFCOL	FP	PN	SE	E	A
WS051.00	11/27/2006	R	<2	MFCOL	JB		CL	HF	A
WS051.00	1/23/2007	R	<2	MFCOL	FP		NE	F	A
WS051.00	5/14/2007	R	<2	MFCOL	EXT		SW	E	A
WS051.00	6/5/2007	R	14	MFCOL	FP	P	NE	F	A
WS051.00	7/11/2007	R	<2	MFCOL	EXT		CL	HE	A
WS051.00	8/28/2007	R	3.6	MFCOL	EXT		CL	H	A
WS051.00	10/29/2007	R	66	MFCOL	EXT		NW	F	A
WS051.00	1/22/2008	R	2	MFCOL	FP		S	HE	A
WS051.00	3/10/2008	R	2	MFCOL	WARS		CL	F	A
WS051.00	5/7/2008	R	<2	MFCOL	FP		N	F	A
WS051.00	7/7/2008	R	<2	MFCOL	FP		SW	F	A
WS051.00	8/20/2008	R	2	MFCOL	MLP		NW	F	A
WS051.00	10/15/2008	R	<2	MFCOL	AB		CL	E	A
WS051.00	3/30/2009	R	<2	MFCOL	EXT	PT	N	F	A
WS051.00	5/18/2009	R	3.6	MFCOL	EXT		NW	E	A
WS051.00	6/3/2009	R	<2	MFCOL	MLP		N	E	A
WS051.00	7/15/2009	R	16	MFCOL	MLP		NW	F	A
WS051.00	9/23/2009	R	<2	MFCOL	EXT		CL	HE	P
WS051.00	10/13/2009	R	<2	MFCOL	LSM	P	CL	E	P
WS051.00	3/9/2010	R	<2	MFCOL	FP		N	E	A
WS051.00	4/28/2010	R	<2	MFCOL	EXT		CL	H	A
WS051.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	A
WS051.00	8/4/2010	R	40	MFCOL	LSM		CL	E	A
WS051.00	9/21/2010	R	2	MFCOL	ESK		N	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS051.00	12/1/2010	R	<2	MFCOL	GN		CL	E	A
WS051.00	3/30/2011	R	<2	MFCOL	LSM		NW	HE	A
WS051.00	4/20/2011	R	2	MFCOL	ESK		N	F	A
WS051.00	6/7/2011	R	2	MFCOL	HG		SW	H	A
WS051.00	7/25/2011	R	<2	MFCOL	ESK		CL	HE	A
WS051.00	9/7/2011	R	<2	MFCOL	ESK	P	NE	H	A
WS051.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	F	A
WS052.00	2/6/2006	R	3.6	A1COL	JB	P	CL	E	A
WS052.00	3/1/2006	R	<3	A1COL	JB		NW	H	A
WS052.00	5/16/2006	R	23	A1COL	FP	P	CL	F	A
WS052.00	8/29/2006	R	<2	MFCOL	JB	P	CL	F	A
WS052.00	11/14/2006	R	12	MFCOL	FP	PN	SE	E	A
WS052.00	12/19/2006	R	<2	MFCOL	JB		N	HF	A
WS052.00	1/23/2007	R	<2	MFCOL	FP		NE	F	A
WS052.00	4/11/2007	R	<2	MFCOL	JB		W	L	A
WS052.00	5/14/2007	R	<2	MFCOL	EXT		SW	E	A
WS052.00	7/10/2007	R	2	MFCOL	JB	P	SW	LE	A
WS052.00	8/28/2007	R	<2	MFCOL	EXT		CL	H	A
WS052.00	10/29/2007	R	22	MFCOL	EXT		W	F	A
WS052.00	1/22/2008	R	2	MFCOL	FP		S	HE	A
WS052.00	3/10/2008	R	<2	MFCOL	WARS		SW	F	A
WS052.00	5/7/2008	R	<2	MFCOL	FP		N	F	A
WS052.00	7/7/2008	R	<2	MFCOL	FP		SW	F	A
WS052.00	8/20/2008	R	4	MFCOL	MLP		NW	F	A
WS052.00	10/15/2008	R	4	MFCOL	AB		S	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS052.00	3/30/2009	R	<2	MFCOL	EXT	PT	N	F	A
WS052.00	5/18/2009	R	2	MFCOL	EXT		NW	E	A
WS052.00	6/3/2009	R	2	MFCOL	MLP		N	E	A
WS052.00	7/15/2009	R	<2	MFCOL	MLP		NW	F	A
WS052.00	9/23/2009	R	<2	MFCOL	EXT		CL	HE	A
WS052.00	10/13/2009	R	<2	MFCOL	LSM	P	CL	E	A
WS052.00	3/9/2010	R	<2	MFCOL	FP		N	E	A
WS052.00	4/28/2010	R	<2	MFCOL	EXT		W	H	A
WS052.00	6/21/2010	R	2	MFCOL	LSM		CL	E	A
WS052.00	8/4/2010	R	<2	MFCOL	LSM		N	E	A
WS052.00	9/21/2010	R	8	MFCOL	ESK		W	H	A
WS052.00	3/1/2011	R	<2	MFCOL	FP		N	HE	A
WS052.00	4/20/2011	R	<2	MFCOL	ESK	P	N	F	A
WS052.00	6/7/2011	R	<2	MFCOL	HG		SW	H	A
WS052.00	7/25/2011	R	<2	MFCOL	ESK		CL	H	A
WS052.00	9/7/2011	R	<2	MFCOL	ESK	P	NE	H	A
WS052.00	10/19/2011	R	<2	MFCOL	EXT	P	SE	F	A
WS054.00	2/6/2006	R	9.1	A1COL	JB	P	SW	E	A
WS054.00	3/1/2006	R	<3	A1COL	JB		NW	H	A
WS054.00	5/16/2006	R	43	A1COL	FP	P	CL	F	A
WS054.00	8/29/2006	R	2	MFCOL	JB	P	CL	F	A
WS054.00	11/14/2006	R	36	MFCOL	FP	P	SE	E	A
WS054.00	11/27/2006	R	<2	MFCOL	JB		CL	HF	A
WS054.00	1/23/2007	R	<2	MFCOL	FP		NE	F	A
WS054.00	5/14/2007	R	5.5	MFCOL	EXT		SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS054.00	6/5/2007	R	160	MFCOL	FP	P	S	F	A
WS054.00	7/11/2007	R	6	MFCOL	EXT		SW	HE	A
WS054.00	8/28/2007	R	80	MFCOL	EXT		CL	H	A
WS054.00	10/29/2007	R	<2	MFCOL	EXT		W	F	A
WS054.00	1/22/2008	R	<2	MFCOL	FP		S	HE	A
WS054.00	3/10/2008	R	<2	MFCOL	WARS		W	F	A
WS054.00	5/7/2008	R	<2	MFCOL	FP		N	HF	A
WS054.00	7/7/2008	R	<2	MFCOL	FP		S	F	A
WS054.00	8/20/2008	R	2	MFCOL	MLP		CL	F	A
WS054.00	10/15/2008	R	6	MFCOL	AB		S	E	A
WS054.00	2/10/2009	R	<2	MFCOL	AB		CL	H	A
WS054.00	3/30/2009	R	<2	MFCOL	EXT	PT	N	HF	A
WS054.00	5/18/2009	R	<2	MFCOL	EXT		NW	E	A
WS054.00	7/15/2009	R	<2	MFCOL	MLP		NW	F	A
WS054.00	9/23/2009	R	24	MFCOL	EXT		S	HE	A
WS054.00	10/13/2009	R	4	MFCOL	LSM	P	CL	E	A
WS054.00	3/9/2010	R	<2	MFCOL	FP		N	E	A
WS054.00	4/28/2010	R	2	MFCOL	EXT		SW	H	A
WS054.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	A
WS054.00	8/4/2010	R	4	MFCOL	LSM		N	E	A
WS054.00	9/21/2010	R	<2	MFCOL	ESK		CL	HE	A
WS054.00	11/15/2010	R	<2	MFCOL	ESK		CL	H	A
WS054.00	3/1/2011	R	<2	MFCOL	FP		N	HE	A
WS054.00	4/20/2011	R	<2	MFCOL	ESK		N	F	A
WS054.00	6/7/2011	R	<2	MFCOL	HG		S	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS054.00	7/25/2011	R	<2	MFCOL	ESK		CL	H	A
WS054.00	9/7/2011	R	<2	MFCOL	ESK	P	NE	H	A
WS054.00	10/19/2011	R	<2	MFCOL	EXT	P	SE	F	A
WS055.00	2/6/2006	R	3.6	A1COL	JB	P	W	E	P
WS055.00	3/1/2006	R	<3	A1COL	JB		CL	H	P
WS055.00	5/16/2006	R	7.3	A1COL	FP	P	CL	F	P
WS055.00	8/29/2006	R	4	MFCOL	JB	P	E	F	P
WS055.00	11/14/2006	R	800	MFCOL	FP	PN	SE	E	P
WS055.00	11/27/2006	R	<2	MFCOL	JB		E	HF	P
WS055.00	1/23/2007	R	<2	MFCOL	FP		CL	F	P
WS055.00	4/11/2007	R	<2	MFCOL	JB		CL	L	P
WS055.00	5/14/2007	R	<2	MFCOL	EXT		SW	E	P
WS055.00	7/10/2007	R	2	MFCOL	JB	P	CL	LE	P
WS055.00	8/28/2007	R	<2	MFCOL	EXT		CL	HE	A
WS055.00	10/29/2007	R	7.3	MFCOL	EXT		CL	F	A
WS055.00	1/22/2008	R	<2	MFCOL	FP		S	HE	A
WS055.00	3/10/2008	R	<2	MFCOL	WARS		CL	F	A
WS055.00	5/7/2008	R	<2	MFCOL	FP		W	HF	A
WS055.00	7/7/2008	R	<2	MFCOL	FP		S	F	A
WS055.00	8/20/2008	R	27	MFCOL	MLP		NW	F	A
WS055.00	10/15/2008	R	6	MFCOL	AB		S	E	A
WS055.00	2/10/2009	R	<2	MFCOL	AB		CL	H	A
WS055.00	3/30/2009	R	<2	MFCOL	EXT	PT	CL	HF	A
WS055.00	5/18/2009	R	4	MFCOL	EXT		CL	E	A
WS055.00	7/15/2009	R	<2	MFCOL	MLP		NW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS055.00	9/23/2009	R	4	MFCOL	EXT		SW	E	P
WS055.00	10/13/2009	R	2	MFCOL	LSM	P	CL	E	P
WS055.00	3/9/2010	R	<2	MFCOL	FP		W	E	P
WS055.00	4/28/2010	R	<2	MFCOL	EXT		SW	HE	P
WS055.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	P
WS055.00	8/4/2010	R	<2	MFCOL	LSM		N	LE	P
WS055.00	9/21/2010	R	22	MFCOL	ESK		NW	HE	P
WS055.00	11/15/2010	R	<2	MFCOL	ESK		CL	HE	P
WS055.00	3/30/2011	R	<2	MFCOL	LSM		NW	HE	P
WS055.00	4/20/2011	R	<2	MFCOL	ESK		N	HF	P
WS055.00	6/7/2011	R	<2	MFCOL	HG		SW	H	P
WS055.00	7/25/2011	R	<2	MFCOL	ESK		CL	HE	P
WS055.00	9/7/2011	R	<2	MFCOL	ESK	P	NE	H	P
WS055.00	10/19/2011	R	<2	MFCOL	EXT	P	SE	F	P
WS057.00	2/6/2006	R	3.6	A1COL	JB	P	W	E	A
WS057.00	3/1/2006	R	3	A1COL	JB		CL	H	A
WS057.00	5/16/2006	R	23	A1COL	FP	PN	CL	F	A
WS057.00	8/29/2006	R	2	MFCOL	JB	P	CL	F	A
WS057.00	11/14/2006	R	70	MFCOL	FP	PN	CL	E	A
WS057.00	11/27/2006	R	10	MFCOL	JB		CL	HF	A
WS057.00	1/23/2007	R	<2	MFCOL	FP		CL	F	A
WS057.00	4/11/2007	R	<2	MFCOL	JB		CL	LF	A
WS057.00	5/14/2007	R	<2	MFCOL	EXT		SW	E	A
WS057.00	7/10/2007	R	<2	MFCOL	JB	P	SW	L	A
WS057.00	8/28/2007	R	27	MFCOL	EXT		SW	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS057.00	10/29/2007	R	2	MFCOL	EXT		NW	F	R
WS057.00	1/22/2008	R	<2	MFCOL	FP		S	HE	R
WS057.00	3/10/2008	R	<2	MFCOL	WARS		CL	F	R
WS057.00	5/7/2008	R	<2	MFCOL	FP		CL	HF	R
WS057.00	7/7/2008	R	<2	MFCOL	FP		SW	HF	R
WS057.00	8/20/2008	R	<2	MFCOL	MLP		NW	F	R
WS057.00	10/15/2008	R	8	MFCOL	AB		CL	E	R
WS057.00	2/10/2009	R	<2	MFCOL	AB		CL	H	R
WS057.00	3/30/2009	R	<2	MFCOL	EXT	PT	CL	HF	R
WS057.00	5/18/2009	R	2	MFCOL	EXT		CL	E	R
WS057.00	7/15/2009	R	2	MFCOL	MLP		NW	F	R
WS057.00	9/23/2009	R	5.5	MFCOL	EXT		CL	E	R
WS057.00	10/13/2009	R	12	MFCOL	LSM	P	CL	E	R
WS057.00	3/9/2010	R	<2	MFCOL	FP		NE	E	R
WS057.00	4/28/2010	R	<2	MFCOL	EXT		CL	HE	R
WS057.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	R
WS057.00	8/4/2010	R	<2	MFCOL	LSM		CL	E	R
WS057.00	9/21/2010	R	<2	MFCOL	ESK		NW	HE	R
WS057.00	11/15/2010	R	2	MFCOL	ESK		CL	HE	R
WS057.00	3/1/2011	R	<2	MFCOL	FP		N	HE	R
WS057.00	4/20/2011	R	2	MFCOL	ESK		N	HF	R
WS057.00	6/7/2011	R	2	MFCOL	HG		S	H	R
WS057.00	7/25/2011	R	<2	MFCOL	ESK		CL	HE	R
WS057.00	9/7/2011	R	2	MFCOL	ESK	P	NE	H	R
WS057.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS058.00	2/6/2006	R	<3	A1COL	JB	P	S	E	A
WS058.00	3/1/2006	R	<3	A1COL	JB	N	NW	H	A
WS058.00	5/16/2006	R	460	A1COL	FP	P	CL	F	A
WS058.00	8/29/2006	R	2	MFCOL	JB	P	CL	F	A
WS058.00	11/14/2006	R	46	MFCOL	FP	PN	CL	E	A
WS058.00	11/27/2006	R	13	MFCOL	JB	N	CL	F	A
WS058.00	1/23/2007	R	<2	MFCOL	FP		CL	F	A
WS058.00	5/14/2007	R	10	MFCOL	EXT		CL	E	A
WS058.00	6/5/2007	R	120	MFCOL	FP	P	S	F	A
WS058.00	7/11/2007	R	9.1	MFCOL	EXT		SW	HE	A
WS058.00	8/28/2007	R	<2	MFCOL	EXT		S	HE	R
WS058.00	10/29/2007	R	16	MFCOL	EXT		CL	F	R
WS058.00	1/22/2008	R	2	MFCOL	FP		S	E	R
WS058.00	3/10/2008	R	<2	MFCOL	WARS		CL	F	R
WS058.00	5/7/2008	R	<2	MFCOL	FP		NE	HF	R
WS058.00	7/7/2008	R	<2	MFCOL	FP		S	HF	R
WS058.00	8/20/2008	R	<2	MFCOL	MLP		CL	F	R
WS058.00	10/15/2008	R	16	MFCOL	AB			E	R
WS058.00	2/10/2009	R	<2	MFCOL	AB		CL	H	R
WS058.00	3/30/2009	R	3.6	MFCOL	EXT	PT	CL	HF	R
WS058.00	5/18/2009	R	18	MFCOL	EXT		NW	E	R
WS058.00	7/15/2009	R	2	MFCOL	MLP		CL	F	R
WS058.00	9/23/2009	R	2	MFCOL	EXT		CL	E	R
WS058.00	10/13/2009	R	10	MFCOL	LSM	P	CL	E	R
WS058.00	3/9/2010	R	<2	MFCOL	FP		CL	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS058.00	4/28/2010	R	2	MFCOL	EXT		CL	HE	R
WS058.00	6/21/2010	R	10	MFCOL	LSM		CL	E	R
WS058.00	8/4/2010	R	<2	MFCOL	LSM		CL	E	R
WS058.00	9/21/2010	R	2	MFCOL	ESK		CL	HE	R
WS058.00	11/15/2010	R	20	MFCOL	ESK		CL	E	R
WS058.00	3/1/2011	R	<2	MFCOL	FP		CL	E	R
WS058.00	4/20/2011	R	<2	MFCOL	ESK	P	N	F	R
WS058.00	6/7/2011	R	48	MFCOL	HG		S	HE	R
WS058.00	7/25/2011	R	<2	MFCOL	ESK		CL	HE	R
WS058.00	9/7/2011	R	14	MFCOL	ESK	P	CL	HE	R
WS058.00	10/19/2011	R	2	MFCOL	EXT	P	CL	F	R
WS059.00	2/6/2006	R	43	A1COL	JB	P	W	E	CA
WS059.00	3/1/2006	R	<3	A1COL	JB	N	CL	H	CA
WS059.00	5/16/2006	R	460	A1COL	FP	PN	CL	F	CA
WS059.00	8/29/2006	R	<2	MFCOL	JB	PN	CL	HF	CA
WS059.00	9/19/2006	R	38	MFCOL	JB	N	SW	E	CA
WS059.00	10/11/2006	R	2	MFCOL	JB	N	CL	HF	CA
WS059.00	11/14/2006	R	340	MFCOL	FP	PN	CL	E	CA
WS059.00	11/29/2006	R	4	MFCOL	WRB	P	N	E	CA
WS059.00	12/11/2006	R	<2	MFCOL	WRB	N	CL	F	CA
WS059.00	1/23/2007	R	<2	MFCOL	FP		CL	F	CA
WS059.00	5/15/2007	R	2	MFCOL	EXT		SW	E	CA
WS059.00	6/11/2007	E	5.5	MFCOL	EXT		CL	E	CA
WS059.00	7/11/2007	R	6	MFCOL	EXT		CL	HE	CA
WS059.00	7/25/2007	R	7.3	MFCOL	FP		S	E	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS059.00	8/7/2007	R	2	MFCOL	EXT		CL	F	CA
WS059.00	8/28/2007	R	74	MFCOL	EXT		SW	HE	CA
WS059.00	10/3/2007	R	33	MFCOL	MHE		CL	HF	CA
WS059.00	10/29/2007	R	108	MFCOL	EXT		W	F	CA
WS059.00	1/22/2008	R	<2	MFCOL	FP		S	E	CA
WS059.00	3/10/2008	R	2	MFCOL	WARS		CL	HF	CA
WS059.00	5/7/2008	R	2	MFCOL	FP		N	F	CA
WS059.00	7/7/2008	R	2	MFCOL	FP		SW	HF	CA
WS059.00	8/20/2008	R	4	MFCOL	MLP		NW	F	CA
WS059.00	8/28/2008	R	<2	MFCOL	WRB		CL	F	CA
WS059.00	10/15/2008	R	7.3	MFCOL	AB		S	E	CA
WS059.00	11/17/2008	R	67	MFCOL	EXT		W	H	CA
WS059.00	3/30/2009	R	180	MFCOL	EXT	PT	CL	F	CA
WS059.00	6/3/2009	R	2	MFCOL	MLP		N	E	CA
WS059.00	7/15/2009	R	22	MFCOL	MLP		CL	F	CA
WS059.00	9/23/2009	R	92	MFCOL	EXT		CL	E	CA
WS059.00	10/13/2009	R	16	MFCOL	LSM	PW	CL	E	CA
WS059.00	3/9/2010	R	<2	MFCOL	FP		NW	E	CA
WS059.00	4/14/2010	R	<2	MFCOL	ESK		NW	H	CA
WS059.00	4/28/2010	R	4	MFCOL	EXT		CL	HE	CA
WS059.00	5/11/2010	R	<2	MFCOL	ESK		NW	E	CA
WS059.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	CA
WS059.00	6/23/2010	R	5.5	MFCOL	FP	P	CL	E	CA
WS059.00	8/16/2010	R	2	MFCOL	ESK		CL	HF	CA
WS059.00	9/21/2010	R	18	MFCOL	ESK		NW	HE	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS059.00	12/28/2010	R	2	MFCOL	HG		W	F	CA
WS059.00	1/5/2011	R	4	MFCOL	EXT		NW	HF	CA
WS059.00	3/30/2011	R	<2	MFCOL	LSM		CL	HE	CA
WS059.00	4/20/2011	R	14	MFCOL	ESK		CL	F	CA
WS059.00	5/4/2011	R	15	MFCOL	ESK		CL	H	CA
WS059.00	6/7/2011	R	<2	MFCOL	HG		CL	HE	CA
WS059.00	7/25/2011	R	22	MFCOL	ESK		CL	H	CA
WS059.00	8/1/2011	R	12	MFCOL	ESK		S	H	CA
WS059.00	9/7/2011	R	<2	MFCOL	ESK	P	NE	HF	CA
WS059.00	9/20/2011	R	<2	MFCOL	EXT		CL	F	CA
WS059.00	10/19/2011	R	6	MFCOL	EXT	P	CL	HF	CA
WS060.00	3/9/2010	R	<2	MFCOL	FP		N	E	P
WS060.00	4/28/2010	R	<2	MFCOL	EXT		SW	HE	P
WS060.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	P
WS060.00	8/4/2010	R	<2	MFCOL	LSM		N	E	P
WS060.00	9/21/2010	R	8	MFCOL	ESK		NW	E	P
WS060.00	11/15/2010	R	<2	MFCOL	ESK		CL	HE	P
WS060.00	3/1/2011	R	<2	MFCOL	FP		NW	E	P
WS060.00	4/20/2011	R	<2	MFCOL	ESK	W,P	CL	F	P
WS060.00	6/7/2011	R	4	MFCOL	HG		SW	HE	P
WS060.00	7/25/2011	R	<2	MFCOL	ESK		CL	H	P
WS060.00	9/7/2011	R	<2	MFCOL	ESK	P	CL	HF	P
WS060.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	HF	P
WS063.00	2/6/2006	R	9.1	A1COL	JB	P	SW	E	P
WS063.00	3/1/2006	R	<3	A1COL	JB		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS063.00	5/16/2006	R	<3	A1COL	FP	P	CL	F	P
WS063.00	8/29/2006	R	<2	MFCOL	JB	P	CL	HF	P
WS063.00	11/14/2006	R	<2	MFCOL	FP	P	CL	LE	P
WS063.00	11/27/2006	R	<2	MFCOL	JB		CL	F	P
WS063.00	1/23/2007	R	<2	MFCOL	FP		NE	F	P
WS063.00	4/11/2007	R	<2	MFCOL	JB		W	F	P
WS063.00	5/14/2007	R	<2	MFCOL	EXT		SW	LE	P
WS063.00	7/10/2007	R	4	MFCOL	JB	P	SW	LF	P
WS063.00	8/28/2007	R	<2	MFCOL	EXT		SW	E	P
WS063.00	10/29/2007	R	6	MFCOL	EXT		W	F	P
WS063.00	1/22/2008	R	<2	MFCOL	FP		S	E	P
WS063.00	3/10/2008	R	<2	MFCOL	WARS		W	F	P
WS063.00	5/7/2008	R	<2	MFCOL	FP		NW	F	P
WS063.00	7/7/2008	R	9.1	MFCOL	FP		S	LF	P
WS063.00	8/20/2008	R	<2	MFCOL	MLP		NW	HF	P
WS063.00	10/15/2008	R	2	MFCOL	AB		CL	HF	P
WS063.00	2/10/2009	R	<2	MFCOL	AB		CL	HE	P
WS063.00	3/30/2009	R	2	MFCOL	EXT	PT	N	F	P
WS063.00	5/18/2009	R	<2	MFCOL	EXT		NW	E	P
WS063.00	7/15/2009	R	<2	MFCOL	MLP		NW	F	P
WS063.00	9/23/2009	R	2	MFCOL	EXT		SW	E	P
WS063.00	10/13/2009	R	<2	MFCOL	LSM	P	CL	E	P
WS063.00	3/9/2010	R	<2	MFCOL	FP		N	E	P
WS063.00	4/28/2010	R	44	MFCOL	EXT		SW	HE	P
WS063.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS063.00	8/4/2010	R	2	MFCOL	LSM		N	E	P
WS063.00	9/21/2010	R	<2	MFCOL	ESK		NW	E	P
WS063.00	11/15/2010	R	2	MFCOL	ESK		CL	HE	P
WS063.00	3/1/2011	R	<2	MFCOL	FP		NW	E	P
WS063.00	4/20/2011	R	<2	MFCOL	ESK		N	F	P
WS063.00	6/7/2011	R	<2	MFCOL	HG		SW	HE	P
WS063.00	7/25/2011	R	<2	MFCOL	ESK		CL	HE	P
WS063.00	9/7/2011	R	<2	MFCOL	ESK	P	N	H	P
WS063.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	HF	P
WS065.00	2/6/2006	R	<3	A1COL	JB	P	SW	E	A
WS065.00	3/1/2006	R	<3	A1COL	JB		NW	F	A
WS065.00	5/16/2006	R	43	A1COL	FP	P	CL	F	A
WS065.00	8/29/2006	R	2	MFCOL	JB	P	NE	H	A
WS065.00	11/14/2006	R	70	MFCOL	FP	P	E	LE	A
WS065.00	11/27/2006	R	<2	MFCOL	JB		S	F	A
WS065.00	1/23/2007	R	<2	MFCOL	FP		NE	F	A
WS065.00	4/11/2007	R	<2	MFCOL	JB		W	F	A
WS065.00	5/14/2007	R	<2	MFCOL	EXT		SW	LE	A
WS065.00	7/10/2007	R	2	MFCOL	JB	P	SW	LF	A
WS065.00	8/28/2007	R	<2	MFCOL	EXT		SW	E	A
WS065.00	10/29/2007	R	<2	MFCOL	EXT		W	F	A
WS065.00	1/22/2008	R	<2	MFCOL	FP		S	E	A
WS065.00	3/10/2008	R	<2	MFCOL	WARS		CL	F	A
WS065.00	5/7/2008	R	<2	MFCOL	FP		N	F	A
WS065.00	7/7/2008	R	<2	MFCOL	FP		SW	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS065.00	8/20/2008	R	<2	MFCOL	MLP		NW	HF	A
WS065.00	10/15/2008	R	<2	MFCOL	AB		NW	HF	A
WS065.00	2/10/2009	R	<2	MFCOL	AB		CL	HE	A
WS065.00	3/30/2009	R	<2	MFCOL	EXT	PT	CL	F	A
WS065.00	5/18/2009	R	<2	MFCOL	EXT		CL	E	A
WS065.00	7/15/2009	R	<2	MFCOL	MLP		N	F	A
WS065.00	9/23/2009	R	<2	MFCOL	EXT		SW	E	A
WS065.00	10/13/2009	R	4	MFCOL	LSM	P	CL	E	A
WS065.00	3/9/2010	R	<2	MFCOL	FP		N	E	A
WS065.00	4/28/2010	R	<2	MFCOL	EXT		SW	E	A
WS065.00	6/21/2010	R	<2	MFCOL	LSM		CL	E	A
WS065.00	8/4/2010	R	6	MFCOL	LSM		N	E	A
WS065.00	9/21/2010	R	<2	MFCOL	ESK		NW	E	A
WS065.00	11/15/2010	R	2	MFCOL	ESK		CL	HE	A
WS065.00	3/1/2011	R	2	MFCOL	FP		N	E	A
WS065.00	4/20/2011	R	<2	MFCOL	ESK		CL	F	A
WS065.00	6/7/2011	R	<2	MFCOL	HG		S	E	A
WS065.00	7/25/2011	R	2	MFCOL	ESK		CL	HE	A
WS065.00	9/7/2011	R	2	MFCOL	ESK	P	S	H	A
WS065.00	10/19/2011	R	<2	MFCOL	EXT	P	CL	HF	A
WS067.00	4/26/2006	R	<3	A1COL	FP		S	HE	P
WS067.00	6/20/2006	R	3.6	A1COL	FP		S	L	A
WS067.00	7/12/2006	R	7.3	A1COL	FP	P	S	H	A
WS067.00	9/5/2006	R	2	MFCOL	JB	P	S	E	A
WS067.00	10/3/2006	R	<2	MFCOL	FP		SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS067.00	10/17/2006	R	2	MFCOL	FP		S	E	A
WS067.00	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS067.00	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS067.00	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS067.00	7/30/2007	R	<2	MFCOL	EXT		W	H	A
WS067.00	8/15/2007	R	<2	MFCOL	JB		SW	E	A
WS067.00	9/24/2007	R	<2	MFCOL	AJS		W	L	A
WS067.00	4/7/2008	R	<2	MFCOL	FP		NE	HE	A
WS067.00	8/11/2008	R	<2	MFCOL	MLP		CL	L	A
WS067.00	8/26/2008	R	<2	MFCOL	MLP		NW	LE	A
WS067.00	10/6/2008	R	<2	MFCOL	FP		N	F	A
WS067.00	10/20/2008	R	<2	MFCOL	FP		NE	F	A
WS067.00	11/3/2008	R	<2	MFCOL	FP		SW	F	A
WS067.00	5/4/2009	R	<2	MFCOL	FP		S	E	A
WS067.00	6/2/2009	R	<2	MFCOL	FP		N	LE	A
WS067.00	8/10/2009	R	<2	MFCOL	FP		S	HF	A
WS067.00	9/21/2009	R	<2	MFCOL	AB		CL	HF	A
WS067.00	10/5/2009	R	<2	MFCOL	FP		W	H	A
WS067.00	10/26/2009	R	<2	MFCOL	FP	P	NW	LF	A
WS067.00	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS067.00	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS067.00	6/9/2010	R	<2	MFCOL	FP		S	E	A
WS067.00	8/10/2010	R	2	MFCOL	FP		SW	HE	A
WS067.00	9/27/2010	R	<2	MFCOL	FP		NE	HF	A
WS067.00	10/12/2010	R	<2	MFCOL	FP		NE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS067.00	5/16/2011	R	<2	MFCOL	FP		NE	E	A
WS067.00	6/6/2011	R	<2	MFCOL	FP		S	F	A
WS067.00	7/5/2011	R	<2	MFCOL	FP		SW	F	A
WS067.00	7/25/2011	R	<2	MFCOL	FP		S	LE	A
WS067.00	9/6/2011	R	<2	MFCOL	FP	P	NW	L	A
WS067.00	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS067.50	4/26/2006	R	<3	A1COL	FP		S	HE	P
WS067.50	6/20/2006	R	<3	A1COL	FP		S	L	A
WS067.50	7/12/2006	R	3.6	A1COL	FP	P	S	H	A
WS067.50	9/5/2006	R	4	MFCOL	JB	P	S	E	A
WS067.50	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS067.50	10/17/2006	R	4	MFCOL	FP		S	E	A
WS067.50	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS067.50	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS067.50	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS067.50	7/30/2007	R	<2	MFCOL	EXT		SW	H	A
WS067.50	8/15/2007	R	<2	MFCOL	JB		SW	E	A
WS067.50	9/24/2007	R	<2	MFCOL	AJS		W	L	A
WS067.50	4/7/2008	R	<2	MFCOL	FP		NE	HE	A
WS067.50	8/11/2008	R	<2	MFCOL	MLP		CL	L	A
WS067.50	8/26/2008	R	<2	MFCOL	MLP		CL	LE	A
WS067.50	10/6/2008	R	<2	MFCOL	FP		N	F	A
WS067.50	10/20/2008	R	<2	MFCOL	FP		N	F	A
WS067.50	11/3/2008	R	<2	MFCOL	FP		SW	F	A
WS067.50	5/4/2009	R	<2	MFCOL	FP		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS067.50	6/2/2009	R		MFCOL	FP		CL	E	A
WS067.50	8/10/2009	R	<2	MFCOL	FP		S	HF	A
WS067.50	9/21/2009	R	<2	MFCOL	AB		CL	HF	A
WS067.50	10/5/2009	R	<2	MFCOL	FP		W	H	A
WS067.50	10/26/2009	R	<2	MFCOL	FP	P	NW	L	A
WS067.50	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS067.50	5/10/2010	R	<2	MFCOL	FP		CL	E	A
WS067.50	6/9/2010	R	<2	MFCOL	FP		S	E	A
WS067.50	8/10/2010	R	<2	MFCOL	FP		SW	H	A
WS067.50	9/27/2010	R	<2	MFCOL	FP		CL	HF	A
WS067.50	10/12/2010	R	<2	MFCOL	FP		CL	F	A
WS067.50	5/16/2011	R	2	MFCOL	FP		CL	E	A
WS067.50	6/6/2011	R	<2	MFCOL	FP		SE	F	A
WS067.50	7/5/2011	R	<2	MFCOL	FP		CL	F	A
WS067.50	7/25/2011	R	<2	MFCOL	FP		CL	LE	A
WS067.50	9/6/2011	R	<2	MFCOL	FP	P	CL	L	A
WS067.50	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS067.80	4/26/2006	R	<3	A1COL	FP		S	HE	P
WS067.80	6/20/2006	R	<3	A1COL	FP		S	LE	A
WS067.80	7/12/2006	R	<3	A1COL	FP	P	S	H	A
WS067.80	9/5/2006	R	<2	MFCOL	JB	P	CL	E	A
WS067.80	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS067.80	10/17/2006	R	15	MFCOL	FP		S	E	A
WS067.80	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS067.80	6/11/2007	R	<2	MFCOL	FP		NE	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS067.80	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS067.80	7/30/2007	R	<2	MFCOL	EXT		CL	H	A
WS067.80	8/15/2007	R	<2	MFCOL	JB		SW	E	A
WS067.80	10/29/2007	R	<2	MFCOL	FP		NW	HF	A
WS067.80	4/7/2008	R	<2	MFCOL	FP		NE	HE	A
WS067.80	8/11/2008	R	<2	MFCOL	MLP		CL	L	A
WS067.80	8/26/2008	R	<2	MFCOL	MLP		NW	E	A
WS067.80	10/6/2008	R	<2	MFCOL	FP		N	F	A
WS067.80	10/20/2008	R	<2	MFCOL	FP		N	F	A
WS067.80	11/3/2008	R	<2	MFCOL	FP		SW	F	A
WS067.80	5/4/2009	R	<2	MFCOL	FP		CL	E	A
WS067.80	6/2/2009	R	<2	MFCOL	FP		CL	E	A
WS067.80	8/10/2009	R	<2	MFCOL	FP		S	F	A
WS067.80	9/21/2009	R	<2	MFCOL	AB		CL	HF	A
WS067.80	10/5/2009	R	<2	MFCOL	FP		W	H	A
WS067.80	10/26/2009	R	2	MFCOL	FP	P	NW	L	A
WS067.80	4/26/2010	R	<2	MFCOL	FP		SE	E	A
WS067.80	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS067.80	6/9/2010	R	<2	MFCOL	FP		SW	E	A
WS067.80	8/10/2010	R	4	MFCOL	FP		SW	H	A
WS067.80	9/27/2010	R	<2	MFCOL	FP		NE	HF	A
WS067.80	10/12/2010	R	<2	MFCOL	FP		NW	F	A
WS067.80	5/16/2011	R	2	MFCOL	FP		NE	E	A
WS067.80	6/6/2011	R	<2	MFCOL	FP		S	F	A
WS067.80	7/5/2011	R	<2	MFCOL	FP		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS067.80	7/25/2011	R	4	MFCOL	FP		CL	L	A
WS067.80	9/6/2011	R	<2	MFCOL	FP	P	NW	LF	A
WS067.80	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS068.00	4/26/2006	R	<3	A1COL	FP		S	HE	P
WS068.00	6/20/2006	R	3.6	A1COL	FP		S	LE	A
WS068.00	7/12/2006	R	<3	A1COL	FP	P	S	H	A
WS068.00	9/5/2006	R	2	MFCOL	JB	P	CL	E	A
WS068.00	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS068.00	10/17/2006	R	<2	MFCOL	FP		S	E	A
WS068.00	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS068.00	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS068.00	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS068.00	7/30/2007	R	<2	MFCOL	EXT		S	H	A
WS068.00	8/15/2007	R	<2	MFCOL	JB		SW	E	A
WS068.00	9/24/2007	R	<2	MFCOL	AJS		CL	LE	A
WS068.00	4/7/2008	R	<2	MFCOL	FP		NE	H	A
WS068.00	8/11/2008	R	<2	MFCOL	MLP		CL	LE	A
WS068.00	8/26/2008	R	<2	MFCOL	MLP		NW	E	A
WS068.00	10/6/2008	R	<2	MFCOL	FP		N	LF	A
WS068.00	10/20/2008	R	<2	MFCOL	FP		N	F	A
WS068.00	11/3/2008	R	<2	MFCOL	FP		SW	F	A
WS068.00	5/4/2009	R	2	MFCOL	FP		S	E	A
WS068.00	6/2/2009	R	<2	MFCOL	FP		CL	E	A
WS068.00	8/10/2009	R	<2	MFCOL	FP		S	F	A
WS068.00	9/21/2009	R	<2	MFCOL	AB		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS068.00	10/5/2009	R	<2	MFCOL	FP		E	H	A
WS068.00	10/26/2009	R	<2	MFCOL	FP	P	CL	L	A
WS068.00	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS068.00	5/10/2010	R	<2	MFCOL	FP		CL	E	A
WS068.00	6/9/2010	R	<2	MFCOL	FP		SW	E	A
WS068.00	8/10/2010	R	<2	MFCOL	FP		SW	H	A
WS068.00	9/27/2010	R	<2	MFCOL	FP		CL	HF	A
WS068.00	10/12/2010	R	<2	MFCOL	FP		CL	F	A
WS068.00	5/16/2011	R	2	MFCOL	FP		CL	E	A
WS068.00	6/6/2011	R	<2	MFCOL	FP		CL	F	A
WS068.00	7/5/2011	R	<2	MFCOL	FP		CL	F	A
WS068.00	7/25/2011	R	2	MFCOL	FP		CL	LE	A
WS068.00	9/6/2011	R	<2	MFCOL	FP	P	NW	L	A
WS068.00	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS069.00	4/26/2006	R	<3	A1COL	FP		S	HE	P
WS069.00	6/20/2006	R	<3	A1COL	FP		S	LE	A
WS069.00	7/12/2006	R	<3	A1COL	FP	P	S	H	A
WS069.00	9/5/2006	R	3.6	MFCOL	JB	P	CL	E	A
WS069.00	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS069.00	10/17/2006	R	<2	MFCOL	FP		S	E	A
WS069.00	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS069.00	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS069.00	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS069.00	7/30/2007	R	<2	MFCOL	EXT		CL	HF	A
WS069.00	8/15/2007	R	<2	MFCOL	JB		SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS069.00	9/24/2007	R	<2	MFCOL	AJS		NW	LE	A
WS069.00	4/7/2008	R	<2	MFCOL	FP		NE	H	A
WS069.00	8/11/2008	R	2	MFCOL	MLP		S	LE	A
WS069.00	8/26/2008	R	<2	MFCOL	MLP		NW	E	A
WS069.00	10/6/2008	R	<2	MFCOL	FP		N	LF	A
WS069.00	10/20/2008	R	<2	MFCOL	FP		N	F	A
WS069.00	11/3/2008	R	<2	MFCOL	FP		W	F	A
WS069.00	5/4/2009	R	<2	MFCOL	FP		S	E	A
WS069.00	6/2/2009	R	<2	MFCOL	FP		CL	E	A
WS069.00	8/10/2009	R	<2	MFCOL	FP		S	F	A
WS069.00	9/21/2009	R	<2	MFCOL	AB		CL	F	A
WS069.00	10/5/2009	R	<2	MFCOL	FP		W	HF	A
WS069.00	10/26/2009	R	2	MFCOL	FP	P	NW	L	A
WS069.00	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS069.00	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS069.00	6/9/2010	R	2	MFCOL	FP		SW	E	A
WS069.00	8/10/2010	R	4	MFCOL	FP		SW	H	A
WS069.00	9/27/2010	R	<2	MFCOL	FP		NE	HF	A
WS069.00	10/12/2010	R	<2	MFCOL	FP		CL	F	A
WS069.00	5/16/2011	R	2	MFCOL	FP		NE	E	A
WS069.00	6/6/2011	R	<2	MFCOL	FP		S	F	A
WS069.00	7/5/2011	R	<2	MFCOL	FP		SW	F	A
WS069.00	7/25/2011	R	<2	MFCOL	FP		CL	LE	A
WS069.00	9/6/2011	R	2	MFCOL	FP	P	NW	L	A
WS069.00	10/18/2011	R	<2	MFCOL	FP		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS071.00	4/26/2006	R	<3	A1COL	FP		S	H	P
WS071.00	6/20/2006	R	<3	A1COL	FP		S	LE	A
WS071.00	7/12/2006	R	3.6	A1COL	FP	P	S	H	A
WS071.00	9/5/2006	R	2	MFCOL	JB	P	S	E	A
WS071.00	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS071.00	10/17/2006	R	<2	MFCOL	FP		S	E	A
WS071.00	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS071.00	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS071.00	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS071.00	7/30/2007	R	<2	MFCOL	EXT		CL	HF	A
WS071.00	8/15/2007	R	<2	MFCOL	JB		SW	E	A
WS071.00	9/24/2007	R	<2	MFCOL	AJS		SW	LE	A
WS071.00	4/7/2008	R	<2	MFCOL	FP		NE	H	A
WS071.00	8/11/2008	R	<2	MFCOL	MLP		CL	LE	A
WS071.00	8/26/2008	R	<2	MFCOL	MLP	W	NW	E	A
WS071.00	10/6/2008	R	<2	MFCOL	FP		N	LF	A
WS071.00	10/20/2008	R	<2	MFCOL	FP		N	F	A
WS071.00	11/3/2008	R	<2	MFCOL	FP		W	F	A
WS071.00	5/4/2009	R	<2	MFCOL	FP		S	E	A
WS071.00	6/2/2009	R	<2	MFCOL	FP		CL	E	A
WS071.00	8/10/2009	R	<2	MFCOL	FP		S	F	A
WS071.00	9/21/2009	R	<2	MFCOL	AB		CL	F	A
WS071.00	10/5/2009	R	<2	MFCOL	FP		W	HF	A
WS071.00	10/26/2009	R	<2	MFCOL	FP	P	NW	LE	A
WS071.00	4/26/2010	R	<2	MFCOL	FP		S	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS071.00	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS071.00	6/9/2010	R	<2	MFCOL	FP		S	E	A
WS071.00	8/10/2010	R	2	MFCOL	FP		SW	H	A
WS071.00	9/27/2010	R	<2	MFCOL	FP		NE	HF	A
WS071.00	10/12/2010	R	<2	MFCOL	FP		NE	F	A
WS071.00	5/16/2011	R	<2	MFCOL	FP		NE	E	A
WS071.00	6/6/2011	R	<2	MFCOL	FP		S	F	A
WS071.00	7/5/2011	R	<2	MFCOL	FP		SW	F	A
WS071.00	7/25/2011	R	<2	MFCOL	FP		CL	E	A
WS071.00	9/6/2011	R	<2	MFCOL	FP	P	NW	L	A
WS071.00	10/18/2011	R	<2	MFCOL	FP		SW	F	A
WS072.00	4/26/2006	R	<3	A1COL	FP		S	H	P
WS072.00	6/20/2006	R	3	A1COL	FP		S	E	A
WS072.00	7/12/2006	R	9.1	A1COL	FP	P	S	H	A
WS072.00	9/5/2006	R	<2	MFCOL	JB	P	CL	E	A
WS072.00	10/3/2006	R	<2	MFCOL	FP		SW	E	A
WS072.00	10/17/2006	R	<2	MFCOL	FP		S	E	A
WS072.00	5/7/2007	R	<2	MFCOL	FP		SW	F	A
WS072.00	6/11/2007	R	<2	MFCOL	FP		NE	E	A
WS072.00	6/27/2007	R	<2	MFCOL	JB		SW	E	A
WS072.00	7/30/2007	R	<2	MFCOL	EXT		CL	HF	A
WS072.00	8/15/2007	R	<2	MFCOL	JB		CL	E	A
WS072.00	9/24/2007	R	<2	MFCOL	AJS		NW	E	A
WS072.00	4/7/2008	R	<2	MFCOL	FP		NE	H	A
WS072.00	8/11/2008	R	<2	MFCOL	MLP		CL	LE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WS072.00	8/26/2008	R	<2	MFCOL	MLP		NW	E	A
WS072.00	10/6/2008	R	<2	MFCOL	FP		N	LF	A
WS072.00	10/20/2008	R	<2	MFCOL	FP		N	LF	A
WS072.00	11/3/2008	R	<2	MFCOL	FP		W	F	A
WS072.00	5/4/2009	R	<2	MFCOL	FP		CL	E	A
WS072.00	6/2/2009	R	<2	MFCOL	FP		CL	E	A
WS072.00	8/10/2009	R	<2	MFCOL	FP		S	F	A
WS072.00	9/21/2009	R	<2	MFCOL	AB		CL	F	A
WS072.00	10/5/2009	R	<2	MFCOL	FP		W	HF	A
WS072.00	10/26/2009	R	<2	MFCOL	FP	P	NW	LE	A
WS072.00	4/26/2010	R	<2	MFCOL	FP		S	E	A
WS072.00	5/10/2010	R	<2	MFCOL	FP		NW	E	A
WS072.00	6/9/2010	R	<2	MFCOL	FP		CL	E	A
WS072.00	8/10/2010	R	<2	MFCOL	FP		CL	H	A
WS072.00	9/27/2010	R	<2	MFCOL	FP		NE	F	A
WS072.00	10/12/2010	R	<2	MFCOL	FP		NE	F	A
WS072.00	5/16/2011	R	<2	MFCOL	FP		NE	E	A
WS072.00	6/6/2011	R	<2	MFCOL	FP		CL	F	A
WS072.00	7/5/2011	R	4	MFCOL	FP		CL	F	A
WS072.00	7/25/2011	R	<2	MFCOL	FP		CL	E	A
WS072.00	9/6/2011	R	<2	MFCOL	FP	P	NW	L	A
WS072.00	10/18/2011	R	<2	MFCOL	FP		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.