

# Maine DMR Shellfish Growing Area Classification Program Tabulated Data Report

## Growing Area: WV

DMR collects additional water samples during flood events, to document pollution sources and under other adverse conditions which may not be included in this tabulated data report. Please refer to the specific growing area annual, triennial or sanitary survey report for further information on these samples and explanation of current classifications in each growing area. The 30 most recent data scores are used in the P90 calculation to determine classifications in a growing area. Additional information can be found on the DMR website under the Public Health Division Shellfish Program: [www.maine.gov/dmr/rm/public\\_health/htm](http://www.maine.gov/dmr/rm/public_health/htm).

**Data Key** **Score:** fecal coliform/100ml sea water sample **Strategy:** R = Random sample E = Extra sample

**Method:** MFCOL = membrane filtration, mTEC agar, A1COL = multiple tube fermentation MPN A1 media

**Adversity:** B = minimum 5 enclosed boats (i.e. not open skiffs) that might have a head; F= statewide flood closure, H= seasonal habitation of homes; M= marinas with 10 or more enclosed boats in the water; N= flowing streams, stormwater pipes, or overland runoff, P= rain or mixed precipitation anytime within past 2 days (i.e.thunderstorms, rainfall more than a drizzle); T= thawing snow and ice melt; S= sewage treatment plant malfunction or bypass events; W= Waterfowl (10 or more), domestic or wild animals (i.e., at the station or in close enough proximity to have a possible impact).

**Wind:** Wind direction **Class:** Classification when sample was collected; A= approved, CA=Conditionally Approved, R=restricted, CR=Conditionally restricted, P=Prohibited

**Tide:** Tide stage

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV001.00	4/3/2006	R	<3	A1COL	JB	N	SE	LF	P
WV001.00	5/22/2006	R	<3	A1COL	FP	P	W	LE	P
WV001.00	7/18/2006	R	3.6	A1COL	JXK		SW	LE	P
WV001.00	8/28/2006	R	11	MFCOL	FP	PN	E	F	P
WV001.00	10/16/2006	R	16	MFCOL	LL		CL	E	P
WV001.00	11/28/2006	R	<2	MFCOL	JB	NW	N	LF	P
WV001.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV001.00	5/23/2007	R	<2	MFCOL	FP		E	E	A
WV001.00	6/12/2007	R	<2	MFCOL	MHE		N	H	A
WV001.00	8/8/2007	R	10	MFCOL	EXT	P	CL	E	A
WV001.00	9/25/2007	R	<2	MFCOL	EXT		SW	HF	A
WV001.00	12/10/2007	R	29	MFCOL	FP		CL	HF	A
WV001.00	1/22/2008	R	<2	MFCOL	EXT		S	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV001.00	3/17/2008	R	<2	MFCOL	EXT		NE	HF	A
WV001.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	A
WV001.00	7/9/2008	R	<2	MFCOL	FP		S	F	A
WV001.00	8/27/2008	R	2	MFCOL	EXT		CL	H	A
WV001.00	10/19/2008	R	<2	MFCOL	FP		NE	F	A
WV001.00	2/3/2009	R	<2	MFCOL	EXT		NE	LF	A
WV001.00	3/18/2009	R	<2	MFCOL	EXT		SW	F	A
WV001.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	A
WV001.00	7/28/2009	R	4	MFCOL	EXT		SW	F	A
WV001.00	8/18/2009	R	3.6	MFCOL	MLP		CL	HF	A
WV001.00	10/5/2009	R	4	MFCOL	EXT		CL	F	A
WV001.00	3/23/2010	R	40	MFCOL	HG	P	E	F	A
WV001.00	4/21/2010	R	<2	MFCOL	HG		S	F	A
WV001.00	6/8/2010	R	68	MFCOL	ESK		CL	H	A
WV001.00	8/2/2010	R	<2	MFCOL	ESK		S	F	A
WV001.00	9/29/2010	R	18	MFCOL	ESK		SW	F	A
WV001.00	11/2/2010	R	<2	MFCOL	EXT		CL	HE	A
WV001.00	3/22/2011	R	<2	MFCOL	ESK		CL	F	A
WV001.00	4/26/2011	R	<2	MFCOL	ESK	P	S	HF	A
WV001.00	6/14/2011	R	31	MFCOL	HG		NE	F	A
WV001.00	8/2/2011	R	4	MFCOL	EXT		NW	F	A
WV001.00	9/19/2011	R	<2	MFCOL	ESK		SE	F	A
WV001.00	11/1/2011	R	<2	MFCOL	ESK		S	F	A
WV002.00	4/3/2006	R	<3	A1COL	JB		SE	F	A
WV002.00	5/22/2006	R	<3	A1COL	FP	P	W	LE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV002.00	7/18/2006	R	7.3	A1COL	JXK		S	LE	A
WV002.00	8/28/2006	R	<2	MFCOL	FP	P	E	F	A
WV002.00	10/16/2006	R	<2	MFCOL	LL		CL	E	A
WV002.00	11/28/2006	R	2	MFCOL	JB		N	F	A
WV002.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV002.00	5/23/2007	R	3.6	MFCOL	FP		E	E	A
WV002.00	6/12/2007	R	2	MFCOL	MHE		N	H	A
WV002.00	8/8/2007	R	<2	MFCOL	EXT	P	SE	E	A
WV002.00	9/25/2007	R	<2	MFCOL	EXT		SW	HF	A
WV002.00	12/10/2007	R	<2	MFCOL	FP		N	HF	A
WV002.00	1/22/2008	R	<2	MFCOL	EXT		S	HF	A
WV002.00	3/17/2008	R	<2	MFCOL	EXT		NE	HF	A
WV002.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	A
WV002.00	7/9/2008	R	<2	MFCOL	FP		S	F	A
WV002.00	8/27/2008	R	<2	MFCOL	EXT		NE	H	A
WV002.00	10/19/2008	R	<2	MFCOL	FP		NE	F	A
WV002.00	2/3/2009	R	2	MFCOL	EXT		NE	LF	R
WV002.00	3/18/2009	R	<2	MFCOL	EXT		S	F	R
WV002.00	5/11/2009	R	<2	MFCOL	EXT		N	F	R
WV002.00	7/28/2009	R	<2	MFCOL	EXT		SW	F	R
WV002.00	8/18/2009	R	4	MFCOL	MLP		CL	HF	R
WV002.00	10/5/2009	R	<2	MFCOL	EXT		NW	F	R
WV002.00	3/23/2010	R	6	MFCOL	HG	P	E	F	R
WV002.00	4/21/2010	R	<2	MFCOL	HG		S	F	R
WV002.00	6/8/2010	R	2	MFCOL	ESK		NW	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV002.00	8/2/2010	R	<2	MFCOL	ESK		S	F	R
WV002.00	9/29/2010	R	2	MFCOL	ESK		SW	F	R
WV002.00	11/2/2010	R	<2	MFCOL	EXT		NE	HE	R
WV002.00	3/22/2011	R	<2	MFCOL	ESK		N	F	R
WV002.00	4/26/2011	R	<2	MFCOL	ESK	P	S	HF	R
WV002.00	6/14/2011	R	<2	MFCOL	HG		NE	F	R
WV002.00	8/2/2011	R	<2	MFCOL	EXT		NW	F	R
WV002.00	9/19/2011	R	<2	MFCOL	ESK		SE	F	R
WV002.00	11/1/2011	R	<2	MFCOL	ESK		SE	F	R
WV003.00	4/25/2006	R	3.2	A1COL	FP	N	CL	E	A
WV003.00	8/28/2006	R	620	MFCOL	FP	PWN	CL	F	A
WV003.00	9/6/2006	R	18	MFCOL	JXK		CL	F	A
WV003.00	9/18/2006	R	<2	MFCOL	FP		SW	E	A
WV003.00	10/16/2006	R	2	MFCOL	LL		CL	E	A
WV003.00	11/28/2006	R	4	MFCOL	JB		N	HF	A
WV003.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV003.00	5/23/2007	R	10	MFCOL	FP		CL	E	R
WV003.00	6/12/2007	R	8	MFCOL	MHE		NE	HE	R
WV003.00	8/8/2007	R	32	MFCOL	EXT	P	SE	E	R
WV003.00	9/25/2007	R	4	MFCOL	EXT		CL	HF	R
WV003.00	12/10/2007	R	<2	MFCOL	FP		N	HF	R
WV003.00	1/22/2008	R	<2	MFCOL	EXT		S	HF	R
WV003.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	R
WV003.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	R
WV003.00	7/9/2008	R	6	MFCOL	FP		S	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV003.00	8/27/2008	R	13	MFCOL	EXT		CL	HE	R
WV003.00	10/19/2008	R	6	MFCOL	FP		NE	F	R
WV003.00	2/3/2009	R	4	MFCOL	EXT		NE	F	R
WV003.00	3/18/2009	R	<2	MFCOL	EXT		SW	HF	R
WV003.00	5/11/2009	R	4	MFCOL	EXT		CL	F	R
WV003.00	7/28/2009	R	48	MFCOL	EXT		CL	F	R
WV003.00	8/18/2009	R	11	MFCOL	MLP		CL	HF	R
WV003.00	10/5/2009	R	4	MFCOL	EXT		CL	F	R
WV003.00	3/23/2010	R	4	MFCOL	HG	P	SE	F	R
WV003.00	4/21/2010	R	<2	MFCOL	HG		S	F	R
WV003.00	6/8/2010	R	<2	MFCOL	ESK		NW	H	R
WV003.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	R
WV003.00	9/29/2010	R	3.6	MFCOL	ESK		SW	F	R
WV003.00	3/22/2011	R	<2	MFCOL	ESK		NE	F	R
WV003.00	4/26/2011	R	<2	MFCOL	ESK	P	S	HF	R
WV003.00	6/14/2011	R	30	MFCOL	HG		NE	F	R
WV003.00	8/2/2011	R	2	MFCOL	EXT		CL	F	R
WV003.00	9/19/2011	R	<2	MFCOL	ESK		SE	F	R
WV003.00	11/1/2011	R	42	MFCOL	ESK		S	F	R
WV003.50	11/2/2010	R	<2	MFCOL	EXT	W	NE	HE	R
WV003.50	2/15/2011	E	<2	MFCOL	NP		NW	H	R
WV003.50	3/21/2011	R	<2	MFCOL	NP		E	F	R
WV003.50	4/5/2011	E	2	MFCOL	NP		NE	F	R
WV003.50	4/26/2011	R	<2	MFCOL	ESK	P	E	HE	R
WV003.50	5/24/2011	E	31	MFCOL	ESK		S	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV003.50	6/14/2011	R	20	MFCOL	HG		NE	F	R
WV003.50	6/29/2011	E	18	MFCOL	NP		E	F	R
WV003.50	8/2/2011	R	6	MFCOL	EXT		CL	F	R
WV003.50	9/19/2011	R	<2	MFCOL	ESK		SE	F	R
WV003.50	11/1/2011	R	<2	MFCOL	ESK	W	S	F	R
WV004.00	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV004.00	5/22/2006	R	<3	A1COL	FP	P	W	LE	A
WV004.00	7/18/2006	R	43	A1COL	JXK		SW	L	A
WV004.00	8/28/2006	R	12	MFCOL	FP	P	CL	F	A
WV004.00	10/16/2006	R	2	MFCOL	LL		CL	E	A
WV004.00	11/28/2006	R	<2	MFCOL	JB		N	F	A
WV004.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV004.00	5/23/2007	R	<2	MFCOL	FP		E	E	A
WV004.00	6/12/2007	R	<2	MFCOL	MHE		N	HE	A
WV004.00	8/8/2007	R	4	MFCOL	EXT	P	SE	E	A
WV004.00	9/25/2007	R	40	MFCOL	EXT		CL	HF	A
WV004.00	12/10/2007	R	2	MFCOL	FP		N	HF	A
WV004.00	1/22/2008	R	<2	MFCOL	EXT		SW	H	A
WV004.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	A
WV004.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	A
WV004.00	7/9/2008	R	2	MFCOL	FP		S	F	A
WV004.00	8/27/2008	R	7.3	MFCOL	EXT		NE	HE	A
WV004.00	10/19/2008	R	2	MFCOL	FP		NE	F	A
WV004.00	2/3/2009	R	<2	MFCOL	EXT		NE	F	R
WV004.00	3/18/2009	R	<2	MFCOL	EXT		SW	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV004.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	R
WV004.00	7/28/2009	R	6	MFCOL	EXT		SW	F	R
WV004.00	8/18/2009	R	9.1	MFCOL	MLP		CL	HF	R
WV004.00	10/5/2009	R	4	MFCOL	EXT		NW	F	R
WV004.00	3/23/2010	R	2	MFCOL	HG	P	NE	F	R
WV004.00	4/21/2010	R	<2	MFCOL	HG		S	F	R
WV004.00	6/8/2010	R	14	MFCOL	ESK		NW	H	R
WV004.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	R
WV004.00	9/29/2010	R	14	MFCOL	ESK		SW	F	R
WV004.00	11/2/2010	R	<2	MFCOL	EXT		CL	HE	R
WV004.00	3/22/2011	R	2	MFCOL	ESK		CL	F	R
WV004.00	4/26/2011	R	<2	MFCOL	ESK	P	CL	HE	R
WV004.00	6/14/2011	R	18	MFCOL	HG		NE	HF	R
WV004.00	8/2/2011	R	6	MFCOL	EXT		CL	HF	R
WV004.00	9/19/2011	R	<2	MFCOL	ESK		SE	F	R
WV004.00	11/1/2011	R	3.6	MFCOL	ESK		SE	F	R
WV006.00	4/3/2006	R	<3	A1COL	JB		SE	F	P
WV006.00	5/22/2006	R	<3	A1COL	FP	P	W	LE	P
WV006.00	7/18/2006	R	15	A1COL	JXK		SW	L	P
WV006.00	8/28/2006	R	<2	MFCOL	FP	P	CL	F	P
WV006.00	10/16/2006	R	2	MFCOL	LL		CL	E	P
WV006.00	11/28/2006	R	<2	MFCOL	JB		N	F	P
WV006.00	2/21/2007	R	<2	MFCOL	LL		W	F	P
WV006.00	5/23/2007	R	<2	MFCOL	FP		E	LE	A
WV006.00	6/12/2007	R	<2	MFCOL	MHE		NE	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV006.00	8/8/2007	R	2	MFCOL	EXT	P	E	E	A
WV006.00	9/25/2007	R	2	MFCOL	EXT		SW	HF	A
WV006.00	12/10/2007	R	<2	MFCOL	FP		CL	HF	A
WV006.00	1/22/2008	R	<2	MFCOL	EXT		SW	H	A
WV006.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	A
WV006.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	A
WV006.00	7/9/2008	R	2	MFCOL	FP		SW	F	A
WV006.00	8/27/2008	R	4	MFCOL	EXT		N	HE	A
WV006.00	10/19/2008	R	8	MFCOL	FP		NE	F	A
WV006.00	2/3/2009	R	<2	MFCOL	EXT		NE	F	A
WV006.00	3/18/2009	R	<2	MFCOL	EXT		W	F	A
WV006.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	A
WV006.00	7/28/2009	R	50	MFCOL	EXT		SW	F	A
WV006.00	8/18/2009	R	2	MFCOL	MLP		CL	HF	A
WV006.00	10/5/2009	R	<2	MFCOL	EXT		CL	HF	A
WV006.00	3/23/2010	R	<2	MFCOL	HG	P	E	F	A
WV006.00	4/21/2010	R	<2	MFCOL	HG		S	F	A
WV006.00	6/8/2010	R	2	MFCOL	ESK		W	H	A
WV006.00	8/2/2010	R	<2	MFCOL	ESK		SW	F	A
WV006.00	9/29/2010	R	<2	MFCOL	ESK		SW	F	A
WV006.00	11/2/2010	R	2	MFCOL	EXT		NE	HE	A
WV006.00	3/22/2011	R	2	MFCOL	ESK		NE	F	A
WV006.00	4/26/2011	R	<2	MFCOL	ESK	P	NE	HF	A
WV006.00	6/14/2011	R	<2	MFCOL	HG		NE	HF	A
WV006.00	8/2/2011	R	4	MFCOL	EXT		CL	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV006.00	9/19/2011	R	<2	MFCOL	ESK		SE	F	A
WV006.00	11/1/2011	R	<2	MFCOL	ESK		S	F	A
WV006.50	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV006.50	5/22/2006	R	<3	A1COL	FP	P	W	LE	A
WV006.50	7/18/2006	R	<3	A1COL	JXK		SW	LF	A
WV006.50	8/28/2006	R	10	MFCOL	FP	PW	E	F	A
WV006.50	10/16/2006	R	<2	MFCOL	LL		CL	E	A
WV006.50	11/28/2006	R	<2	MFCOL	JB		N	F	A
WV006.50	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV006.50	5/23/2007	R	2	MFCOL	FP		E	LE	A
WV006.50	6/12/2007	R	6	MFCOL	MHE		N	HE	A
WV006.50	8/8/2007	R	11	MFCOL	EXT	P	E	E	A
WV006.50	9/25/2007	R	<2	MFCOL	EXT		SW	H	A
WV006.50	12/10/2007	R	<2	MFCOL	FP		N	HF	A
WV006.50	1/22/2008	R	<2	MFCOL	EXT		SW	H	A
WV006.50	3/17/2008	R	<2	MFCOL	EXT		NE	H	A
WV006.50	5/14/2008	R	<2	MFCOL	EXT		NE	E	A
WV006.50	7/9/2008	R	<2	MFCOL	FP		S	F	A
WV006.50	8/27/2008	R	<2	MFCOL	EXT		N	HE	A
WV006.50	10/19/2008	R	2	MFCOL	FP		NE	F	A
WV006.50	2/3/2009	R	<2	MFCOL	EXT		NE	F	A
WV006.50	3/18/2009	R	<2	MFCOL	EXT		CL	F	A
WV006.50	5/11/2009	R	<2	MFCOL	EXT		CL	F	A
WV006.50	7/28/2009	R	6	MFCOL	EXT		CL	F	A
WV006.50	8/18/2009	R	4	MFCOL	MLP		CL	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV006.50	10/5/2009	R	6	MFCOL	EXT		CL	HF	A
WV006.50	3/23/2010	R	10	MFCOL	HG	P	E	F	A
WV006.50	4/21/2010	R	<2	MFCOL	HG		CL	F	A
WV006.50	6/8/2010	R	8	MFCOL	ESK		CL	HE	A
WV006.50	8/2/2010	R	<2	MFCOL	ESK		E	F	A
WV006.50	9/29/2010	R	<2	MFCOL	ESK		SW	F	A
WV006.50	11/2/2010	R	<2	MFCOL	EXT		NE	HE	A
WV006.50	3/22/2011	R	<2	MFCOL	ESK		NE	HF	A
WV006.50	4/26/2011	R	<2	MFCOL	ESK	P	NE	HF	A
WV006.50	6/14/2011	R	500	MFCOL	HG		N	HF	A
WV006.50	8/2/2011	R	84	MFCOL	EXT		CL	HF	A
WV006.50	9/19/2011	R	2	MFCOL	ESK		E	F	A
WV006.50	11/1/2011	R	2	MFCOL	ESK		SE	F	A
WV008.00	4/3/2006	R	<3	A1COL	JB		CL	F	P
WV008.00	5/22/2006	R	240	A1COL	FP	P	W	E	P
WV008.00	8/28/2006	R	56	MFCOL	FP	P	E	F	P
WV008.00	9/6/2006	R	18	MFCOL	JXK		CL	F	P
WV008.00	9/18/2006	R	2	MFCOL	FP		CL	E	P
WV008.00	10/16/2006	R	2	MFCOL	LL		CL	E	P
WV008.00	11/28/2006	R	4	MFCOL	JB		NE	F	P
WV008.00	2/21/2007	R	<2	MFCOL	LL		W	F	P
WV008.00	5/29/2007	R	<2	MFCOL	FP		N	H	P
WV008.00	6/12/2007	R	10	MFCOL	MHE		NE	HE	P
WV008.00	8/8/2007	R	88	MFCOL	EXT	P	E	E	P
WV008.00	9/25/2007	R	15	MFCOL	EXT		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV008.00	12/10/2007	R	2	MFCOL	FP	W	N	HF	P
WV008.00	1/22/2008	R	<2	MFCOL	EXT		SW	H	P
WV008.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	P
WV008.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	P
WV008.00	7/9/2008	R	<2	MFCOL	FP		S	F	P
WV008.00	8/27/2008	R	6	MFCOL	EXT		N	HE	P
WV008.00	10/19/2008	R	<2	MFCOL	FP		NE	F	P
WV008.00	2/3/2009	R	2	MFCOL	EXT		NE	F	P
WV008.00	3/18/2009	R	5.5	MFCOL	EXT		SW	HF	P
WV008.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	P
WV008.00	7/28/2009	R	4	MFCOL	EXT		CL	F	P
WV008.00	8/18/2009	R	18	MFCOL	MLP		CL	HF	P
WV008.00	10/5/2009	R	<2	MFCOL	EXT		CL	HF	P
WV008.00	3/23/2010	R	122	MFCOL	HG	P	NE	F	P
WV008.00	4/21/2010	R	<2	MFCOL	HG		SW	F	P
WV008.00	6/8/2010	R	2	MFCOL	ESK		N	HE	P
WV008.00	8/2/2010	R	<2	MFCOL	ESK		S	F	P
WV008.00	9/29/2010	R	<2	MFCOL	ESK		SW	F	P
WV008.00	11/2/2010	R	<2	MFCOL	EXT		NE	HE	P
WV008.00	3/22/2011	R	<2	MFCOL	ESK		NE	HF	P
WV008.00	4/26/2011	R	<2	MFCOL	ESK	P	CL	H	P
WV008.00	6/14/2011	R	22	MFCOL	HG		N	HF	P
WV008.00	8/2/2011	R	11	MFCOL	EXT		CL	HF	P
WV008.00	9/19/2011	R	<2	MFCOL	ESK		SE	HF	P
WV008.00	11/1/2011	R	<2	MFCOL	ESK		SE	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV010.00	4/25/2006	R	<3	A1COL	FP	N	CL	E	P
WV010.00	8/28/2006	R	66	MFCOL	FP	PW	NW	F	P
WV010.00	9/6/2006	R	82	MFCOL	JXK		CL	HF	P
WV010.00	9/18/2006	R	5.5	MFCOL	FP		CL	E	P
WV010.00	10/16/2006	R	14	MFCOL	LL		CL	E	P
WV010.00	11/28/2006	R	4	MFCOL	JB		NE	F	P
WV010.00	2/21/2007	R	<2	MFCOL	LL		W	F	P
WV010.00	5/29/2007	R	6	MFCOL	FP		N	H	P
WV010.00	6/12/2007	R	34	MFCOL	MHE		NE	E	P
WV010.00	8/8/2007	R	136	MFCOL	EXT	P	CL	E	P
WV010.00	9/25/2007	R	25	MFCOL	EXT		CL	H	P
WV010.00	12/10/2007	R	2	MFCOL	FP	W	CL	H	P
WV010.00	1/22/2008	R	2	MFCOL	EXT		SW	H	P
WV010.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	P
WV010.00	5/14/2008	R	<2	MFCOL	EXT		CL	E	P
WV010.00	7/9/2008	R	12	MFCOL	FP		SW	F	P
WV010.00	8/27/2008	R	15	MFCOL	EXT		CL	HE	P
WV010.00	10/19/2008	R	<2	MFCOL	FP		NE	F	P
WV010.00	3/18/2009	R	5.5	MFCOL	EXT		S	F	P
WV010.00	5/11/2009	R	2	MFCOL	EXT		CL	F	P
WV010.00	6/3/2009	R	3.4	MFCOL	EXT		W	E	P
WV010.00	7/28/2009	R	12	MFCOL	EXT		CL	F	P
WV010.00	8/18/2009	R	36	MFCOL	MLP		CL	H	P
WV010.00	10/5/2009	R	6	MFCOL	EXT		CL	HF	P
WV010.00	3/23/2010	R	500	MFCOL	HG	P	NE	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV010.00	4/21/2010	R	<2	MFCOL	HG		S	F	P
WV010.00	6/8/2010	R	11	MFCOL	ESK		CL	HE	P
WV010.00	8/2/2010	R	4	MFCOL	ESK		SE	F	P
WV010.00	9/29/2010	R	114	MFCOL	ESK		SW	F	P
WV010.00	11/2/2010	R	12	MFCOL	EXT		CL	E	P
WV010.00	3/22/2011	R	<2	MFCOL	ESK		N	HF	P
WV010.00	4/26/2011	R	2	MFCOL	ESK	P	CL	H	P
WV010.00	6/14/2011	R	40	MFCOL	HG		CL	HF	P
WV010.00	8/2/2011	R	8	MFCOL	EXT		SW	HF	P
WV010.00	9/19/2011	R	<2	MFCOL	ESK		SE	HF	P
WV010.00	11/1/2011	R	24	MFCOL	ESK		CL	F	P
WV013.00	4/3/2006	R	<3	A1COL	JB		SE	F	P
WV013.00	5/22/2006	R	3.6	A1COL	FP	P	W	L	P
WV013.00	7/18/2006	R	<3	A1COL	JXK		SW	LF	P
WV013.00	8/28/2006	R	2	MFCOL	FP	P	NE	F	P
WV013.00	10/16/2006	R	<2	MFCOL	LL		CL	E	P
WV013.00	11/28/2006	R	5.5	MFCOL	JB		NE	F	P
WV013.00	2/21/2007	R	<2	MFCOL	LL		W	F	P
WV013.00	5/23/2007	R	18	MFCOL	FP		E	LE	P
WV013.00	6/12/2007	R	58	MFCOL	MHE		NE	E	P
WV013.00	8/8/2007	R	15	MFCOL	EXT	P	E	E	P
WV013.00	9/25/2007	R	10	MFCOL	EXT		CL	H	P
WV013.00	12/10/2007	R	2	MFCOL	FP		N	H	P
WV013.00	1/22/2008	R	<2	MFCOL	EXT		SW	H	P
WV013.00	3/17/2008	R	<2	MFCOL	EXT		NE	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV013.00	5/14/2008	R	<2	MFCOL	EXT		CL	E	P
WV013.00	7/9/2008	R	2	MFCOL	FP		SW	F	P
WV013.00	8/27/2008	R	16	MFCOL	EXT		N	HE	P
WV013.00	10/19/2008	R	<2	MFCOL	FP		NE	HF	P
WV013.00	2/3/2009	R	<2	MFCOL	EXT		NE	F	P
WV013.00	3/18/2009	R	<2	MFCOL	EXT		S	F	P
WV013.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	P
WV013.00	7/28/2009	R	<2	MFCOL	EXT		CL	F	P
WV013.00	8/18/2009	R	2	MFCOL	MLP		CL	H	P
WV013.00	10/5/2009	R	<2	MFCOL	EXT		CL	HF	P
WV013.00	3/23/2010	R	12	MFCOL	HG	P	NE	F	P
WV013.00	4/21/2010	R	<2	MFCOL	HG		CL	F	P
WV013.00	6/8/2010	R	<2	MFCOL	ESK		CL	HE	P
WV013.00	8/2/2010	R	<2	MFCOL	ESK		E	F	P
WV013.00	9/29/2010	R	8	MFCOL	ESK		SW	F	P
WV013.00	11/2/2010	R	6	MFCOL	EXT	W	NE	E	P
WV013.00	3/22/2011	R	<2	MFCOL	ESK		NE	HF	P
WV013.00	4/26/2011	R	2	MFCOL	ESK	P	NE	H	P
WV013.00	6/14/2011	R	200	MFCOL	HG		N	HF	P
WV013.00	8/2/2011	R	84	MFCOL	EXT		CL	HF	P
WV013.00	9/19/2011	R	<2	MFCOL	ESK		SE	HF	P
WV013.00	11/1/2011	R	3.6	MFCOL	ESK		S	F	P
WV014.00	4/3/2006	R	<3	A1COL	JB		SE	F	P
WV014.00	5/22/2006	R	<3	A1COL	FP	PN	W	L	P
WV014.00	7/18/2006	R	3.6	A1COL	JXK		SW	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV014.00	8/28/2006	R	86	MFCOL	FP	PN	CL	F	P
WV014.00	10/16/2006	R	7.3	MFCOL	LL		CL	E	P
WV014.00	11/28/2006	R	<2	MFCOL	JB		N	F	P
WV014.00	2/21/2007	R	<2	MFCOL	LL		W	F	P
WV014.00	5/23/2007	R	13	MFCOL	FP		E	LE	P
WV014.00	6/12/2007	R	80	MFCOL	MHE		CL	E	P
WV014.00	8/8/2007	R	14	MFCOL	EXT	P	E	E	P
WV014.00	9/25/2007	R	220	MFCOL	EXT		CL	H	P
WV014.00	12/10/2007	R	<2	MFCOL	FP		CL	H	P
WV014.00	1/22/2008	R	<2	MFCOL	EXT		SW	H	P
WV014.00	3/17/2008	R	<2	MFCOL	EXT		N	H	P
WV014.00	5/14/2008	R	<2	MFCOL	EXT		NE	E	P
WV014.00	7/9/2008	R	2	MFCOL	FP		SW	F	P
WV014.00	8/27/2008	R	<2	MFCOL	EXT		N	E	P
WV014.00	10/19/2008	R	<2	MFCOL	FP		NE	HF	P
WV014.00	2/3/2009	R	<2	MFCOL	EXT		NE	F	P
WV014.00	3/18/2009	R	<2	MFCOL	EXT		S	F	P
WV014.00	5/11/2009	R	<2	MFCOL	EXT		CL	F	P
WV014.00	7/28/2009	R	4	MFCOL	EXT		SW	F	P
WV014.00	8/18/2009	R	24	MFCOL	MLP		CL	H	P
WV014.00	10/5/2009	R	<2	MFCOL	EXT		N	HF	P
WV014.00	3/23/2010	R	<2	MFCOL	HG	P	NE	F	P
WV014.00	4/21/2010	R	<2	MFCOL	HG	W	S	HF	P
WV014.00	6/8/2010	R	3.6	MFCOL	ESK		NW	HE	P
WV014.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV014.00	9/29/2010	R	<2	MFCOL	ESK		W	F	P
WV014.00	11/2/2010	R	<2	MFCOL	EXT		NE	E	P
WV014.00	3/22/2011	R	2	MFCOL	ESK		CL	HF	P
WV014.00	4/26/2011	R	<2	MFCOL	ESK		E	H	P
WV014.00	6/14/2011	R	300	MFCOL	HG		N	H	P
WV014.00	8/2/2011	R	18	MFCOL	EXT		SW	H	P
WV014.00	9/19/2011	R	<2	MFCOL	ESK		S	HF	P
WV014.00	11/1/2011	R	4	MFCOL	ESK		S	F	P
WV016.00	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV016.00	5/22/2006	R	3.6	A1COL	FP	P	W	L	A
WV016.00	7/18/2006	R	3.6	A1COL	JXK		SW	F	A
WV016.00	8/28/2006	R	2	MFCOL	FP	PW	NE	F	A
WV016.00	10/16/2006	R	<2	MFCOL	LL		CL	E	A
WV016.00	11/28/2006	R	<2	MFCOL	JB		N	F	A
WV016.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV016.00	5/23/2007	R	<2	MFCOL	FP		E	LE	A
WV016.00	6/12/2007	R	<2	MFCOL	MHE		CL	E	A
WV016.00	8/8/2007	R	72	MFCOL	EXT	P	E	E	A
WV016.00	9/25/2007	R	<2	MFCOL	EXT		CL	H	A
WV016.00	12/10/2007	R	<2	MFCOL	FP		CL	H	A
WV016.00	1/22/2008	R	<2	MFCOL	EXT		SW	HE	A
WV016.00	3/17/2008	R	<2	MFCOL	EXT		N	HE	A
WV016.00	5/14/2008	R	<2	MFCOL	EXT		NE	HE	A
WV016.00	7/9/2008	R	<2	MFCOL	FP		SW	F	A
WV016.00	8/27/2008	R	<2	MFCOL	EXT		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV016.00	10/19/2008	R	<2	MFCOL	FP		NE	HF	A
WV016.00	2/3/2009	R	<2	MFCOL	EXT		NE	F	A
WV016.00	3/18/2009	R	<2	MFCOL	EXT		S	F	A
WV016.00	5/11/2009	R	<2	MFCOL	EXT		CL	HF	A
WV016.00	7/28/2009	R	<2	MFCOL	EXT		SW	F	A
WV016.00	8/18/2009	R	8	MFCOL	MLP		CL	H	A
WV016.00	10/5/2009	R	<2	MFCOL	EXT		CL	HF	A
WV016.00	3/23/2010	R	<2	MFCOL	HG	P	NE	F	A
WV016.00	4/21/2010	R	<2	MFCOL	HG		CL	HF	A
WV016.00	6/8/2010	R	<2	MFCOL	ESK		CL	HE	A
WV016.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	A
WV016.00	9/29/2010	R	<2	MFCOL	ESK		S	F	A
WV016.00	11/2/2010	R	78	MFCOL	EXT		N	E	A
WV016.00	3/22/2011	R	<2	MFCOL	ESK		NE	HF	A
WV016.00	4/26/2011	R	<2	MFCOL	ESK	P	NE	H	A
WV016.00	6/14/2011	R	<2	MFCOL	HG		N	H	A
WV016.00	8/2/2011	R	<2	MFCOL	EXT		CL	H	A
WV016.00	9/19/2011	R	<2	MFCOL	ESK		S	HF	A
WV016.00	11/1/2011	R	<2	MFCOL	ESK		S	F	A
WV016.50	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV016.50	5/22/2006	R	9.1	A1COL	FP	P	W	E	A
WV016.50	7/18/2006	R	<3	A1COL	JXK		CL	F	A
WV016.50	8/28/2006	R	9.1	MFCOL	FP	P	CL	F	A
WV016.50	10/16/2006	R	<2	MFCOL	LL		CL	E	A
WV016.50	11/28/2006	R	<2	MFCOL	JB		N	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV016.50	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV016.50	5/23/2007	R	<2	MFCOL	FP		E	L	A
WV016.50	6/12/2007	R	10	MFCOL	MHE		CL	E	A
WV016.50	8/8/2007	R	1200	MFCOL	EXT	P	CL	E	A
WV016.50	9/25/2007	R	<2	MFCOL	EXT		CL	H	A
WV016.50	12/10/2007	R	<2	MFCOL	FP		CL	H	A
WV016.50	1/22/2008	R	<2	MFCOL	EXT		CL	HE	A
WV016.50	3/17/2008	R	2	MFCOL	EXT		N	HE	A
WV016.50	5/14/2008	R	<2	MFCOL	EXT		NE	HE	A
WV016.50	7/9/2008	R	<2	MFCOL	FP		SW	F	A
WV016.50	8/27/2008	R	<2	MFCOL	EXT		CL	E	A
WV016.50	10/19/2008	R	<2	MFCOL	FP		NE	HF	A
WV016.50	2/3/2009	R	<2	MFCOL	EXT		NE	F	R
WV016.50	3/18/2009	R	<2	MFCOL	EXT		CL	F	R
WV016.50	5/11/2009	R	2	MFCOL	EXT		CL	HF	R
WV016.50	7/28/2009	R	6	MFCOL	EXT		CL	F	R
WV016.50	8/18/2009	R	2	MFCOL	MLP		CL	H	R
WV016.50	10/5/2009	R	<2	MFCOL	EXT		CL	HF	R
WV016.50	3/23/2010	R	<2	MFCOL	HG	P	NE	F	R
WV016.50	4/21/2010	R	<2	MFCOL	HG		CL	HF	R
WV016.50	6/8/2010	R	6	MFCOL	ESK		NW	HE	R
WV016.50	8/2/2010	R	<2	MFCOL	ESK		E	F	R
WV016.50	9/29/2010	R	4	MFCOL	ESK		W	F	R
WV016.50	11/2/2010	R	6	MFCOL	EXT		NE	E	R
WV016.50	3/22/2011	R	<2	MFCOL	ESK		CL	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV016.50	4/26/2011	R	<2	MFCOL	ESK	P	CL	HE	R
WV016.50	6/14/2011	R	44	MFCOL	HG		N	H	R
WV016.50	8/2/2011	R	6	MFCOL	EXT		CL	H	R
WV016.50	9/19/2011	R	>1600	MFCOL	ESK		S	HF	R
WV016.50	11/1/2011	R	6	MFCOL	ESK		CL	F	R
WV017.00	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV017.00	5/22/2006	R	<3	A1COL	FP	P	W	E	A
WV017.00	7/18/2006	R	<3	A1COL	JXK		CL	F	A
WV017.00	8/28/2006	R	>1600	MFCOL	FP	P	E	F	A
WV017.00	10/16/2006	R	36	MFCOL	LL		CL	LE	A
WV017.00	11/28/2006	R	4	MFCOL	JB		N	HF	A
WV017.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV017.00	6/12/2007	R	>1600	MFCOL	MHE		CL	E	A
WV017.00	8/8/2007	R	>1600	MFCOL	EXT	P	E	LE	A
WV017.00	9/25/2007	R	<2	MFCOL	EXT		CL	HE	A
WV017.00	11/26/2007	R	3.6	MFCOL	FP		CL	H	R
WV017.00	12/10/2007	R	<2	MFCOL	FP		CL	H	R
WV017.00	1/22/2008	R	<2	MFCOL	EXT		CL	HE	R
WV017.00	3/17/2008	R	<2	MFCOL	EXT		CL	HE	R
WV017.00	5/14/2008	R	<2	MFCOL	EXT		CL	HE	R
WV017.00	7/9/2008	R	2	MFCOL	FP		CL	F	R
WV017.00	8/27/2008	R	<2	MFCOL	EXT		CL	E	R
WV017.00	10/19/2008	R	<2	MFCOL	FP		NE	HF	R
WV017.00	3/18/2009	R	<2	MFCOL	EXT		CL	F	R
WV017.00	5/11/2009	R	<2	MFCOL	EXT		CL	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV017.00	6/3/2009	R	<2	MFCOL	EXT		CL	E	R
WV017.00	7/28/2009	R	8	MFCOL	EXT		CL	F	R
WV017.00	8/18/2009	R	4	MFCOL	MLP		CL	H	R
WV017.00	10/5/2009	R	4	MFCOL	EXT		CL	H	R
WV017.00	3/23/2010	R	18	MFCOL	HG	P	NE	F	R
WV017.00	4/21/2010	R	<2	MFCOL	HG		CL	HF	R
WV017.00	6/8/2010	R	4	MFCOL	ESK		NW	E	R
WV017.00	8/2/2010	R	<2	MFCOL	ESK		E	F	R
WV017.00	9/29/2010	R	<2	MFCOL	ESK		W	F	R
WV017.00	11/2/2010	R	<2	MFCOL	EXT		CL	E	R
WV017.00	3/22/2011	R	<2	MFCOL	ESK		CL	HF	R
WV017.00	4/26/2011	R	<2	MFCOL	ESK	P	E	HE	R
WV017.00	6/14/2011	R	36	MFCOL	HG		NE	H	R
WV017.00	8/2/2011	R	8	MFCOL	EXT		CL	H	R
WV017.00	9/19/2011	R	<2	MFCOL	ESK		E	HF	R
WV017.00	11/1/2011	R	4	MFCOL	ESK		CL	F	R
WV018.00	4/3/2006	R	<3	A1COL	JB		SE	F	A
WV018.00	5/22/2006	R	<3	A1COL	FP	P	W	E	A
WV018.00	7/18/2006	R	<3	A1COL	JXK		SW	F	A
WV018.00	8/28/2006	R	2	MFCOL	FP	P	NE	F	A
WV018.00	10/16/2006	R	2	MFCOL	LL		CL	LE	A
WV018.00	11/28/2006	R	2	MFCOL	JB		NE	F	A
WV018.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV018.00	5/23/2007	R	<2	MFCOL	FP		SE	L	A
WV018.00	6/12/2007	R	13	MFCOL	MHE		N	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV018.00	8/8/2007	R	740	MFCOL	EXT	P	CL	LE	A
WV018.00	9/25/2007	R	<2	MFCOL	EXT		CL	HE	A
WV018.00	12/10/2007	R	2	MFCOL	FP		CL	H	A
WV018.00	1/22/2008	R	<2	MFCOL	EXT		SW	HE	A
WV018.00	3/17/2008	R	<2	MFCOL	EXT		N	HE	A
WV018.00	5/14/2008	R	<2	MFCOL	EXT		NE	HE	A
WV018.00	7/9/2008	R	<2	MFCOL	FP		SW	F	A
WV018.00	8/27/2008	R	<2	MFCOL	EXT		NE	E	A
WV018.00	10/19/2008	R	<2	MFCOL	FP		NE	HF	A
WV018.00	3/18/2009	R	<2	MFCOL	EXT		SW	F	R
WV018.00	5/11/2009	R	<2	MFCOL	EXT		CL	HF	R
WV018.00	6/3/2009	R	2	MFCOL	EXT		S	E	R
WV018.00	7/28/2009	R	<2	MFCOL	EXT		CL	F	R
WV018.00	8/18/2009	R	14	MFCOL	MLP		CL	H	R
WV018.00	10/5/2009	R	10	MFCOL	EXT		N	H	R
WV018.00	3/23/2010	R	<2	MFCOL	HG	P	NE	F	R
WV018.00	4/21/2010	R	<2	MFCOL	HG		S	HF	R
WV018.00	6/8/2010	R	<2	MFCOL	ESK		N	E	R
WV018.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	R
WV018.00	9/29/2010	R	6	MFCOL	ESK		S	F	R
WV018.00	11/2/2010	R	<2	MFCOL	EXT		N	E	R
WV018.00	3/22/2011	R	<2	MFCOL	ESK		CL	H	R
WV018.00	4/26/2011	R	<2	MFCOL	ESK	P	E	H	R
WV018.00	6/14/2011	R	4	MFCOL	HG		N	H	R
WV018.00	8/2/2011	R	<2	MFCOL	EXT		S	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV018.00	9/19/2011	R	<2	MFCOL	ESK		S	HF	R
WV018.00	11/1/2011	R	<2	MFCOL	ESK		S	F	R
WV019.00	4/3/2006	R	<3	A1COL	JB		S	F	A
WV019.00	5/22/2006	R	7.3	A1COL	FP	PN	W	E	A
WV019.00	7/18/2006	R	<3	A1COL	JXK		SW	F	A
WV019.00	8/28/2006	R	70	MFCOL	FP	PN	CL	F	A
WV019.00	10/25/2006	R	2	MFCOL	FP	PNW	N	HF	A
WV019.00	11/28/2006	R	3.6	MFCOL	JB	N	CL	F	A
WV019.00	2/21/2007	R	<2	MFCOL	LL		W	F	A
WV019.00	5/29/2007	R	2	MFCOL	FP		CL	H	A
WV019.00	6/12/2007	R	3.6	MFCOL	MHE		CL	E	A
WV019.00	8/15/2007	R	<2	MFCOL	EXT		SW	H	A
WV019.00	9/25/2007	R	8	MFCOL	EXT		CL	HE	A
WV019.00	12/10/2007	R	<2	MFCOL	FP		CL	H	A
WV019.00	1/22/2008	R	<2	MFCOL	EXT		SW	HE	A
WV019.00	3/17/2008	R	<2	MFCOL	EXT		N	HE	A
WV019.00	5/14/2008	R	<2	MFCOL	EXT		CL	HE	A
WV019.00	7/9/2008	R	13	MFCOL	FP		SW	F	A
WV019.00	8/27/2008	R	<2	MFCOL	EXT		CL	E	A
WV019.00	10/19/2008	R	2	MFCOL	FP	W	CL	HF	A
WV019.00	3/18/2009	R	<2	MFCOL	EXT		S	F	A
WV019.00	5/11/2009	R	<2	MFCOL	EXT		CL	HF	A
WV019.00	6/3/2009	R	2	MFCOL	EXT		S	E	A
WV019.00	7/28/2009	R	5.5	MFCOL	EXT		CL	F	A
WV019.00	8/18/2009	R	11	MFCOL	MLP		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV019.00	10/5/2009	R	3.6	MFCOL	EXT		CL	H	A
WV019.00	3/23/2010	R	12	MFCOL	HG	P	NE	F	A
WV019.00	4/21/2010	R	<2	MFCOL	HG		S	HF	A
WV019.00	6/8/2010	R	<2	MFCOL	ESK		NW	E	A
WV019.00	8/2/2010	R	11	MFCOL	ESK		SE	F	A
WV019.00	9/29/2010	R	10	MFCOL	ESK		S	F	A
WV019.00	11/2/2010	R	5.5	MFCOL	EXT		CL	E	A
WV019.00	3/22/2011	R	<2	MFCOL	ESK		CL	H	A
WV019.00	4/26/2011	R	<2	MFCOL	ESK	P	E	H	A
WV019.00	6/14/2011	R	16	MFCOL	HG		CL	H	A
WV019.00	8/2/2011	R	4	MFCOL	EXT		CL	H	A
WV019.00	9/19/2011	R	<2	MFCOL	ESK		S	HF	A
WV019.00	11/1/2011	R	38	MFCOL	ESK		S	F	A
WV020.50	4/3/2006	R	3.6	A1COL	JB	W	CL	F	A
WV020.50	5/22/2006	R	43	A1COL	FP	P	W	E	A
WV020.50	7/18/2006	R	<3	A1COL	JXK		SW	F	A
WV020.50	8/28/2006	R	72	MFCOL	FP	P	CL	F	A
WV020.50	10/25/2006	R	10	MFCOL	FP	P	N	H	A
WV020.50	11/28/2006	R	2	MFCOL	JB		CL	F	A
WV020.50	2/21/2007	R	<2	MFCOL	LL		W	HF	A
WV020.50	5/29/2007	R	6	MFCOL	FP		N	H	A
WV020.50	6/12/2007	R	16	MFCOL	MHE		E	E	A
WV020.50	8/8/2007	R	70	MFCOL	EXT	P	E	LE	A
WV020.50	9/25/2007	R	4	MFCOL	EXT		CL	HE	A
WV020.50	12/10/2007	R	<2	MFCOL	FP		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV020.50	1/22/2008	R	<2	MFCOL	EXT		SW	E	A
WV020.50	3/17/2008	R	<2	MFCOL	EXT		N	HE	A
WV020.50	5/14/2008	R	<2	MFCOL	EXT		CL	H	A
WV020.50	7/9/2008	R	12	MFCOL	FP			F	A
WV020.50	8/27/2008	R	<2	MFCOL	EXT		CL	E	A
WV020.50	10/19/2008	R	<2	MFCOL	FP		CL	H	A
WV020.50	3/18/2009	R	<2	MFCOL	EXT		CL	F	A
WV020.50	5/11/2009	R	2	MFCOL	EXT		CL	HF	A
WV020.50	6/3/2009	R	6	MFCOL	EXT		SW	E	A
WV020.50	7/28/2009	R	62	MFCOL	EXT		SW	F	A
WV020.50	8/18/2009	R	16	MFCOL	MLP		CL	HE	A
WV020.50	10/5/2009	R	280	MFCOL	EXT		CL	H	A
WV020.50	3/23/2010	R	6	MFCOL	HG	P	NE	F	A
WV020.50	4/21/2010	R	2	MFCOL	HG		CL	H	A
WV020.50	6/8/2010	R	24	MFCOL	ESK		N	E	A
WV020.50	8/2/2010	R	5.5	MFCOL	ESK		SW	F	A
WV020.50	9/29/2010	R	4	MFCOL	ESK		SW	F	A
WV020.50	11/2/2010	R	2	MFCOL	EXT		NW	E	A
WV020.50	3/22/2011	R	<2	MFCOL	ESK		CL	H	R
WV020.50	4/26/2011	R	<2	MFCOL	ESK	P	CL	E	R
WV020.50	6/14/2011	R	36	MFCOL	HG		CL	HE	R
WV020.50	8/2/2011	R	15	MFCOL	EXT		CL	HE	R
WV020.50	9/19/2011	R	2	MFCOL	ESK		S	H	R
WV020.50	11/1/2011	R	16	MFCOL	ESK		CL	F	R
WV020.80	9/25/2007	R	<2	MFCOL	EXT		CL	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV020.80	11/26/2007	R	2	MFCOL	FP		SW	H	R
WV020.80	12/10/2007	R	<2	MFCOL	FP		CL	HE	R
WV020.80	1/22/2008	R	<2	MFCOL	EXT		SW	E	R
WV020.80	3/17/2008	R	<2	MFCOL	EXT		N	E	R
WV020.80	5/14/2008	R	<2	MFCOL	EXT		CL	H	R
WV020.80	7/9/2008	R	2	MFCOL	FP			F	R
WV020.80	8/27/2008	R	<2	MFCOL	EXT		NE	E	R
WV020.80	10/19/2008	R	2	MFCOL	FP		CL	H	R
WV020.80	2/3/2009	R	<2	MFCOL	EXT		NE	F	R
WV020.80	3/18/2009	R	<2	MFCOL	EXT		SW	F	R
WV020.80	5/11/2009	R	<2	MFCOL	EXT		CL	H	R
WV020.80	7/28/2009	R	6	MFCOL	EXT		SW	F	R
WV020.80	8/18/2009	R	8	MFCOL	MLP		CL	HE	R
WV020.80	10/5/2009	R	4	MFCOL	EXT		NW	H	R
WV020.80	3/23/2010	R	<2	MFCOL	HG	P	CL	F	R
WV020.80	4/21/2010	R	<2	MFCOL	ESK		SW	H	R
WV020.80	6/8/2010	R	<2	MFCOL	ESK		N	E	R
WV020.80	8/2/2010	R	<2	MFCOL	ESK		S	F	R
WV020.80	9/29/2010	R	16	MFCOL	ESK		SW	F	R
WV020.80	11/2/2010	R	<2	MFCOL	EXT		NW	E	R
WV020.80	3/21/2011	R	12	MFCOL	EXT		SW	F	R
WV020.80	4/5/2011	E	12	MFCOL	EXT		SW	H	R
WV020.80	4/26/2011	R	<2	MFCOL	ESK	P	CL	HE	R
WV020.80	6/14/2011	R	24	MFCOL	HG		N	HE	R
WV020.80	8/2/2011	R	<2	MFCOL	EXT		CL	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV020.80	9/19/2011	R	<2	MFCOL	ESK		SE	H	R
WV020.80	11/1/2011	R	2	MFCOL	ESK		E	F	R
WV020.80	11/30/2011	E	<2	MFCOL	HG		S	F	R
WV020.80	12/14/2011	E	<2	MFCOL	HG		N	F	R
WV022.00	4/3/2006	R	<3	A1COL	JB		CL	F	A
WV022.00	5/22/2006	R	150	A1COL	FP	PN	W	E	A
WV022.00	7/18/2006	R	<3	A1COL	JXK		SW	F	A
WV022.00	8/28/2006	R	9.1	MFCOL	FP	PN	CL	F	A
WV022.00	10/25/2006	R	44	MFCOL	FP	P	N	H	A
WV022.00	11/28/2006	R	2	MFCOL	JB		N	F	A
WV022.00	2/21/2007	R	<2	MFCOL	LL		W	HF	A
WV022.00	5/29/2007	R	440	MFCOL	FP		CL	HE	A
WV022.00	6/12/2007	R	4	MFCOL	MHE		CL	E	A
WV022.00	8/15/2007	R	5.5	MFCOL	EXT		SW	H	A
WV022.00	9/25/2007	R	4	MFCOL	EXT		CL	E	A
WV022.00	12/10/2007	R	2	MFCOL	FP		CL	HE	R
WV022.00	1/22/2008	R	<2	MFCOL	EXT		SW	E	R
WV022.00	3/17/2008	R	<2	MFCOL	EXT		N	E	R
WV022.00	5/14/2008	R	<2	MFCOL	EXT		CL	H	R
WV022.00	7/9/2008	R	<2	MFCOL	FP			F	R
WV022.00	8/27/2008	R	<2	MFCOL	EXT		NE	E	R
WV022.00	10/19/2008	R	2	MFCOL	FP		CL	H	R
WV022.00	3/18/2009	R	<2	MFCOL	EXT		SW	F	R
WV022.00	5/11/2009	R	2	MFCOL	EXT		CL	H	R
WV022.00	6/3/2009	R	<2	MFCOL	EXT		SW	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV022.00	7/28/2009	R	8	MFCOL	EXT		CL	F	R
WV022.00	8/18/2009	R	<2	MFCOL	MLP		SE	HE	R
WV022.00	10/5/2009	R	16	MFCOL	EXT		NW	H	R
WV022.00	3/23/2010	R	38	MFCOL	HG	P	SE	F	R
WV022.00	4/21/2010	R	2	MFCOL	ESK		SW	HF	R
WV022.00	6/8/2010	R	86	MFCOL	ESK		NW	E	R
WV022.00	8/2/2010	R	2	MFCOL	ESK		SE	F	R
WV022.00	9/29/2010	R	50	MFCOL	ESK		W	F	R
WV022.00	11/2/2010	R	<2	MFCOL	EXT		CL	E	R
WV022.00	3/22/2011	R	4	MFCOL	ESK		CL	H	R
WV022.00	4/26/2011	R	<2	MFCOL	ESK	P	E	E	R
WV022.00	6/14/2011	R	25	MFCOL	HG		CL	HE	R
WV022.00	8/2/2011	R	2	MFCOL	EXT		CL	HE	R
WV022.00	9/19/2011	R	<2	MFCOL	ESK		SE	H	R
WV022.00	11/1/2011	R	4	MFCOL	ESK		SE	F	R
WV024.00	4/3/2006	R	<3	A1COL	JB		S	F	A
WV024.00	5/22/2006	R	3	A1COL	FP	P	W	E	A
WV024.00	7/18/2006	R	3	A1COL	JXK		SW	F	A
WV024.00	8/28/2006	R	340	MFCOL	FP	PN	CL	F	A
WV024.00	10/25/2006	R	8	MFCOL	FP	P	N	H	A
WV024.00	11/28/2006	R	<2	MFCOL	JB		N	F	A
WV024.00	2/21/2007	R	<2	MFCOL	LL		W	HF	A
WV024.00	5/29/2007	R	<2	MFCOL	FP		CL	HE	A
WV024.00	6/14/2007	R	4	MFCOL	EXT		NE	HF	A
WV024.00	8/15/2007	R	9.1	MFCOL	EXT		SW	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV024.00	9/25/2007	R	6	MFCOL	EXT		CL	E	A
WV024.00	12/10/2007	R	2	MFCOL	FP		CL	HE	A
WV024.00	1/22/2008	R	<2	MFCOL	EXT		SW	E	A
WV024.00	3/17/2008	R	<2	MFCOL	EXT		N	E	A
WV024.00	5/14/2008	R	<2	MFCOL	EXT		CL	H	P
WV024.00	7/9/2008	R	2	MFCOL	FP			F	P
WV024.00	8/27/2008	R	<2	MFCOL	EXT		CL	E	P
WV024.00	10/19/2008	R	6	MFCOL	FP		NE	H	P
WV024.00	2/3/2009	R	<2	MFCOL	EXT		CL	F	P
WV024.00	3/18/2009	R	<2	MFCOL	EXT		SW	F	P
WV024.00	5/11/2009	R	<2	MFCOL	EXT		NE	H	P
WV024.00	7/28/2009	R	<2	MFCOL	EXT		SW	F	P
WV024.00	8/18/2009	R	2	MFCOL	MLP		SE	HE	P
WV024.00	10/5/2009	R	2	MFCOL	EXT		NW	H	P
WV024.00	3/23/2010	R	58	MFCOL	HG	P	SE	F	P
WV024.00	4/21/2010	R	<2	MFCOL	ESK		SW	HF	P
WV024.00	6/8/2010	R	<2	MFCOL	ESK		NW	E	P
WV024.00	8/2/2010	R	<2	MFCOL	ESK		SE	F	P
WV024.00	9/29/2010	R	<2	MFCOL	ESK		W	F	P
WV024.00	11/2/2010	R	<2	MFCOL	EXT		CL	E	P
WV024.00	3/22/2011	R	2.8	MFCOL	ESK		CL	H	P
WV024.00	4/26/2011	R	<2	MFCOL	ESK	P	E	E	P
WV024.00	6/14/2011	R	28	MFCOL	HG		E	HE	P
WV024.00	8/2/2011	R	4	MFCOL	EXT		CL	HE	P
WV024.00	9/19/2011	R	40	MFCOL	ESK		SE	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV024.00	11/1/2011	R	<2	MFCOL	ESK		SE	F	P
WV025.00	4/3/2006	R	<3	A1COL	JB		SE	F	A
WV025.00	5/22/2006	R	3.6	A1COL	FP	PN	W	E	A
WV025.00	7/18/2006	R	<3	A1COL	JXK		SW	F	A
WV025.00	8/28/2006	R	68	MFCOL	FP	PN	NE	F	A
WV025.00	10/16/2006	R	2	MFCOL	LL		CL	L	A
WV025.00	11/28/2006	R	<2	MFCOL	JB		N	F	A
WV025.00	5/23/2007	R	<2	MFCOL	FP		SE	LF	A
WV025.00	6/12/2007	R	9.1	MFCOL	MHE		E	E	A
WV025.00	7/16/2007	R	2	MFCOL	EXT	P	CL	F	A
WV025.00	8/8/2007	R	102	MFCOL	EXT	P	E	L	A
WV025.00	9/25/2007	R	<2	MFCOL	EXT		CL	E	A
WV025.00	12/10/2007	R	<2	MFCOL	FP		CL	HE	A
WV025.00	1/22/2008	R	<2	MFCOL	EXT		SW	E	A
WV025.00	3/17/2008	R	<2	MFCOL	EXT		N	E	A
WV025.00	5/14/2008	R	<2	MFCOL	EXT		N	H	A
WV025.00	7/9/2008	R	<2	MFCOL	FP			HF	A
WV025.00	8/27/2008	R	<2	MFCOL	EXT		CL	E	A
WV025.00	10/19/2008	R	<2	MFCOL	FP		CL	H	A
WV025.00	2/3/2009	R	<2	MFCOL	EXT		CL	F	A
WV025.00	3/18/2009	R	<2	MFCOL	EXT		SW	F	A
WV025.00	5/11/2009	R	<2	MFCOL	EXT		CL	H	A
WV025.00	7/28/2009	R	7.3	MFCOL	EXT		CL	HF	A
WV025.00	8/18/2009	R	13	MFCOL	MLP		SE	E	A
WV025.00	10/5/2009	R	2	MFCOL	EXT		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV025.00	3/23/2010	R	8	MFCOL	HG	P	SE	F	A
WV025.00	4/21/2010	R	<2	MFCOL	ESK		SW	HF	A
WV025.00	6/8/2010	R	2	MFCOL	ESK		CL	E	A
WV025.00	8/2/2010	R	2	MFCOL	ESK		SE	HF	A
WV025.00	9/29/2010	R	<2	MFCOL	ESK		S	F	A
WV025.00	11/2/2010	R	<2	MFCOL	EXT		CL	E	A
WV025.00	4/26/2011	R	2	MFCOL	ESK	P	SE	E	A
WV025.00	5/18/2011	R	60	MFCOL	ESK		SE	HF	A
WV025.00	6/14/2011	R	118	MFCOL	HG		NE	HE	A
WV025.00	8/2/2011	R	2.7	MFCOL	EXT		CL	HE	A
WV025.00	9/19/2011	R	<2	MFCOL	ESK		SE	H	A
WV025.00	11/1/2011	R	4	MFCOL	ESK		SE	HF	A
WV026.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV026.00	5/22/2006	R	3.6	A1COL	JB		NW	E	A
WV026.00	7/18/2006	R	23	A1COL	SXR		S	LE	A
WV026.00	8/28/2006	R	6	MFCOL	SXR	P	CL	HF	A
WV026.00	10/16/2006	R	<2	MFCOL	EXT		N	E	A
WV026.00	11/28/2006	R	<2	MFCOL	LL		CL	F	A
WV026.00	1/29/2007	R	6	MFCOL	EXT		CL	E	A
WV026.00	3/26/2007	R	120	MFCOL	EXT		CL	E	A
WV026.00	5/15/2007	R	8	MFCOL	FP	P	W	F	A
WV026.00	7/16/2007	R	33	MFCOL	EXT	P	CL	F	A
WV026.00	9/5/2007	R	2	MFCOL	MHE		CL	E	A
WV026.00	10/31/2007	R	20	MFCOL	MHE	P	SE	L	A
WV026.00	1/22/2008	R	2	MFCOL	LL		W	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV026.00	3/18/2008	R	<2	MFCOL	EXT		CL	HF	A
WV026.00	5/19/2008	R	<2	MFCOL	FP		W	F	A
WV026.00	7/14/2008	R	6	MFCOL	MLP		CL	H	A
WV026.00	9/2/2008	R	<2	MFCOL	EXT		SE	HF	A
WV026.00	10/27/2008	R	5.5	MFCOL	EXT	P	CL	HF	A
WV026.00	2/11/2009	R	<2	MFCOL	FP		CL	F	A
WV026.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	A
WV026.00	5/6/2009	R	4	MFCOL	MLP	P	CL	HF	A
WV026.00	7/21/2009	R	11	MFCOL	AB		CL	HF	A
WV026.00	8/18/2009	R	6	MFCOL	LSM		CL	HF	A
WV026.00	10/5/2009	R	4	MFCOL	AB	P	SW	HF	A
WV026.00	4/21/2010	R	<2	MFCOL	ESK		CL	HF	A
WV026.00	5/12/2010	R	<2	MFCOL	ESK		S	F	A
WV026.00	6/7/2010	R	33	MFCOL	EXT		W	H	A
WV026.00	7/21/2010	R	<2	MFCOL	HG		CL	HF	A
WV026.00	11/2/2010	R	24	MFCOL	HG		NE	E	A
WV026.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	A
WV026.00	4/27/2011	R	<2	MFCOL	ESK		CL	E	A
WV026.00	6/15/2011	R	46	MFCOL	ESK		N	HF	A
WV026.00	8/3/2011	R	18	MFCOL	HG		S	HF	A
WV026.00	9/20/2011	R	<2	MFCOL	LSM		SE	HF	A
WV026.00	11/1/2011	R	6	MFCOL	HG		S	F	A
WV026.50	9/5/2007	R	2	MFCOL	MHE		CL	E	R
WV026.50	10/31/2007	R	10	MFCOL	MHE	P	SE	L	R
WV026.50	11/26/2007	R	2	MFCOL	FP		SW	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV026.50	1/22/2008	R	<2	MFCOL	LL		W	HF	R
WV026.50	3/18/2008	R	2	MFCOL	EXT		CL	HF	R
WV026.50	5/19/2008	R	<2	MFCOL	FP		W	F	R
WV026.50	7/14/2008	R	11	MFCOL	MLP		CL	H	R
WV026.50	9/2/2008	R	4	MFCOL	EXT		E	HF	R
WV026.50	10/27/2008	R	2	MFCOL	EXT	P	CL	HF	R
WV026.50	2/11/2009	R	<2	MFCOL	FP		CL	F	R
WV026.50	3/17/2009	R	<2	MFCOL	EXT		CL	F	R
WV026.50	5/6/2009	R	<2	MFCOL	MLP	P	CL	HF	R
WV026.50	7/21/2009	R	5.5	MFCOL	AB		CL	HF	R
WV026.50	8/18/2009	R	25	MFCOL	LSM		CL	H	R
WV026.50	10/5/2009	R	2	MFCOL	AB	P	CL	HF	R
WV026.50	4/21/2010	R	<2	MFCOL	ESK		SW	HF	R
WV026.50	5/12/2010	R	<2	MFCOL	ESK		S	F	R
WV026.50	6/7/2010	R	52	MFCOL	EXT		CL	H	R
WV026.50	7/21/2010	R	6	MFCOL	HG		CL	HF	R
WV026.50	11/2/2010	R	<2	MFCOL	HG		E	E	R
WV026.50	3/21/2011	R	4	MFCOL	EXT		S	F	R
WV026.50	4/5/2011	E	<2	MFCOL	EXT		SW	H	R
WV026.50	4/27/2011	R	<2	MFCOL	ESK		CL	E	R
WV026.50	5/24/2011	E	10	MFCOL	ESK		S	E	R
WV026.50	6/15/2011	R	12	MFCOL	ESK		N	HF	R
WV026.50	8/3/2011	R	4	MFCOL	HG		S	HF	R
WV026.50	9/20/2011	R	<2	MFCOL	LSM		SE	HF	R
WV026.50	11/1/2011	R	<2	MFCOL	HG		S	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV026.50	11/30/2011	E	2	MFCOL	HG		S	F	R
WV026.50	12/14/2011	E	<2	MFCOL	HG		NE	F	R
WV027.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV027.00	5/22/2006	R	9.1	A1COL	JB		CL	E	A
WV027.00	7/18/2006	R	9.1	A1COL	SXR		S	LE	A
WV027.00	8/28/2006	R	72	MFCOL	SXR	P	CL	HF	A
WV027.00	10/16/2006	R	<2	MFCOL	EXT		N	E	A
WV027.00	11/28/2006	R	<2	MFCOL	LL		CL	F	A
WV027.00	1/29/2007	R	<2	MFCOL	EXT		CL	E	A
WV027.00	3/26/2007	R	8	MFCOL	EXT		CL	E	A
WV027.00	5/15/2007	R	12	MFCOL	FP	P	W	F	A
WV027.00	7/16/2007	R	24	MFCOL	EXT	P	CL	F	A
WV027.00	9/5/2007	R	24	MFCOL	MHE		CL	E	R
WV027.00	10/31/2007	R	7.3	MFCOL	MHE	P	SE	L	A
WV027.00	1/22/2008	R	<2	MFCOL	LL		W	HF	R
WV027.00	3/18/2008	R	<2	MFCOL	EXT		CL	HF	R
WV027.00	5/19/2008	R	<2	MFCOL	FP		W	F	R
WV027.00	7/14/2008	R	29	MFCOL	MLP		CL	H	R
WV027.00	9/2/2008	R	<2	MFCOL	EXT		E	HF	R
WV027.00	10/27/2008	R	660	MFCOL	EXT	P	CL	HF	R
WV027.00	2/11/2009	R	<2	MFCOL	FP		S	F	R
WV027.00	3/17/2009	R	<2	MFCOL	EXT		S	F	R
WV027.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HF	R
WV027.00	7/21/2009	R	25	MFCOL	AB		CL	HF	R
WV027.00	8/18/2009	R	10	MFCOL	LSM		CL	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV027.00	10/5/2009	R	<2	MFCOL	AB	P	SW	HF	R
WV027.00	4/21/2010	R	<2	MFCOL	ESK		SW	HF	R
WV027.00	5/12/2010	R	<2	MFCOL	ESK		SW	F	R
WV027.00	6/7/2010	R	56	MFCOL	EXT		CL	HE	R
WV027.00	7/21/2010	R	16	MFCOL	HG		CL	HF	R
WV027.00	11/2/2010	R	<2	MFCOL	HG		E	E	R
WV027.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	R
WV027.00	4/27/2011	R	<2	MFCOL	ESK		CL	E	R
WV027.00	6/15/2011	R	8	MFCOL	ESK		N	HF	R
WV027.00	8/3/2011	R	2	MFCOL	HG		S	HF	R
WV027.00	9/20/2011	R	2	MFCOL	LSM		SE	HF	R
WV027.00	11/1/2011	R	8	MFCOL	HG		S	F	R
WV028.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV028.00	7/18/2006	R	3.6	A1COL	SXR		SW	F	P
WV028.00	8/28/2006	R	130	MFCOL	SXR	P	NE	HF	P
WV028.00	9/6/2006	R	60	MFCOL	JXK		CL	HF	P
WV028.00	10/16/2006	R	<2	MFCOL	EXT		N	E	P
WV028.00	11/28/2006	R	2	MFCOL	LL		CL	F	P
WV028.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	P
WV028.00	3/26/2007	R	10	MFCOL	EXT	N	CL	E	P
WV028.00	5/15/2007	R	<2	MFCOL	FP	P	W	F	P
WV028.00	7/16/2007	R	46	MFCOL	EXT	P	CL	F	P
WV028.00	9/6/2007	R	2	MFCOL	MHE		CL	HE	P
WV028.00	10/31/2007	R	10	MFCOL	MHE	P	CL	F	P
WV028.00	1/22/2008	R	<2	MFCOL	LL		W	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV028.00	3/18/2008	R	<2	MFCOL	EXT		NE	HF	P
WV028.00	5/19/2008	R	<2	MFCOL	FP		W	F	P
WV028.00	7/14/2008	R	8	MFCOL	MLP		CL	H	P
WV028.00	9/2/2008	R	<2	MFCOL	EXT		E	HF	P
WV028.00	10/27/2008	R	4	MFCOL	EXT	P	CL	HF	P
WV028.00	2/11/2009	R	10	MFCOL	FP		CL	F	R
WV028.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	R
WV028.00	5/6/2009	R	4	MFCOL	MLP	P	CL	HF	R
WV028.00	7/21/2009	R	7.3	MFCOL	AB		CL	HF	R
WV028.00	8/18/2009	R	5.5	MFCOL	LSM		CL	H	R
WV028.00	10/5/2009	R	40	MFCOL	AB	P	CL	H	R
WV028.00	4/21/2010	R	<2	MFCOL	ESK		SW	F	R
WV028.00	5/12/2010	R	2	MFCOL	ESK		CL	F	R
WV028.00	6/7/2010	R	152	MFCOL	EXT		NE	HE	R
WV028.00	7/21/2010	R	7.3	MFCOL	HG		CL	H	R
WV028.00	11/2/2010	R	<2	MFCOL	HG		N	E	R
WV028.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	R
WV028.00	4/27/2011	R	8	MFCOL	ESK		CL	E	R
WV028.00	6/15/2011	R	62	MFCOL	ESK		N	HF	R
WV028.00	8/3/2011	R	2	MFCOL	HG		W	HF	R
WV028.00	9/20/2011	R	8	MFCOL	LSM		SE	F	R
WV028.00	11/1/2011	R	100	MFCOL	HG		W	F	R
WV028.50	9/5/2007	R	<2	MFCOL	MHE		N	E	R
WV028.50	10/31/2007	R	6	MFCOL	MHE	PW	CL	F	R
WV028.50	11/26/2007	R	2	MFCOL	FP		SW	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV028.50	1/22/2008	R	<2	MFCOL	LL		W	HF	R
WV028.50	3/18/2008	R	<2	MFCOL	EXT		NE	HF	R
WV028.50	5/19/2008	R	<2	MFCOL	FP		W	F	R
WV028.50	7/14/2008	R	6	MFCOL	MLP		CL	H	R
WV028.50	9/2/2008	R	<2	MFCOL	EXT		E	HF	R
WV028.50	10/27/2008	R	15	MFCOL	EXT	P	CL	H	R
WV028.50	2/11/2009	R	<2	MFCOL	FP		CL	HF	R
WV028.50	3/17/2009	R	<2	MFCOL	EXT		CL	F	R
WV028.50	5/6/2009	R	<2	MFCOL	MLP	P	CL	HF	R
WV028.50	7/21/2009	R	14	MFCOL	AB		CL	HF	R
WV028.50	8/18/2009	R	36	MFCOL	LSM		CL	H	R
WV028.50	10/5/2009	R	9.1	MFCOL	AB	P	CL	H	R
WV028.50	4/21/2010	R	<2	MFCOL	ESK		SW	F	R
WV028.50	5/12/2010	R	<2	MFCOL	ESK		S	HF	R
WV028.50	6/7/2010	R	138	MFCOL	EXT		NW	HE	R
WV028.50	7/21/2010	R	4	MFCOL	HG		CL	H	R
WV028.50	11/2/2010	R	<2	MFCOL	HG		N	E	R
WV028.50	3/23/2011	R	<2	MFCOL	LSM		CL	F	R
WV028.50	4/27/2011	R	<2	MFCOL	ESK		CL	HE	R
WV028.50	6/15/2011	R	20	MFCOL	ESK		N	HF	R
WV028.50	8/3/2011	R	<2	MFCOL	HG		SW	HF	R
WV028.50	9/20/2011	R	4	MFCOL	LSM		SE	F	R
WV028.50	11/1/2011	R	11	MFCOL	HG		S	F	R
WV029.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV029.00	5/22/2006	R	<3	A1COL	JB		NW	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV029.00	7/18/2006	R	240	A1COL	SXR		S	L	P
WV029.00	8/28/2006	R	64	MFCOL	SXR	P	NE	HF	P
WV029.00	10/16/2006	R	2	MFCOL	EXT		CL	E	P
WV029.00	1/29/2007	R	<2	MFCOL	EXT		CL	E	P
WV029.00	5/15/2007	R	>1600	MFCOL	FP	PW	W	F	P
WV029.00	5/29/2007	R	<2	MFCOL	FP		N	HE	P
WV029.00	7/16/2007	R	136	MFCOL	EXT	P	CL	F	P
WV029.00	9/5/2007	R	2	MFCOL	MHE		CL	E	P
WV029.00	10/31/2007	R	<2	MFCOL	MHE	P	CL	F	P
WV029.00	1/22/2008	R	2	MFCOL	LL		W	HF	P
WV029.00	3/18/2008	R	<2	MFCOL	EXT		CL	H	P
WV029.00	5/19/2008	R	4	MFCOL	FP		W	HF	P
WV029.00	7/14/2008	R	42	MFCOL	MLP		CL	H	P
WV029.00	9/2/2008	R	2	MFCOL	EXT		NE	HF	P
WV029.00	10/27/2008	R	8	MFCOL	EXT	P	CL	H	P
WV029.00	2/11/2009	R	<2	MFCOL	FP	W	CL	HF	P
WV029.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	P
WV029.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HF	P
WV029.00	7/21/2009	R	33	MFCOL	AB		CL	HF	P
WV029.00	8/18/2009	R	160	MFCOL	LSM		CL	H	P
WV029.00	10/5/2009	R	480	MFCOL	AB	P	CL	H	P
WV029.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	P
WV029.00	5/12/2010	R	460	MFCOL	ESK		S	HF	P
WV029.00	6/7/2010	R	44	MFCOL	EXT		CL	HE	P
WV029.00	7/21/2010	R	20	MFCOL	HG		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV029.00	11/2/2010	R	2	MFCOL	HG		N	HE	P
WV029.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	P
WV029.00	4/27/2011	R	<2	MFCOL	ESK		CL	HE	P
WV029.00	6/15/2011	R	13	MFCOL	ESK		N	HF	P
WV029.00	8/3/2011	R	11	MFCOL	HG		CL	HF	P
WV029.00	9/20/2011	R	10	MFCOL	LSM		SE	F	P
WV029.00	11/1/2011	R	2	MFCOL	HG		S	F	P
WV030.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV030.00	5/22/2006	R	1100	A1COL	JB	N	NW	E	P
WV030.00	7/18/2006	R	<3	A1COL	SXR		SW	F	P
WV030.00	8/28/2006	R	16	MFCOL	SXR	P	NE	HF	P
WV030.00	10/16/2006	R	2	MFCOL	EXT		CL	E	P
WV030.00	11/28/2006	R	14	MFCOL	LL		CL	F	P
WV030.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	P
WV030.00	5/15/2007	R	>1600	MFCOL	FP	P	W	F	P
WV030.00	5/29/2007	R	6	MFCOL	FP		N	HE	P
WV030.00	7/16/2007	R	138	MFCOL	EXT	P	CL	F	P
WV030.00	9/6/2007	R	<2	MFCOL	MHE		CL	HE	P
WV030.00	10/31/2007	R	<2	MFCOL	MHE	P	SW	F	P
WV030.00	1/22/2008	R	<2	MFCOL	LL		SW	HF	P
WV030.00	3/18/2008	R	<2	MFCOL	EXT		CL	H	P
WV030.00	5/19/2008	R	<2	MFCOL	FP		W	HF	P
WV030.00	7/14/2008	R	8	MFCOL	MLP		CL	HE	P
WV030.00	9/2/2008	R	4	MFCOL	EXT		E	HF	P
WV030.00	10/27/2008	R	16	MFCOL	EXT	P	CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV030.00	2/11/2009	R	<2	MFCOL	FP		CL	HF	P
WV030.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	P
WV030.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HF	P
WV030.00	7/21/2009	R	15	MFCOL	AB		CL	H	P
WV030.00	8/18/2009	R	106	MFCOL	LSM		CL	H	P
WV030.00	10/5/2009	R	14	MFCOL	AB	PW	SW	H	P
WV030.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	P
WV030.00	5/12/2010	R	88	MFCOL	ESK		SW	HF	P
WV030.00	6/7/2010	R	760	MFCOL	EXT		N	HE	P
WV030.00	7/21/2010	R	56	MFCOL	HG		CL	H	P
WV030.00	11/2/2010	R	18	MFCOL	HG		N	HE	P
WV030.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	P
WV030.00	4/27/2011	R	4	MFCOL	ESK		CL	HE	P
WV030.00	6/15/2011	R	32	MFCOL	ESK		E	HF	P
WV030.00	8/3/2011	R	6	MFCOL	HG		S	HF	P
WV030.00	9/20/2011	R	<2	MFCOL	LSM		SE	HF	P
WV030.00	11/1/2011	R	<2	MFCOL	HG		S	F	P
WV031.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV031.00	5/22/2006	R	<3	A1COL	JB		NW	E	A
WV031.00	7/18/2006	R	<3	A1COL	SXR		SW	F	A
WV031.00	8/28/2006	R	14	MFCOL	SXR	P	NE	HF	A
WV031.00	10/16/2006	R	<2	MFCOL	EXT		NE	E	A
WV031.00	11/28/2006	R	4	MFCOL	LL		CL	F	A
WV031.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	A
WV031.00	5/15/2007	R	>1600	MFCOL	FP	P	W	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV031.00	5/29/2007	R	<2	MFCOL	FP		N	HE	A
WV031.00	7/16/2007	R	18	MFCOL	EXT	P	SW	F	A
WV031.00	9/5/2007	R	<2	MFCOL	MHE		NW	E	A
WV031.00	10/31/2007	R	6	MFCOL	MHE	P	SW	F	A
WV031.00	1/22/2008	R	2	MFCOL	LL		SW	HF	A
WV031.00	3/18/2008	R	<2	MFCOL	EXT		N	H	A
WV031.00	5/19/2008	R	2	MFCOL	FP		W	HF	A
WV031.00	7/14/2008	R	10	MFCOL	MLP		CL	HE	A
WV031.00	9/2/2008	R	<2	MFCOL	EXT		E	HF	A
WV031.00	10/27/2008	R	5.5	MFCOL	EXT	P	CL	H	A
WV031.00	2/11/2009	R	<2	MFCOL	FP		CL	HF	A
WV031.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	A
WV031.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	H	A
WV031.00	7/21/2009	R	11	MFCOL	AB		CL	H	A
WV031.00	8/18/2009	R	42	MFCOL	LSM		CL	H	A
WV031.00	10/5/2009	R	58	MFCOL	AB	P	CL	H	A
WV031.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	A
WV031.00	5/12/2010	R	<2	MFCOL	ESK		SW	HF	A
WV031.00	6/7/2010	R	36	MFCOL	EXT		NW	HE	A
WV031.00	7/21/2010	R	4	MFCOL	HG		CL	H	A
WV031.00	11/2/2010	R	2	MFCOL	HG		N	HE	A
WV031.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	R
WV031.00	4/27/2011	R	2	MFCOL	ESK		CL	HE	R
WV031.00	6/15/2011	R	12	MFCOL	ESK		E	HF	R
WV031.00	8/3/2011	R	2	MFCOL	HG		SW	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV031.00	9/20/2011	R	<2	MFCOL	LSM		SE	HF	R
WV031.00	11/1/2011	R	<2	MFCOL	HG		CL	F	R
WV032.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV032.00	5/22/2006	R	<3	A1COL	JB		NW	E	A
WV032.00	7/18/2006	R	9.1	A1COL	SXR		SW	L	A
WV032.00	8/28/2006	R	6	MFCOL	SXR	P	NE	HF	A
WV032.00	10/16/2006	R	<2	MFCOL	EXT		NE	E	A
WV032.00	11/28/2006	R	3.6	MFCOL	LL		CL	LF	A
WV032.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	A
WV032.00	3/26/2007	R	<2	MFCOL	EXT		SW	LE	A
WV032.00	5/15/2007	R	2	MFCOL	FP	P	W	F	A
WV032.00	7/16/2007	R	6	MFCOL	EXT	P	SW	F	A
WV032.00	9/5/2007	R	<2	MFCOL	MHE		N	E	A
WV032.00	10/31/2007	R	6	MFCOL	MHE	P	CL	LF	A
WV032.00	1/22/2008	R	<2	MFCOL	LL		SW	HF	A
WV032.00	3/18/2008	R	<2	MFCOL	EXT		N	H	A
WV032.00	5/19/2008	R	2	MFCOL	FP		W	HF	A
WV032.00	7/14/2008	R	<2	MFCOL	MLP		S	HE	A
WV032.00	9/2/2008	R	<2	MFCOL	EXT		NE	H	A
WV032.00	10/27/2008	R	8	MFCOL	EXT	P	CL	H	A
WV032.00	2/11/2009	R	<2	MFCOL	FP		CL	HF	A
WV032.00	3/17/2009	R	<2	MFCOL	EXT		S	F	A
WV032.00	5/6/2009	R	20	MFCOL	MLP	P	CL	H	A
WV032.00	7/21/2009	R	6	MFCOL	AB		CL	H	A
WV032.00	8/18/2009	R	4	MFCOL	LSM			H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV032.00	10/5/2009	R	6	MFCOL	AB	P	SW	H	A
WV032.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	A
WV032.00	5/12/2010	R	40	MFCOL	ESK		SW	HF	A
WV032.00	6/7/2010	R	34	MFCOL	EXT		NW	HE	A
WV032.00	7/21/2010	R	2	MFCOL	HG		CL	H	A
WV032.00	11/2/2010	R	<2	MFCOL	HG		N	HE	A
WV032.00	3/23/2011	R	<2	MFCOL	LSM		CL	F	A
WV032.00	4/27/2011	R	<2	MFCOL	ESK		CL	H	A
WV032.00	6/15/2011	R	10	MFCOL	ESK		E	HF	A
WV032.00	8/3/2011	R	4	MFCOL	HG		SW	H	A
WV032.00	9/20/2011	R	2	MFCOL	LSM		SE	HF	A
WV032.00	11/1/2011	R	<2	MFCOL	HG		S	F	A
WV035.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV035.00	5/22/2006	R	3.6	A1COL	JB		NW	LE	A
WV035.00	7/18/2006	R	<3	A1COL	SXR		SW	L	A
WV035.00	8/28/2006	R	20	MFCOL	SXR	P	NE	H	A
WV035.00	10/16/2006	R	2	MFCOL	EXT		CL	E	A
WV035.00	11/28/2006	R	12	MFCOL	LL		CL	F	A
WV035.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	A
WV035.00	3/26/2007	R	2	MFCOL	EXT		CL	LE	A
WV035.00	5/15/2007	R	<2	MFCOL	FP	P	CL	HF	A
WV035.00	7/16/2007	R	<2	MFCOL	EXT	P	CL	F	A
WV035.00	9/5/2007	R	<2	MFCOL	MHE		NW	E	A
WV035.00	10/31/2007	R	2	MFCOL	MHE	P	SE	LF	A
WV035.00	1/22/2008	R	<2	MFCOL	LL		CL	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV035.00	3/18/2008	R	<2	MFCOL	EXT		N	H	A
WV035.00	5/19/2008	R	<2	MFCOL	FP		CL	HF	A
WV035.00	7/14/2008	R	13	MFCOL	MLP		CL	HE	A
WV035.00	9/2/2008	R	2	MFCOL	EXT		SE	H	A
WV035.00	10/27/2008	R	9.1	MFCOL	EXT	P	E	H	A
WV035.00	2/11/2009	R	<2	MFCOL	FP		CL	HF	A
WV035.00	3/17/2009	R	<2	MFCOL	EXT		CL	HF	A
WV035.00	5/6/2009	R	<2	MFCOL	MLP	P	NE	H	A
WV035.00	7/21/2009	R	33	MFCOL	AB		CL	H	A
WV035.00	8/18/2009	R	8	MFCOL	LSM		CL	HE	A
WV035.00	10/5/2009	R	<2	MFCOL	AB	P	CL	H	A
WV035.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	A
WV035.00	5/12/2010	R	<2	MFCOL	ESK		S	HF	A
WV035.00	6/7/2010	R	36	MFCOL	EXT		NW	HE	A
WV035.00	7/21/2010	R	<2	MFCOL	HG		CL	H	A
WV035.00	11/2/2010	R	<2	MFCOL	HG		N	HE	A
WV035.00	3/23/2011	R	<2	MFCOL	LSM		CL	HF	A
WV035.00	4/27/2011	R	<2	MFCOL	ESK		CL	HE	A
WV035.00	6/15/2011	R	20	MFCOL	ESK		NE	HF	A
WV035.00	8/3/2011	R	2	MFCOL	HG		S	H	A
WV035.00	9/20/2011	R	<2	MFCOL	LSM		SE	HF	A
WV035.00	11/1/2011	R	<2	MFCOL	HG		SE	F	A
WV036.00	4/3/2006	R	3.6	A1COL	LL		N	F	A
WV036.00	5/22/2006	R	<3	A1COL	JB		NW	E	A
WV036.00	7/18/2006	R	3.6	A1COL	SXR		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV036.00	8/28/2006	R	12	MFCOL	SXR	P	NE	HF	A
WV036.00	10/16/2006	R	<2	MFCOL	EXT		NE	E	A
WV036.00	11/28/2006	R	20	MFCOL	LL		CL	F	A
WV036.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	A
WV036.00	5/15/2007	R	2	MFCOL	FP	P	CL	HF	A
WV036.00	5/29/2007	R	2	MFCOL	FP		CL	HE	A
WV036.00	7/16/2007	R	6	MFCOL	EXT	P	CL	F	A
WV036.00	9/5/2007	R	4	MFCOL	MHE		N	E	A
WV036.00	10/31/2007	R	<2	MFCOL	MHE	P	SW	F	A
WV036.00	1/22/2008	R	<2	MFCOL	LL		CL	HF	A
WV036.00	3/18/2008	R	<2	MFCOL	EXT		CL	H	A
WV036.00	5/19/2008	R	2	MFCOL	FP		CL	HF	A
WV036.00	7/14/2008	R	2	MFCOL	MLP		S	HE	A
WV036.00	9/2/2008	R	2	MFCOL	EXT		NE	H	A
WV036.00	10/27/2008	R	2	MFCOL	EXT	P	SE	H	A
WV036.00	2/11/2009	R	<2	MFCOL	FP		CL	HF	A
WV036.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	A
WV036.00	5/6/2009	R	8	MFCOL	MLP	P	CL	H	A
WV036.00	7/21/2009	R	14	MFCOL	AB		CL	H	A
WV036.00	8/18/2009	R	8	MFCOL	LSM			H	A
WV036.00	10/5/2009	R	<2	MFCOL	AB	P	SW	H	A
WV036.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	A
WV036.00	5/12/2010	R	<2	MFCOL	ESK		SW	HF	A
WV036.00	6/7/2010	R	25	MFCOL	EXT		NW	HE	A
WV036.00	7/21/2010	R	6	MFCOL	HG		CL	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV036.00	11/2/2010	R	2	MFCOL	HG		N	HE	A
WV036.00	3/23/2011	R	<2	MFCOL	LSM		CL	HF	A
WV036.00	4/27/2011	R	4	MFCOL	ESK		CL	HE	A
WV036.00	6/15/2011	R	18	MFCOL	ESK		E	HF	A
WV036.00	8/3/2011	R	4	MFCOL	HG		CL	H	A
WV036.00	9/20/2011	R	<2	MFCOL	LSM		SE	HF	A
WV036.00	11/1/2011	R	<2	MFCOL	HG		CL	F	A
WV036.50	4/3/2006	R	<3	A1COL	LL		N	F	A
WV036.50	5/22/2006	R	23	A1COL	JB		CL	LE	A
WV036.50	7/18/2006	R	<3	A1COL	SXR		SW	LF	A
WV036.50	8/28/2006	R	2	MFCOL	SXR	P	NE	H	A
WV036.50	10/16/2006	R	<2	MFCOL	EXT		CL	E	A
WV036.50	11/28/2006	R	8	MFCOL	LL		CL	LF	A
WV036.50	1/29/2007	R	<2	MFCOL	EXT		NE	E	A
WV036.50	3/26/2007	R	<2	MFCOL	EXT		SW	LE	A
WV036.50	5/15/2007	R	2	MFCOL	FP	P	W	HF	A
WV036.50	7/16/2007	R	<2	MFCOL	EXT	P	CL	F	A
WV036.50	9/5/2007	R	<2	MFCOL	MHE		NE	E	A
WV036.50	10/31/2007	R	<2	MFCOL	MHE	P	S	F	A
WV036.50	1/22/2008	R	<2	MFCOL	LL		SW	H	A
WV036.50	3/18/2008	R	<2	MFCOL	EXT		NE	H	A
WV036.50	5/19/2008	R	<2	MFCOL	FP		W	HF	A
WV036.50	7/14/2008	R	<2	MFCOL	MLP		S	HE	A
WV036.50	9/2/2008	R	<2	MFCOL	EXT		NE	H	A
WV036.50	10/27/2008	R	4	MFCOL	EXT	P	E	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV036.50	2/11/2009	R	<2	MFCOL	FP		S	HF	A
WV036.50	3/17/2009	R	<2	MFCOL	EXT		S	HF	A
WV036.50	5/6/2009	R	<2	MFCOL	MLP	P	CL	H	A
WV036.50	7/21/2009	R	6	MFCOL	AB		CL	H	A
WV036.50	8/18/2009	R	<2	MFCOL	LSM			HE	A
WV036.50	10/5/2009	R	8	MFCOL	AB	P	CL	H	A
WV036.50	4/21/2010	R	<2	MFCOL	ESK		SW	HF	A
WV036.50	5/12/2010	R	<2	MFCOL	ESK		SW	HF	A
WV036.50	6/7/2010	R	6	MFCOL	EXT		CL	E	A
WV036.50	7/21/2010	R	<2	MFCOL	HG		CL	HE	A
WV036.50	11/2/2010	R	2	MFCOL	HG		N	HE	A
WV036.50	3/23/2011	R	<2	MFCOL	LSM		CL	HF	A
WV036.50	4/27/2011	R	2	MFCOL	ESK		CL	HE	A
WV036.50	6/15/2011	R	<2	MFCOL	ESK		N	H	A
WV036.50	8/3/2011	R	<2	MFCOL	HG		SW	H	A
WV036.50	9/20/2011	R	<2	MFCOL	LSM		SE	HF	A
WV036.50	11/1/2011	R	<2	MFCOL	HG		S	HF	A
WV037.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV037.00	5/22/2006	R	43	A1COL	JB		NW	LE	A
WV037.00	7/18/2006	R	3.6	A1COL	SXR		SW	LF	A
WV037.00	8/28/2006	R	<2	MFCOL	SXR	P	NE	H	A
WV037.00	10/16/2006	R	<2	MFCOL	EXT		CL	E	A
WV037.00	11/28/2006	R	14	MFCOL	LL		CL	F	A
WV037.00	1/29/2007	R	2	MFCOL	EXT		N	E	A
WV037.00	5/15/2007	R	<2	MFCOL	FP	P	W	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV037.00	5/29/2007	R	<2	MFCOL	FP		N	HE	A
WV037.00	7/16/2007	R	<2	MFCOL	EXT	P	SW	F	A
WV037.00	9/5/2007	R	<2	MFCOL	MHE		NW	E	A
WV037.00	10/31/2007	R	<2	MFCOL	MHE	P	S	F	A
WV037.00	1/22/2008	R	<2	MFCOL	LL		SW	H	A
WV037.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	A
WV037.00	5/19/2008	R	<2	MFCOL	FP		W	H	A
WV037.00	7/14/2008	R	46	MFCOL	MLP		S	HE	A
WV037.00	9/2/2008	R	24	MFCOL	EXT		E	H	A
WV037.00	10/27/2008	R	2	MFCOL	EXT	P	CL	HE	A
WV037.00	2/11/2009	R	<2	MFCOL	FP		S	H	P
WV037.00	3/17/2009	R	<2	MFCOL	EXT		S	F	P
WV037.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	H	P
WV037.00	7/21/2009	R	7.3	MFCOL	AB		CL	H	P
WV037.00	8/18/2009	R	54	MFCOL	LSM			HE	P
WV037.00	10/5/2009	R	480	MFCOL	AB	P	SW	HE	P
WV037.00	4/21/2010	R	<2	MFCOL	ESK		S	F	P
WV037.00	5/12/2010	R	<2	MFCOL	ESK		S	H	P
WV037.00	6/7/2010	R	7.3	MFCOL	EXT		NW	E	P
WV037.00	7/21/2010	R	2	MFCOL	HG		CL	HE	P
WV037.00	11/2/2010	R	2	MFCOL	HG		N	HE	P
WV037.00	3/23/2011	R	<2	MFCOL	LSM		CL	HF	P
WV037.00	4/27/2011	R	<2	MFCOL	ESK		S	H	P
WV037.00	6/15/2011	R	5.5	MFCOL	ESK		N	H	P
WV037.00	8/3/2011	R	7.3	MFCOL	HG		S	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV037.00	9/20/2011	R	<2	MFCOL	LSM		SE	F	P
WV037.00	11/1/2011	R	<2	MFCOL	HG		S	HF	P
WV038.00	4/3/2006	R	<3	A1COL	LL		N	F	A
WV038.00	5/22/2006	R	<3	A1COL	JB		CL	LE	A
WV038.00	7/18/2006	R	<3	A1COL	SXR		SW	LF	A
WV038.00	8/28/2006	R	2	MFCOL	SXR	P	NE	H	A
WV038.00	10/16/2006	R	20	MFCOL	EXT		S	E	A
WV038.00	11/28/2006	R	18	MFCOL	LL		CL	F	A
WV038.00	1/29/2007	R	<2	MFCOL	EXT		CL	E	A
WV038.00	3/26/2007	R	<2	MFCOL	EXT		SW	LE	A
WV038.00	5/15/2007	R	<2	MFCOL	FP	P	W	HF	A
WV038.00	7/16/2007	R	4	MFCOL	EXT	P	SW	F	A
WV038.00	9/5/2007	R	<2	MFCOL	MHE		CL	E	P
WV038.00	10/31/2007	R	2	MFCOL	MHE	P	S	F	A
WV038.00	1/22/2008	R	<2	MFCOL	LL		SW	H	P
WV038.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	P
WV038.00	5/19/2008	R	6	MFCOL	FP		W	H	P
WV038.00	7/14/2008	R	2	MFCOL	MLP		S	E	P
WV038.00	9/2/2008	R	<2	MFCOL	EXT		E	H	P
WV038.00	10/27/2008	R	2	MFCOL	EXT	P	E	HE	P
WV038.00	2/11/2009	R	96	MFCOL	FP		SW	H	P
WV038.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	P
WV038.00	5/6/2009	R	2	MFCOL	MLP	P	CL	H	P
WV038.00	7/21/2009	R	6	MFCOL	AB		CL	HE	P
WV038.00	8/18/2009	R	4	MFCOL	LSM			HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV038.00	10/5/2009	R	15	MFCOL	AB	P	SW	HE	P
WV038.00	4/21/2010	R	<2	MFCOL	ESK		S	F	P
WV038.00	5/12/2010	R	<2	MFCOL	ESK		SW	H	P
WV038.00	6/7/2010	R	16	MFCOL	EXT		CL	E	P
WV038.00	7/21/2010	R	46	MFCOL	HG		CL	HE	P
WV038.00	11/2/2010	R	<2	MFCOL	HG		N	H	P
WV038.00	3/23/2011	R	<2	MFCOL	LSM		SE	HF	P
WV038.00	4/27/2011	R	4	MFCOL	ESK	P	CL	H	P
WV038.00	6/15/2011	R	<2	MFCOL	ESK		NE	H	P
WV038.00	8/3/2011	R	148	MFCOL	HG		S	H	P
WV038.00	9/20/2011	R	20	MFCOL	LSM		SE	F	P
WV038.00	11/1/2011	R	2	MFCOL	HG		S	HF	P
WV039.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV039.00	7/18/2006	R	15	A1COL	SXR		NW	F	P
WV039.00	8/28/2006	R	<2	MFCOL	SXR	P	NE	H	P
WV039.00	9/6/2006	R	8	MFCOL	JXK		CL	HF	P
WV039.00	10/16/2006	R	<2	MFCOL	EXT		NE	E	P
WV039.00	11/28/2006	R	31	MFCOL	LL		CL	F	P
WV039.00	1/29/2007	R	<2	MFCOL	EXT		NE	E	P
WV039.00	3/26/2007	R	<2	MFCOL	EXT		SW	E	P
WV039.00	5/15/2007	R	15	MFCOL	FP	P	W	HF	P
WV039.00	7/16/2007	R	5.5	MFCOL	EXT	P	SW	F	P
WV039.00	9/6/2007	R	2	MFCOL	MHE		S	HE	P
WV039.00	10/31/2007	R	60	MFCOL	MHE	P	S	F	P
WV039.00	1/23/2008	R	6	MFCOL	LL		S	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV039.00	3/18/2008	R	<2	MFCOL	EXT		CL	HE	P
WV039.00	5/19/2008	R	4	MFCOL	FP		W	H	P
WV039.00	7/14/2008	R	31	MFCOL	MLP		SW	E	P
WV039.00	9/2/2008	R	<2	MFCOL	EXT		NE	H	P
WV039.00	10/27/2008	R	<2	MFCOL	EXT	P	CL	HE	P
WV039.00	2/11/2009	R	2	MFCOL	FP		SW	H	P
WV039.00	3/17/2009	R	<2	MFCOL	EXT		S	F	P
WV039.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	H	P
WV039.00	7/21/2009	R	35	MFCOL	AB		CL	HE	P
WV039.00	8/18/2009	R	98	MFCOL	LSM		CL	HE	P
WV039.00	10/5/2009	R	940	MFCOL	AB	P	CL	HE	P
WV039.00	4/21/2010	R	<2	MFCOL	ESK		S	F	P
WV039.00	5/12/2010	R	<2	MFCOL	ESK		S	H	P
WV039.00	6/7/2010	R	9.1	MFCOL	EXT		CL	E	P
WV039.00	7/21/2010	R	9.1	MFCOL	HG		CL	HE	P
WV039.00	11/2/2010	R	6	MFCOL	HG		N	H	P
WV039.00	3/23/2011	R	<2	MFCOL	LSM		SE	HF	P
WV039.00	4/27/2011	R	<2	MFCOL	ESK		CL	HF	P
WV039.00	6/15/2011	R	3.6	MFCOL	ESK		N	H	P
WV039.00	8/3/2011	R	<2	MFCOL	HG		S	H	P
WV039.00	9/20/2011	R	58	MFCOL	LSM		SE	F	P
WV039.00	11/1/2011	R	54	MFCOL	HG		CL	HF	P
WV040.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV040.00	5/22/2006	R	3.6	A1COL	JB		NW	L	P
WV040.00	7/18/2006	R	<3	A1COL	SXR		SW	LF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV040.00	8/28/2006	R	<2	MFCOL	SXR	P	NE	H	P
WV040.00	10/16/2006	R	<2	MFCOL	EXT		S	E	P
WV040.00	11/28/2006	R	2	MFCOL	LL		CL	F	P
WV040.00	1/29/2007	R	<2	MFCOL	EXT		N	E	P
WV040.00	3/26/2007	R	<2	MFCOL	EXT		SW	E	P
WV040.00	5/15/2007	R	4	MFCOL	FP	P	W	HF	P
WV040.00	7/16/2007	R	24	MFCOL	EXT	P	SW	F	P
WV040.00	9/5/2007	R	2	MFCOL	MHE		CL	LE	P
WV040.00	10/31/2007	R	4	MFCOL	MHE	P	S	F	P
WV040.00	1/22/2008	R	2	MFCOL	LL		SW	H	P
WV040.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	P
WV040.00	5/19/2008	R	<2	MFCOL	FP		W	H	P
WV040.00	7/14/2008	R	<2	MFCOL	MLP		SW	E	P
WV040.00	9/2/2008	R	<2	MFCOL	EXT		CL	H	P
WV040.00	10/27/2008	R	<2	MFCOL	EXT	P	CL	HE	P
WV040.00	2/11/2009	R	<2	MFCOL	FP		SW	H	P
WV040.00	3/17/2009	R	<2	MFCOL	EXT		S	F	P
WV040.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	H	P
WV040.00	7/21/2009	R	2	MFCOL	AB		NE	HE	P
WV040.00	8/18/2009	R	50	MFCOL	LSM			HE	P
WV040.00	10/5/2009	R	48	MFCOL	AB	P	SW	E	P
WV040.00	4/21/2010	R	<2	MFCOL	ESK		S	F	P
WV040.00	5/12/2010	R	<2	MFCOL	ESK		SW	H	P
WV040.00	6/7/2010	R	<2	MFCOL	EXT		NW	E	P
WV040.00	7/21/2010	R	2	MFCOL	HG		CL	L	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV040.00	11/2/2010	R	<2	MFCOL	HG		N	H	P
WV040.00	3/23/2011	R	<2	MFCOL	LSM		SE	HF	P
WV040.00	4/27/2011	R	<2	MFCOL	ESK		CL	HF	P
WV040.00	6/15/2011	R	8	MFCOL	ESK		CL	H	P
WV040.00	8/3/2011	R	10	MFCOL	HG		SW	H	P
WV040.00	9/20/2011	R	8	MFCOL	LSM		SE	F	P
WV040.00	11/1/2011	R	2	MFCOL	HG		CL	HF	P
WV041.00	4/3/2006	R	<3	A1COL	LL		N	F	P
WV041.00	7/18/2006	R	<3	A1COL	SXR		SW	F	A
WV041.00	8/28/2006	R	6	MFCOL	SXR	P	NE	H	A
WV041.00	9/6/2006	R	13	MFCOL	JXK		CL	HF	A
WV041.00	10/16/2006	R	2	MFCOL	EXT		CL	E	A
WV041.00	11/28/2006	R	2	MFCOL	LL		CL	F	A
WV041.00	3/26/2007	R	<2	MFCOL	EXT		SW	E	A
WV041.00	5/15/2007	R	<2	MFCOL	FP	P	W	HF	A
WV041.00	5/29/2007	R	<2	MFCOL	FP		N	HE	A
WV041.00	7/16/2007	R	4	MFCOL	EXT	P	CL	F	A
WV041.00	9/6/2007	R	<2	MFCOL	MHE		CL	HE	A
WV041.00	11/26/2007	R	27	MFCOL	FP		SW	HE	A
WV041.00	1/22/2008	R	<2	MFCOL	LL		SW	H	A
WV041.00	3/18/2008	R	<2	MFCOL	EXT		CL	HE	A
WV041.00	5/19/2008	R	<2	MFCOL	FP		W	H	A
WV041.00	7/14/2008	R	8	MFCOL	MLP		SW	E	A
WV041.00	9/2/2008	R	<2	MFCOL	EXT		NE	H	A
WV041.00	10/27/2008	R	<2	MFCOL	EXT	P	CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV041.00	2/11/2009	R	<2	MFCOL	FP		SW	H	A
WV041.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	A
WV041.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HE	A
WV041.00	7/21/2009	R	2	MFCOL	AB		CL	HE	A
WV041.00	8/18/2009	R	2	MFCOL	LSM			HE	A
WV041.00	10/5/2009	R	2	MFCOL	AB	P	SW	HE	A
WV041.00	4/21/2010	R	2	MFCOL	ESK		CL	F	A
WV041.00	5/12/2010	R	13	MFCOL	ESK		SW	H	A
WV041.00	6/7/2010	R	16	MFCOL	EXT		NW	E	A
WV041.00	7/21/2010	R	12	MFCOL	HG		CL	HE	A
WV041.00	9/28/2010	R	18	MFCOL	AB	P	CL	H	A
WV041.00	11/2/2010	R	<2	MFCOL	HG		N	H	A
WV041.00	3/23/2011	R	<2	MFCOL	LSM		SE	HF	A
WV041.00	4/27/2011	R	<2	MFCOL	ESK		CL	H	A
WV041.00	6/15/2011	R	2	MFCOL	ESK		N	H	A
WV041.00	8/3/2011	R	<2	MFCOL	HG		SW	HE	A
WV041.00	9/20/2011	R	4	MFCOL	LSM		SE	F	A
WV041.00	11/1/2011	R	2	MFCOL	HG		CL	HF	A
WV044.00	4/3/2006	R	<3	A1COL	LL		N	LF	P
WV044.00	5/22/2006	R	21	A1COL	JB		NW	L	P
WV044.00	7/18/2006	R	<3	A1COL	SXR		SW	F	P
WV044.00	8/28/2006	R	5.5	MFCOL	SXR	P	NE	HE	P
WV044.00	10/16/2006	R	<2	MFCOL	EXT		CL	E	P
WV044.00	11/28/2006	R	<2	MFCOL	LL		CL	F	P
WV044.00	1/29/2007	R	<2	MFCOL	EXT		NE	LE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV044.00	3/26/2007	R	<2	MFCOL	EXT		CL	E	P
WV044.00	5/15/2007	R	2	MFCOL	FP	PW	W	HF	P
WV044.00	7/16/2007	R	<2	MFCOL	EXT	P	CL	HF	P
WV044.00	9/5/2007	R	4	MFCOL	MHE		N	LE	P
WV044.00	10/31/2007	R	2	MFCOL	MHE	PW	CL	F	P
WV044.00	1/22/2008	R	<2	MFCOL	LL		SW	H	P
WV044.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	P
WV044.00	5/19/2008	R	<2	MFCOL	FP		W	H	P
WV044.00	7/14/2008	R	16	MFCOL	MLP		SW	E	P
WV044.00	9/2/2008	R	<2	MFCOL	EXT	W	CL	HE	P
WV044.00	10/27/2008	R	<2	MFCOL	EXT	P	NE	HE	P
WV044.00	2/11/2009	R	<2	MFCOL	FP	W	CL	H	P
WV044.00	3/17/2009	R	<2	MFCOL	EXT		S	F	P
WV044.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HE	P
WV044.00	7/21/2009	R	2	MFCOL	AB		NE	HE	P
WV044.00	8/18/2009	R	<2	MFCOL	LSM			E	P
WV044.00	10/5/2009	R	106	MFCOL	AB	PW	NE	HE	P
WV044.00	4/21/2010	R	<2	MFCOL	ESK	W	SE	F	P
WV044.00	5/12/2010	R	<2	MFCOL	ESK	W	S	H	P
WV044.00	6/7/2010	R	2.8	MFCOL	EXT	W	NW	E	P
WV044.00	7/21/2010	R	8	MFCOL	HG	W	CL	HE	P
WV044.00	9/14/2010	R	<2	MFCOL	ESK	W	CL	F	P
WV044.00	9/28/2010	R	20	MFCOL	AB	P	SE	HF	P
WV044.00	11/2/2010	R	<2	MFCOL	HG		N	H	P
WV044.00	3/23/2011	R	<2	MFCOL	LSM		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV044.00	4/27/2011	R	<2	MFCOL	ESK		CL	H	P
WV044.00	6/15/2011	R	<2	MFCOL	ESK		N	H	P
WV044.00	8/3/2011	R	<2	MFCOL	HG	W	CL	HE	P
WV044.00	9/20/2011	R	8	MFCOL	LSM		SE	F	P
WV044.00	11/1/2011	R	<2	MFCOL	HG		CL	HF	P
WV045.00	4/3/2006	R	<3	A1COL	LL		N	LF	P
WV045.00	5/22/2006	R	<3	A1COL	JB		NW	L	P
WV045.00	7/18/2006	R	<3	A1COL	SXR	B	SW	F	P
WV045.00	8/28/2006	R	<2	MFCOL	SXR	PB	NE	HE	P
WV045.00	10/16/2006	R	<2	MFCOL	EXT		SW	E	P
WV045.00	11/28/2006	R	2	MFCOL	LL		CL	F	P
WV045.00	1/29/2007	R	<2	MFCOL	EXT		NE	LE	P
WV045.00	3/26/2007	R	<2	MFCOL	EXT		SW	E	P
WV045.00	5/15/2007	R	<2	MFCOL	FP	P	W	H	P
WV045.00	7/16/2007	R	148	MFCOL	EXT	P	SW	HF	P
WV045.00	9/5/2007	R	2	MFCOL	MHE		N	LE	P
WV045.00	10/31/2007	R	<2	MFCOL	MHE	P	SW	F	P
WV045.00	1/22/2008	R	<2	MFCOL	LL		CL	H	P
WV045.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	P
WV045.00	5/19/2008	R	<2	MFCOL	FP		W	HE	P
WV045.00	7/14/2008	R	<2	MFCOL	MLP		SW	E	P
WV045.00	9/2/2008	R	<2	MFCOL	EXT		NE	HE	P
WV045.00	10/27/2008	R	<2	MFCOL	EXT	P	NE	HE	P
WV045.00	2/11/2009	R	<2	MFCOL	FP		CL	H	P
WV045.00	3/17/2009	R	<2	MFCOL	EXT		S	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV045.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HE	P
WV045.00	7/21/2009	R	6	MFCOL	AB		CL	HE	P
WV045.00	8/18/2009	R	2	MFCOL	LSM			E	P
WV045.00	10/5/2009	R	8	MFCOL	AB	P	NW	HE	P
WV045.00	4/21/2010	R	<2	MFCOL	ESK		SE	F	P
WV045.00	5/12/2010	R	<2	MFCOL	ESK		S	H	P
WV045.00	6/7/2010	R	11	MFCOL	EXT		NW	E	P
WV045.00	7/21/2010	R	<2	MFCOL	HG		CL	E	P
WV045.00	9/14/2010	R	<2	MFCOL	ESK		SW	F	P
WV045.00	9/28/2010	R	5.5	MFCOL	AB	P	SE	H	P
WV045.00	11/2/2010	R	<2	MFCOL	HG		N	H	P
WV045.00	3/23/2011	R	<2	MFCOL	LSM		SE	H	P
WV045.00	4/27/2011	R	<2	MFCOL	ESK		CL	H	P
WV045.00	6/15/2011	R	6	MFCOL	ESK		NE	H	P
WV045.00	8/3/2011	R	<2	MFCOL	HG		SW	HE	P
WV045.00	9/20/2011	R	<2	MFCOL	LSM		SE	F	P
WV045.00	11/1/2011	R	<2	MFCOL	HG		CL	HF	P
WV046.00	4/3/2006	R	<3	A1COL	LL		N	LF	P
WV046.00	5/22/2006	R	9.1	A1COL	JB		NW	L	P
WV046.00	7/18/2006	R	<3	A1COL	SXR		SW	F	P
WV046.00	8/28/2006	R	7.3	MFCOL	SXR	P	NE	HE	P
WV046.00	10/16/2006	R	4	MFCOL	EXT		S	E	P
WV046.00	11/28/2006	R	<2	MFCOL	LL		CL	F	P
WV046.00	1/29/2007	R	<2	MFCOL	EXT		NE	LE	P
WV046.00	3/26/2007	R	<2	MFCOL	EXT		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV046.00	5/15/2007	R	<2	MFCOL	FP	P	CL	H	P
WV046.00	7/16/2007	R	2	MFCOL	EXT	P	CL	HF	P
WV046.00	9/5/2007	R	2	MFCOL	MHE		N	LE	P
WV046.00	10/31/2007	R	<2	MFCOL	MHE	P	CL	F	P
WV046.00	1/22/2008	R	<2	MFCOL	LL		CL	H	P
WV046.00	3/18/2008	R	<2	MFCOL	EXT		NE	HE	P
WV046.00	5/19/2008	R	<2	MFCOL	FP		W	HE	P
WV046.00	7/14/2008	R	<2	MFCOL	MLP		CL	E	P
WV046.00	9/2/2008	R	<2	MFCOL	EXT		E	HE	P
WV046.00	10/27/2008	R	4	MFCOL	EXT	P	NE	HE	P
WV046.00	2/11/2009	R	<2	MFCOL	FP		SW	HE	P
WV046.00	3/17/2009	R	<2	MFCOL	EXT		CL	F	P
WV046.00	5/6/2009	R	<2	MFCOL	MLP	P	NE	HE	P
WV046.00	7/21/2009	R	8	MFCOL	AB		E	HE	P
WV046.00	8/18/2009	R	10	MFCOL	LSM		W	E	P
WV046.00	10/5/2009	R	2	MFCOL	AB	P	SW	E	P
WV046.00	4/21/2010	R	<2	MFCOL	ESK		CL	F	P
WV046.00	5/12/2010	R	<2	MFCOL	ESK		S	HE	P
WV046.00	6/7/2010	R	13	MFCOL	EXT		N	E	P
WV046.00	7/21/2010	R	3.6	MFCOL	HG		CL	E	P
WV046.00	9/14/2010	R	<2	MFCOL	ESK		S	F	P
WV046.00	9/28/2010	R	<2	MFCOL	AB	P	SE	H	P
WV046.00	11/2/2010	R	8	MFCOL	HG		N	H	P
WV046.00	3/23/2011	R	<2	MFCOL	LSM		SE	H	P
WV046.00	4/27/2011	R	6	MFCOL	ESK		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV046.00	6/15/2011	R	27	MFCOL	ESK		NE	H	P
WV046.00	8/3/2011	R	11	MFCOL	HG		SW	HE	P
WV046.00	9/20/2011	R	4	MFCOL	LSM		SE	F	P
WV046.00	11/1/2011	R	2	MFCOL	HG		SE	HF	P
WV046.50	4/3/2006	R	<3	A1COL	LL		N	F	P
WV046.50	7/18/2006	R	15	A1COL	SXR		SW	F	P
WV046.50	8/28/2006	R	2	MFCOL	SXR	P	NE	HE	P
WV046.50	9/6/2006	R	6	MFCOL	JXK		CL	HF	P
WV046.50	10/16/2006	R	102	MFCOL	EXT		S	LE	P
WV046.50	11/28/2006	R	20	MFCOL	LL		CL	F	P
WV046.50	3/26/2007	R	<2	MFCOL	EXT		SW	E	P
WV046.50	5/15/2007	R	2	MFCOL	FP	P	CL	H	P
WV046.50	5/29/2007	R	2	MFCOL	FP		CL	HE	P
WV046.50	7/16/2007	R	<2	MFCOL	EXT	P	CL	HF	P
WV046.50	9/6/2007	R	<2	MFCOL	MHE		S	E	P
WV046.50	10/31/2007	R	88	MFCOL	MHE	P	S	F	P
WV046.50	1/22/2008	R	<2	MFCOL	LL		CL	HE	P
WV046.50	3/18/2008	R	<2	MFCOL	EXT		CL	E	P
WV046.50	5/19/2008	R	<2	MFCOL	FP		W	HE	P
WV046.50	7/14/2008	R	6	MFCOL	MLP		CL	E	P
WV046.50	9/2/2008	R	<2	MFCOL	EXT		NE	HE	P
WV046.50	10/27/2008	R	24	MFCOL	EXT	P	CL	HE	P
WV046.50	2/11/2009	R	<2	MFCOL	FP		SW	HE	P
WV046.50	3/17/2009	R	<2	MFCOL	EXT		CL	F	P
WV046.50	5/6/2009	R	2	MFCOL	MLP	P	CL	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV046.50	7/21/2009	R	2	MFCOL	AB		CL	E	P
WV046.50	8/18/2009	R	<2	MFCOL	LSM		W	E	P
WV046.50	10/5/2009	R	10	MFCOL	AB	P	SW	E	P
WV046.50	4/21/2010	R	<2	MFCOL	ESK		SE	F	P
WV046.50	5/12/2010	R	<2	MFCOL	ESK		S	HE	P
WV046.50	6/7/2010	R	46	MFCOL	EXT		W	E	P
WV046.50	7/21/2010	R	<2	MFCOL	HG		CL	E	P
WV046.50	9/14/2010	R	<2	MFCOL	ESK		S	F	P
WV046.50	9/28/2010	R	2	MFCOL	AB	P	SE	HF	P
WV046.50	11/2/2010	R	5.5	MFCOL	HG		NW	H	P
WV046.50	3/23/2011	R	<2	MFCOL	LSM		SE	H	P
WV046.50	4/27/2011	R	2	MFCOL	ESK		S	H	P
WV046.50	6/15/2011	R	14	MFCOL	ESK		E	H	P
WV046.50	8/3/2011	R	4	MFCOL	HG		S	HE	P
WV046.50	9/20/2011	R	<2	MFCOL	LSM		SE	F	P
WV046.50	11/1/2011	R	4	MFCOL	HG		S	H	P
WV046.80	4/3/2006	R	<3	A1COL	LL	W	N	L	A
WV046.80	5/22/2006	R	<3	A1COL	JB		NW	L	A
WV046.80	7/18/2006	R	240	A1COL	SXR		SW	F	A
WV046.80	8/28/2006	R	5.5	MFCOL	SXR	P	NE	HE	A
WV046.80	10/16/2006	R	2	MFCOL	EXT		S	LE	A
WV046.80	11/28/2006	R	5.5	MFCOL	LL		CL	LF	A
WV046.80	1/29/2007	R	<2	MFCOL	EXT		NE	LE	A
WV046.80	3/26/2007	R	<2	MFCOL	EXT		SW	L	A
WV046.80	5/15/2007	R	<2	MFCOL	FP	P	W	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV046.80	7/16/2007	R	<2	MFCOL	EXT	P	CL	HF	A
WV046.80	9/5/2007	R	<2	MFCOL	MHE		CL	LE	A
WV046.80	10/31/2007	R	<2	MFCOL	MHE	P	S	F	A
WV046.80	1/22/2008	R	8	MFCOL	LL		SW	HE	A
WV046.80	3/18/2008	R	<2	MFCOL	EXT		CL	E	A
WV046.80	5/19/2008	R	<2	MFCOL	FP		W	HE	A
WV046.80	7/14/2008	R	<2	MFCOL	MLP		CL	E	A
WV046.80	9/2/2008	R	<2	MFCOL	EXT		NE	HE	A
WV046.80	10/27/2008	R	14	MFCOL	EXT	P	CL	E	A
WV046.80	2/11/2009	R	<2	MFCOL	FP		SW	HE	A
WV046.80	3/17/2009	R	<2	MFCOL	EXT		S	F	A
WV046.80	5/6/2009	R	<2	MFCOL	MLP	P	NE	HE	A
WV046.80	7/21/2009	R	<2	MFCOL	AB		E	HE	A
WV046.80	8/18/2009	R	<2	MFCOL	LSM			E	A
WV046.80	10/5/2009	R	2	MFCOL	AB	P	CL	E	A
WV046.80	4/21/2010	R	<2	MFCOL	ESK		S	F	A
WV046.80	5/12/2010	R	<2	MFCOL	ESK		SW	HE	A
WV046.80	6/7/2010	R	2	MFCOL	EXT		NW	E	A
WV046.80	7/21/2010	R	<2	MFCOL	HG		CL	E	A
WV046.80	9/14/2010	R	16	MFCOL	ESK		S	F	A
WV046.80	9/28/2010	R	2	MFCOL	AB	P	SE	H	A
WV046.80	11/2/2010	R	<2	MFCOL	HG		N	H	A
WV046.80	3/23/2011	R	<2	MFCOL	LSM		SE	H	A
WV046.80	4/27/2011	R	<2	MFCOL	ESK		CL	HF	A
WV046.80	6/15/2011	R	<2	MFCOL	ESK		E	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV046.80	8/3/2011	R	15	MFCOL	HG		S	HE	A
WV046.80	9/20/2011	R	<2	MFCOL	LSM		SE	F	A
WV046.80	11/1/2011	R	2	MFCOL	HG		S	H	A
WV047.00	4/3/2006	R	<3	A1COL	LL		N	L	A
WV047.00	5/22/2006	R	<3	A1COL	JB		NW	L	A
WV047.00	7/18/2006	R	3.6	A1COL	SXR		SW	F	A
WV047.00	8/28/2006	R	6	MFCOL	SXR	P	NE	HE	A
WV047.00	10/16/2006	R	<2	MFCOL	EXT		S	LE	A
WV047.00	11/28/2006	R	<2	MFCOL	LL		CL	LF	A
WV047.00	1/29/2007	R	<2	MFCOL	EXT		NE	L	A
WV047.00	3/26/2007	R	<2	MFCOL	EXT		SW	L	A
WV047.00	5/15/2007	R	22	MFCOL	FP	P	W	H	A
WV047.00	7/16/2007	R	6	MFCOL	EXT	P	SW	HF	A
WV047.00	9/5/2007	R	<2	MFCOL	MHE		CL	LE	A
WV047.00	10/31/2007	R	2	MFCOL	MHE	P	S	F	A
WV047.00	1/22/2008	R	<2	MFCOL	LL	W	SW	HE	A
WV047.00	3/18/2008	R	<2	MFCOL	EXT		CL	E	A
WV047.00	5/19/2008	R	<2	MFCOL	FP		W	HE	A
WV047.00	7/14/2008	R	<2	MFCOL	MLP		SW	E	A
WV047.00	9/2/2008	R	<2	MFCOL	EXT		NE	HE	A
WV047.00	10/27/2008	R	4	MFCOL	EXT	PW	CL	E	A
WV047.00	2/11/2009	R	<2	MFCOL	FP		SW	HE	A
WV047.00	3/17/2009	R	<2	MFCOL	EXT		S	F	A
WV047.00	5/6/2009	R	<2	MFCOL	MLP	P	CL	HE	A
WV047.00	7/21/2009	R	2	MFCOL	AB		E	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV047.00	8/18/2009	R	4	MFCOL	LSM			E	A
WV047.00	10/5/2009	R	14	MFCOL	AB	PW	SW	E	A
WV047.00	4/21/2010	R	<2	MFCOL	ESK		S	F	A
WV047.00	5/12/2010	R	<2	MFCOL	ESK		S	HE	A
WV047.00	6/7/2010	R	<2	MFCOL	EXT		NW	E	A
WV047.00	7/21/2010	R	<2	MFCOL	HG		CL	E	A
WV047.00	9/14/2010	R	4	MFCOL	ESK		S	F	A
WV047.00	9/28/2010	R	6	MFCOL	AB	P	SE	H	A
WV047.00	11/2/2010	R	<2	MFCOL	HG		N	HF	A
WV047.00	3/23/2011	R	<2	MFCOL	LSM		SE	H	A
WV047.00	4/27/2011	R	<2	MFCOL	ESK		CL	F	A
WV047.00	6/15/2011	R	2	MFCOL	ESK		E	HE	A
WV047.00	8/3/2011	R	4	MFCOL	HG		S	HE	A
WV047.00	9/20/2011	R	<2	MFCOL	LSM		SE	F	A
WV047.00	11/1/2011	R	<2	MFCOL	HG		S	H	A
WV047.50	4/3/2006	R	3.6	A1COL	FP		CL	LE	P
WV047.50	5/22/2006	R	<3	A1COL	JB		NW	LF	P
WV047.50	7/18/2006	R	3.2	A1COL	SXR		SW	F	P
WV047.50	8/28/2006	R	35	MFCOL	SXR	P	NE	HE	P
WV047.50	10/16/2006	R	<2	MFCOL	EXT		SE	LE	P
WV047.50	11/28/2006	R	<2	MFCOL	LL		CL	LF	P
WV047.50	1/29/2007	R	<2	MFCOL	EXT		NE	L	P
WV047.50	3/26/2007	R	<2	MFCOL	EXT		SW	L	P
WV047.50	5/15/2007	R	2	MFCOL	FP	P	CL	H	P
WV047.50	7/16/2007	R	2	MFCOL	EXT	P	SW	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV047.50	9/5/2007	R	<2	MFCOL	MHE		NE	LE	P
WV047.50	10/31/2007	R	4	MFCOL	MHE	P	S	F	P
WV047.50	11/14/2007	E	<2	MFCOL	FP		SW	HE	P
WV047.50	1/22/2008	R	<2	MFCOL	LL		SW	HE	P
WV047.50	3/18/2008	R	<2	MFCOL	EXT		CL	E	P
WV047.50	5/19/2008	R	<2	MFCOL	FP		W	HE	P
WV047.50	7/14/2008	R	<2	MFCOL	MLP		SW	E	P
WV047.50	9/2/2008	R	<2	MFCOL	EXT		NE	HE	P
WV047.50	10/27/2008	R	3.5	MFCOL	EXT	P	CL	E	P
WV047.50	2/11/2009	R	<2	MFCOL	FP		SW	HE	P
WV047.50	3/17/2009	R	<2	MFCOL	EXT		S	F	P
WV047.50	5/6/2009	R	<2	MFCOL	MLP	P	CL	HE	P
WV047.50	7/21/2009	R	<2	MFCOL	AB		CL	E	P
WV047.50	8/18/2009	R	2	MFCOL	LSM			E	P
WV047.50	10/5/2009	R	4	MFCOL	AB	P	SW	E	P
WV047.50	4/21/2010	R	<2	MFCOL	ESK		SE	F	P
WV047.50	5/12/2010	R	<2	MFCOL	ESK		S	HE	P
WV047.50	6/7/2010	R	2.8	MFCOL	EXT		NW	E	P
WV047.50	7/21/2010	R	<2	MFCOL	HG		S	E	P
WV047.50	9/14/2010	R	2	MFCOL	ESK		SE	F	P
WV047.50	9/28/2010	R	2.8	MFCOL	AB	P	E	H	P
WV047.50	11/2/2010	R	2	MFCOL	HG		N	HF	P
WV047.50	3/23/2011	R	<2	MFCOL	LSM		SE	H	P
WV047.50	4/27/2011	R	<2	MFCOL	ESK		CL	HF	P
WV047.50	6/15/2011	R	6	MFCOL	ESK		E	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV047.50	8/3/2011	R	22	MFCOL	HG		S	E	P
WV047.50	9/20/2011	R	7.3	MFCOL	LSM		SE	F	P
WV047.50	11/1/2011	R	36	MFCOL	HG		S	H	P
WV048.00	4/25/2006	R	<3	A1COL	FP		N	HE	A
WV048.00	7/18/2006	R	9.1	A1COL	FP		CL	E	A
WV048.00	8/28/2006	R	3.6	MFCOL	JB	P	CL	F	A
WV048.00	9/6/2006	R	10	MFCOL	JXK		CL	HF	A
WV048.00	10/16/2006	R	<2	MFCOL	FP		CL	H	A
WV048.00	11/28/2006	R	4	MFCOL	FP		N	L	A
WV048.00	2/26/2007	R	13	MFCOL	FP		NE	E	A
WV048.00	4/23/2007	R	<2	MFCOL	FP		CL	F	A
WV048.00	6/12/2007	R	2	MFCOL	EXT		NE	E	A
WV048.00	8/8/2007	R	13	MFCOL	LL	P	CL	E	A
WV048.00	9/26/2007	R	9.1	MFCOL	FP		SW	F	A
WV048.00	12/12/2007	R	<2	MFCOL	LL		SW	HF	A
WV048.00	1/23/2008	R	2	MFCOL	EXT		NW	F	A
WV048.00	3/17/2008	R	6	MFCOL	LL		N	HF	A
WV048.00	5/19/2008	R	<2	MFCOL	EXT		W	F	A
WV048.00	7/14/2008	R	4	MFCOL	FP	W	CL	HE	A
WV048.00	9/2/2008	R	<2	MFCOL	LL		NE	F	A
WV048.00	10/28/2008	R	<2	MFCOL	FP		NE	E	A
WV048.00	2/2/2009	R	<2	MFCOL	MLP		CL	F	A
WV048.00	3/17/2009	R	<2	MFCOL	FP		S	H	A
WV048.00	5/5/2009	R	<2	MFCOL	EXT		NE	H	A
WV048.00	7/22/2009	R	16	MFCOL	LSM		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV048.00	8/17/2009	R	<2	MFCOL	LSM		CL	H	A
WV048.00	9/30/2009	R	16	MFCOL	MLP		CL	HF	A
WV048.00	4/13/2010	R	4	MFCOL	EXT		NW	F	A
WV048.00	4/27/2010	R	2	MFCOL	FP		NE	F	A
WV048.00	6/2/2010	R	4	MFCOL	LSM		W	F	A
WV048.00	7/20/2010	R	8	MFCOL	EXT		CL	H	A
WV048.00	9/14/2010	R	<2	MFCOL	HG		CL	HE	A
WV048.00	11/1/2010	R	18	MFCOL	ESK		W	HE	A
WV048.00	3/23/2011	R	<2	MFCOL	HG		CL	F	A
WV048.00	5/6/2011	R	<2	MFCOL	LSM		CL	F	A
WV048.00	6/14/2011	R	15	MFCOL	ESK		N	HE	A
WV048.00	8/3/2011	R	280	MFCOL	ESK		S	E	A
WV048.00	9/20/2011	R	<2	MFCOL	ESK		SW	H	A
WV048.00	11/2/2011	R	2	MFCOL	HG		W	F	A
WV048.50	4/3/2006	R	<3	A1COL	FP		N	LE	A
WV048.50	5/22/2006	R	3.2	A1COL	JB		NW	LF	A
WV048.50	7/18/2006	R	<3	A1COL	FP		S	LE	A
WV048.50	8/28/2006	R	3.6	MFCOL	JB	P	CL	F	A
WV048.50	10/16/2006	R	4	MFCOL	FP		CL	H	A
WV048.50	11/28/2006	R	4	MFCOL	FP		N	L	A
WV048.50	2/26/2007	R	<2	MFCOL	FP		NE	E	A
WV048.50	4/23/2007	R	<2	MFCOL	FP		S	LF	A
WV048.50	6/12/2007	R	2	MFCOL	EXT		NE	E	A
WV048.50	8/8/2007	R	4	MFCOL	LL	P	CL	E	A
WV048.50	9/26/2007	R	6	MFCOL	FP		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV048.50	12/10/2007	R	4	MFCOL	EXT	P	N	HF	A
WV048.50	1/23/2008	R	4	MFCOL	EXT		NW	F	A
WV048.50	3/17/2008	R	3.6	MFCOL	LL		N	H	A
WV048.50	5/19/2008	R	<2	MFCOL	EXT		W	F	A
WV048.50	7/14/2008	R	4	MFCOL	FP		S	HE	A
WV048.50	9/2/2008	R	<2	MFCOL	LL		NE	F	A
WV048.50	10/28/2008	R	2	MFCOL	FP		SE	E	A
WV048.50	2/2/2009	R	<2	MFCOL	MLP		CL	F	A
WV048.50	3/17/2009	R	<2	MFCOL	FP		S	H	A
WV048.50	5/5/2009	R	<2	MFCOL	EXT		NE	H	A
WV048.50	7/22/2009	R	22	MFCOL	LSM		CL	HF	A
WV048.50	8/17/2009	R	6	MFCOL	LSM		CL	H	A
WV048.50	9/30/2009	R	<2	MFCOL	MLP		CL	F	A
WV048.50	4/13/2010	R	<2	MFCOL	EXT		NE	F	A
WV048.50	4/27/2010	R	2	MFCOL	FP		NE	F	A
WV048.50	6/2/2010	R	2	MFCOL	LSM		SW	F	A
WV048.50	7/20/2010	R	<2	MFCOL	EXT		NW	HE	A
WV048.50	9/14/2010	R	<2	MFCOL	HG		S	HE	A
WV048.50	11/1/2010	R	<2	MFCOL	ESK		NW	HE	A
WV048.50	3/23/2011	R	<2	MFCOL	HG		SE	F	A
WV048.50	5/6/2011	R	<2	MFCOL	LSM		CL	F	A
WV048.50	6/14/2011	R	6	MFCOL	ESK		NE	H	A
WV048.50	8/3/2011	R	<2	MFCOL	ESK		S	E	A
WV048.50	9/20/2011	R	<2	MFCOL	ESK		SW	H	A
WV048.50	11/2/2011	R	2	MFCOL	HG		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV048.80	4/3/2006	R	<3	A1COL	FP		CL	E	A
WV048.80	7/18/2006	R	<3	A1COL	FP		CL	E	A
WV048.80	8/28/2006	R	6	MFCOL	JB	P	SE	F	A
WV048.80	9/6/2006	R	7.3	MFCOL	JXK		CL	H	A
WV048.80	10/16/2006	R	<2	MFCOL	FP		CL	HE	A
WV048.80	11/28/2006	R	15	MFCOL	FP	W	N	LE	A
WV048.80	2/26/2007	R	<2	MFCOL	FP		CL	E	A
WV048.80	4/23/2007	R	2	MFCOL	FP	N	SW	LF	A
WV048.80	6/12/2007	R	2	MFCOL	EXT		NE	E	A
WV048.80	8/8/2007	R	18	MFCOL	LL	P	CL	E	A
WV048.80	9/26/2007	R	13	MFCOL	FP		SW	HF	A
WV048.80	12/10/2007	R	<2	MFCOL	EXT	P	CL	HF	A
WV048.80	1/23/2008	R	<2	MFCOL	EXT		NW	F	A
WV048.80	3/19/2008	R	<2	MFCOL	FP		CL	E	A
WV048.80	5/19/2008	R	<2	MFCOL	EXT		W	F	A
WV048.80	7/14/2008	R	4	MFCOL	FP		CL	HE	A
WV048.80	9/2/2008	R	<2	MFCOL	LL		NE	F	A
WV048.80	10/28/2008	R	3.6	MFCOL	FP		CL	E	A
WV048.80	5/5/2009	R	<2	MFCOL	EXT		NE	H	A
WV048.80	6/8/2009	R	<2	MFCOL	MLP	W	NE	HF	A
WV048.80	7/22/2009	R	12	MFCOL	LSM		CL	HF	A
WV048.80	8/17/2009	R	<2	MFCOL	LSM		CL	H	A
WV048.80	9/30/2009	R	<2	MFCOL	MLP		CL	HF	A
WV048.80	10/19/2009	R	9.1	MFCOL	LSM		N	H	A
WV048.80	4/13/2010	R	<2	MFCOL	EXT		NE	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV048.80	4/27/2010	R	<2	MFCOL	FP		E	HF	A
WV048.80	6/2/2010	R	<2	MFCOL	LSM		NW	F	A
WV048.80	7/20/2010	R	<2	MFCOL	EXT		CL	H	A
WV048.80	9/14/2010	R	44	MFCOL	HG		CL	HE	A
WV048.80	11/1/2010	R	2	MFCOL	ESK		NW	HE	A
WV048.80	3/23/2011	R	2	MFCOL	HG		CL	F	A
WV048.80	5/6/2011	R	<2	MFCOL	LSM		CL	F	A
WV048.80	6/14/2011	R	24	MFCOL	ESK		NE	H	A
WV048.80	8/3/2011	R	148	MFCOL	ESK		SE	E	A
WV048.80	9/20/2011	R	4	MFCOL	ESK		W	HF	A
WV048.80	11/2/2011	R	6	MFCOL	HG		SW	F	A
WV049.00	4/25/2006	R	<3	A1COL	FP		N	HE	R
WV049.00	7/18/2006	R	43	A1COL	FP	N	CL	E	R
WV049.00	8/28/2006	R	31	MFCOL	JB	P	CL	F	R
WV049.00	9/6/2006	R	16	MFCOL	JXK		CL	H	R
WV049.00	10/16/2006	R	12	MFCOL	FP		CL	HE	R
WV049.00	11/28/2006	R	18	MFCOL	FP	N	N	F	R
WV049.00	4/23/2007	R	<2	MFCOL	FP		S	F	R
WV049.00	5/15/2007	R	4	MFCOL	FP	P	W	H	R
WV049.00	6/14/2007	R	2	MFCOL	EXT		NE	F	R
WV049.00	8/8/2007	R	3.6	MFCOL	LL	P	CL	E	R
WV049.00	9/26/2007	R	6	MFCOL	FP		W	HF	R
WV049.00	12/10/2007	R	<2	MFCOL	EXT		N	HF	R
WV049.00	1/23/2008	R	2	MFCOL	EXT		NW	HF	R
WV049.00	3/17/2008	R	2	MFCOL	LL		N	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV049.00	5/19/2008	R	<2	MFCOL	EXT		CL	F	R
WV049.00	7/14/2008	R	2	MFCOL	FP		CL	HE	R
WV049.00	9/2/2008	R	4	MFCOL	LL		NE	F	R
WV049.00	10/28/2008	R	<2	MFCOL	FP	W	CL	E	R
WV049.00	2/11/2009	R	<2	MFCOL	FP		CL	HE	R
WV049.00	5/5/2009	R	<2	MFCOL	EXT		NE	H	R
WV049.00	6/8/2009	R	24	MFCOL	MLP		CL	H	R
WV049.00	7/22/2009	R	72	MFCOL	LSM		CL	HF	R
WV049.00	8/17/2009	R	6	MFCOL	LSM		CL	H	R
WV049.00	9/30/2009	R	8	MFCOL	MLP		CL	H	R
WV049.00	4/13/2010	R	<2	MFCOL	EXT		N	HF	R
WV049.00	4/27/2010	R	60	MFCOL	FP		CL	HF	R
WV049.00	6/2/2010	R	8	MFCOL	LSM		CL	F	R
WV049.00	7/20/2010	R	6	MFCOL	EXT		N	HE	R
WV049.00	9/14/2010	R	14	MFCOL	HG		CL	HE	R
WV049.00	11/1/2010	R	24	MFCOL	ESK		NW	E	R
WV049.00	3/23/2011	R	<2	MFCOL	HG		CL	HF	R
WV049.00	5/6/2011	R	3.6	MFCOL	LSM		CL	F	R
WV049.00	6/14/2011	R	64	MFCOL	ESK		N	HE	R
WV049.00	8/3/2011	R	16	MFCOL	ESK		CL	E	R
WV049.00	9/20/2011	R	<2	MFCOL	ESK		CL	HF	R
WV049.00	11/2/2011	R	2	MFCOL	HG		CL	F	R
WV050.00	4/25/2006	R	3.6	A1COL	FP	N	CL	HE	R
WV050.00	7/18/2006	R	23	A1COL	FP		CL	E	R
WV050.00	8/28/2006	R	15	MFCOL	JB	P	E	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV050.00	9/6/2006	R	240	MFCOL	JXK		CL	H	R
WV050.00	10/16/2006	R	<2	MFCOL	FP		CL	HE	R
WV050.00	11/28/2006	R	2	MFCOL	FP	N	N	F	R
WV050.00	2/26/2007	R	2	MFCOL	FP	N	NE	E	R
WV050.00	4/23/2007	R	<2	MFCOL	FP	N	S	F	R
WV050.00	6/12/2007	R	6	MFCOL	EXT		NE	E	R
WV050.00	8/8/2007	R	12	MFCOL	LL	P	CL	E	R
WV050.00	9/26/2007	R	7.3	MFCOL	FP		W	HF	R
WV050.00	12/10/2007	R	2	MFCOL	EXT		N	H	R
WV050.00	1/23/2008	R	<2	MFCOL	EXT		CL	HF	R
WV050.00	3/17/2008	R	<2	MFCOL	LL		N	H	R
WV050.00	5/19/2008	R	<2	MFCOL	EXT		CL	HF	R
WV050.00	7/14/2008	R	<2	MFCOL	FP		CL	HE	R
WV050.00	9/2/2008	R	<2	MFCOL	LL		NE	F	R
WV050.00	10/28/2008	R	46	MFCOL	FP		SE	E	R
WV050.00	2/11/2009	R	<2	MFCOL	FP		S	HE	R
WV050.00	3/17/2009	R	<2	MFCOL	FP		S	H	R
WV050.00	5/5/2009	R	2	MFCOL	EXT		NE	H	R
WV050.00	7/22/2009	R	46	MFCOL	LSM		CL	HF	R
WV050.00	8/17/2009	R	14	MFCOL	LSM		CL	HE	R
WV050.00	9/30/2009	R	4	MFCOL	MLP		CL	H	R
WV050.00	4/13/2010	R	<2	MFCOL	EXT		NE	HF	R
WV050.00	4/27/2010	R	<2	MFCOL	FP		NE	HF	R
WV050.00	6/2/2010	R	8	MFCOL	LSM		SW	F	R
WV050.00	7/20/2010	R	14	MFCOL	EXT		CL	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV050.00	9/14/2010	R	44	MFCOL	HG		CL	H	R
WV050.00	11/1/2010	R	18	MFCOL	ESK		N	E	R
WV050.00	3/23/2011	R	2	MFCOL	HG		CL	HF	R
WV050.00	5/6/2011	R	2	MFCOL	LSM		CL	F	R
WV050.00	6/14/2011	R	34	MFCOL	ESK		N	HE	R
WV050.00	8/3/2011	R	3.6	MFCOL	ESK		CL	E	R
WV050.00	9/20/2011	R	<2	MFCOL	ESK		SW	HF	R
WV050.00	11/2/2011	R	8	MFCOL	HG		S	F	R
WV050.50	4/3/2006	R	3.6	A1COL	FP		CL	E	R
WV050.50	5/22/2006	R	3	A1COL	LL		NW	E	R
WV050.50	7/18/2006	R	14	A1COL	FP		CL	E	R
WV050.50	8/28/2006	R	100	MFCOL	JB	PW	E	HF	R
WV050.50	10/16/2006	R	<2	MFCOL	FP		CL	H	R
WV050.50	11/28/2006	R	2	MFCOL	FP		NE	E	R
WV050.50	2/26/2007	R	<2	MFCOL	FP		N	E	R
WV050.50	4/23/2007	R	<2	MFCOL	FP		S	LF	R
WV050.50	6/12/2007	R	48	MFCOL	EXT		NE	H	R
WV050.50	8/8/2007	R	14	MFCOL	LL	P	CL	E	R
WV050.50	9/26/2007	R	<2	MFCOL	FP		W	H	R
WV050.50	12/10/2007	R	2	MFCOL	EXT		CL	H	R
WV050.50	1/23/2008	R	<2	MFCOL	EXT		CL	HF	R
WV050.50	3/17/2008	R	<2	MFCOL	LL		N	HF	R
WV050.50	5/19/2008	R	<2	MFCOL	EXT		CL	HF	R
WV050.50	7/14/2008	R	<2	MFCOL	FP		SE	H	R
WV050.50	9/2/2008	R	<2	MFCOL	LL		NE	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV050.50	10/27/2008	R	10	MFCOL	FP		NE	E	R
WV050.50	2/11/2009	R	<2	MFCOL	FP		CL	E	R
WV050.50	3/17/2009	R	<2	MFCOL	FP		S	HE	R
WV050.50	5/5/2009	R	2	MFCOL	EXT		E	H	R
WV050.50	7/22/2009	R	52	MFCOL	LSM		CL	HF	R
WV050.50	8/17/2009	R	4	MFCOL	LSM		CL	HE	R
WV050.50	9/30/2009	R	22	MFCOL	MLP		CL	H	R
WV050.50	4/13/2010	R	<2	MFCOL	EXT		NE	HF	R
WV050.50	4/27/2010	R	5.5	MFCOL	FP		E	HF	R
WV050.50	6/2/2010	R	8	MFCOL	LSM		S	F	R
WV050.50	7/20/2010	R	6	MFCOL	EXT		N	L	R
WV050.50	9/14/2010	R	3.6	MFCOL	HG		CL	H	R
WV050.50	11/1/2010	R	6	MFCOL	ESK		NW	E	R
WV050.50	3/23/2011	R	<2	MFCOL	HG		SE	HF	R
WV050.50	4/5/2011	R	<2	MFCOL	EXT		S	HE	R
WV050.50	5/6/2011	R	<2	MFCOL	LSM		CL	F	R
WV050.50	6/14/2011	R	46	MFCOL	ESK		N	HE	R
WV050.50	8/3/2011	R	12	MFCOL	ESK		SW	E	R
WV050.50	9/20/2011	R	<2	MFCOL	ESK		SW	HF	R
WV050.50	11/2/2011	R	4	MFCOL	HG		S	F	R
WV050.80	4/3/2006	R	3.6	A1COL	FP	NW	N	LE	R
WV050.80	5/22/2006	R	<3	A1COL	LL		NW	E	R
WV050.80	7/18/2006	R	93	A1COL	FP	N	S	E	R
WV050.80	8/28/2006	R	29	MFCOL	JB	PN	CL	HF	R
WV050.80	10/16/2006	R	8	MFCOL	FP	N	CL	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV050.80	11/28/2006	R	26	MFCOL	FP	N	N	LE	R
WV050.80	2/26/2007	R	<2	MFCOL	FP		CL	E	R
WV050.80	5/15/2007	R	12	MFCOL	FP	P	W	HE	R
WV050.80	6/12/2007	R	11	MFCOL	EXT		NE	HE	R
WV050.80	8/15/2007	R	<2	MFCOL	EXT		SW	HE	R
WV050.80	9/26/2007	R	14	MFCOL	FP		W	H	R
WV050.80	12/10/2007	R	5.5	MFCOL	EXT	P	CL	H	R
WV050.80	1/23/2008	R	<2	MFCOL	EXT		NW	HF	R
WV050.80	3/17/2008	R	<2	MFCOL	LL		N	H	R
WV050.80	5/19/2008	R	<2	MFCOL	EXT		W	HF	R
WV050.80	7/14/2008	R	<2	MFCOL	FP		CL	H	R
WV050.80	9/2/2008	R	<2	MFCOL	LL		NE	H	R
WV050.80	10/27/2008	R	4	MFCOL	FP	W	NE	HE	R
WV050.80	3/17/2009	R	7.3	MFCOL	FP		S	HF	R
WV050.80	5/5/2009	R	<2	MFCOL	EXT		NE	HE	R
WV050.80	6/8/2009	R	<2	MFCOL	MLP		N	H	R
WV050.80	7/22/2009	R	156	MFCOL	LSM		CL	H	R
WV050.80	8/17/2009	R	4	MFCOL	LSM		CL	HE	R
WV050.80	9/30/2009	R	58	MFCOL	MLP		CL	H	R
WV050.80	4/13/2010	R	<2	MFCOL	EXT		NE	HF	R
WV050.80	4/27/2010	R	2	MFCOL	FP		NE	E	R
WV050.80	6/2/2010	R	18	MFCOL	LSM		SW	F	R
WV050.80	7/20/2010	R	2	MFCOL	EXT		NW	HE	R
WV050.80	9/14/2010	R	<2	MFCOL	HG		CL	H	R
WV050.80	11/1/2010	R	64	MFCOL	ESK		NW	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV050.80	3/23/2011	R	2	MFCOL	HG	W	CL	HF	R
WV050.80	5/6/2011	R	2	MFCOL	LSM		CL	F	R
WV050.80	6/14/2011	R	24	MFCOL	ESK		NE	HE	R
WV050.80	8/3/2011	R	4	MFCOL	ESK		S	HE	R
WV050.80	9/20/2011	R	<2	MFCOL	ESK		SW	HF	R
WV050.80	11/2/2011	R	<2	MFCOL	HG	W	S	HF	R
WV052.00	4/3/2006	R	<3	A1COL	FP		CL	E	R
WV052.00	5/22/2006	R	23	A1COL	LL		NW	E	R
WV052.00	7/18/2006	R	23	A1COL	FP	N	CL	E	R
WV052.00	8/28/2006	R	10	MFCOL	JB	PN	E	HF	R
WV052.00	10/16/2006	R	4	MFCOL	FP	N	CL	HE	R
WV052.00	11/28/2006	R	<2	MFCOL	FP	N	N	E	R
WV052.00	2/26/2007	R	<2	MFCOL	FP	WN	N	E	R
WV052.00	4/23/2007	R	<2	MFCOL	FP	N	CL	L	R
WV052.00	6/12/2007	R	9.1	MFCOL	EXT		NE	HE	R
WV052.00	8/8/2007	R	84	MFCOL	LL	P	CL	E	R
WV052.00	9/26/2007	R	9.1	MFCOL	FP		W	H	R
WV052.00	12/10/2007	R	<2	MFCOL	EXT	P	CL	H	R
WV052.00	1/23/2008	R	<2	MFCOL	EXT		NW	HF	R
WV052.00	3/17/2008	R	4	MFCOL	LL		N	H	R
WV052.00	5/19/2008	R	<2	MFCOL	EXT		W	HF	R
WV052.00	7/14/2008	R	<2	MFCOL	FP		CL	H	R
WV052.00	9/2/2008	R	<2	MFCOL	LL		NE	H	R
WV052.00	10/27/2008	R	3.8	MFCOL	FP		CL	HE	R
WV052.00	2/11/2009	R	<2	MFCOL	FP		CL	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV052.00	3/17/2009	R	<2	MFCOL	FP		S	HF	R
WV052.00	5/5/2009	R	2	MFCOL	EXT		NE	HE	R
WV052.00	7/22/2009	R	56	MFCOL	LSM		CL	H	R
WV052.00	8/17/2009	R	6	MFCOL	LSM		CL	HE	R
WV052.00	9/30/2009	R	14	MFCOL	MLP		CL	H	R
WV052.00	4/13/2010	R	2	MFCOL	EXT		NE	H	R
WV052.00	4/27/2010	R	4	MFCOL	FP		NE	HF	R
WV052.00	6/2/2010	R	6	MFCOL	LSM		W	HF	R
WV052.00	7/20/2010	R	<2	MFCOL	EXT		CL	E	R
WV052.00	9/14/2010	R	<2	MFCOL	HG		SW	H	R
WV052.00	11/1/2010	R	156	MFCOL	ESK		NW	E	R
WV052.00	3/23/2011	R	<2	MFCOL	HG		CL	HF	R
WV052.00	5/6/2011	R	<2	MFCOL	LSM		CL	F	R
WV052.00	6/14/2011	R	13	MFCOL	ESK		N	HE	R
WV052.00	8/3/2011	R	44	MFCOL	ESK		CL	HE	R
WV052.00	9/20/2011	R	<2	MFCOL	ESK		SW	HF	R
WV052.00	11/2/2011	R	2	MFCOL	HG		W	HF	R
WV053.00	4/3/2006	R	<3	A1COL	FP		CL	LE	R
WV053.00	5/22/2006	R	<3	A1COL	LL		NW	E	R
WV053.00	7/18/2006	R	<3	A1COL	FP		S	E	R
WV053.00	8/28/2006	R	18	MFCOL	JB	P	CL	HF	R
WV053.00	10/16/2006	R	2	MFCOL	FP		CL	HE	R
WV053.00	11/28/2006	R	2	MFCOL	FP		CL	L	R
WV053.00	2/26/2007	R	<2	MFCOL	FP		CL	L	R
WV053.00	4/23/2007	R	<2	MFCOL	FP		SW	L	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV053.00	6/12/2007	R	4	MFCOL	EXT		NE	H	R
WV053.00	8/8/2007	R	46	MFCOL	LL	P	CL	E	R
WV053.00	9/26/2007	R	<2	MFCOL	FP		SW	H	R
WV053.00	12/10/2007	R	4	MFCOL	EXT	P	CL	F	R
WV053.00	1/23/2008	R	2	MFCOL	EXT		NW	F	R
WV053.00	3/17/2008	R	3.6	MFCOL	LL		N	H	R
WV053.00	5/19/2008	R	<2	MFCOL	EXT		SW	HF	R
WV053.00	7/14/2008	R	2	MFCOL	FP		SW	E	R
WV053.00	9/2/2008	R	9.1	MFCOL	LL		NE	F	R
WV053.00	10/27/2008	R	<2	MFCOL	FP		CL	HE	R
WV053.00	2/2/2009	R	<2	MFCOL	MLP		CL	F	R
WV053.00	3/17/2009	R	<2	MFCOL	FP		S	HF	R
WV053.00	5/5/2009	R	2	MFCOL	EXT		CL	HE	R
WV053.00	7/22/2009	R	18	MFCOL	LSM		NE	H	R
WV053.00	8/17/2009	R	2	MFCOL	LSM		CL	E	R
WV053.00	9/30/2009	R	6	MFCOL	MLP		CL	H	R
WV053.00	4/13/2010	R	<2	MFCOL	EXT		N	HF	R
WV053.00	4/27/2010	R	<2	MFCOL	FP		NE	HF	R
WV053.00	6/2/2010	R	6	MFCOL	LSM		S	HF	R
WV053.00	7/20/2010	R	6	MFCOL	EXT		CL	H	R
WV053.00	9/14/2010	R	2	MFCOL	HG		S	H	R
WV053.00	11/1/2010	R	<2	MFCOL	ESK		NW	H	R
WV053.00	3/23/2011	R	<2	MFCOL	HG		CL	HF	R
WV053.00	5/6/2011	R	<2	MFCOL	LSM		CL	F	R
WV053.00	6/14/2011	R	33	MFCOL	ESK		N	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV053.00	8/3/2011	R	2	MFCOL	ESK		S	E	R
WV053.00	9/20/2011	R	2	MFCOL	ESK		SW	F	R
WV053.00	11/2/2011	R	6	MFCOL	HG		W	HF	R
WV054.00	4/3/2006	R	<3	A1COL	FP	N	CL	E	R
WV054.00	5/22/2006	R	21	A1COL	LL		NW	E	R
WV054.00	7/18/2006	R	43	A1COL	FP	N	CL	E	R
WV054.00	8/28/2006	R	20	MFCOL	JB	PN	CL	HF	R
WV054.00	10/16/2006	R	2	MFCOL	FP	N	CL	HE	R
WV054.00	11/28/2006	R	2	MFCOL	FP	N	N	LE	R
WV054.00	2/26/2007	R	<2	MFCOL	FP	N	NE	E	R
WV054.00	4/23/2007	R	<2	MFCOL	FP	N	CL	F	R
WV054.00	6/12/2007	R	14	MFCOL	EXT		NE	HE	R
WV054.00	8/8/2007	R	46	MFCOL	LL	P	CL	E	R
WV054.00	9/26/2007	R	2	MFCOL	FP		SW	H	R
WV054.00	12/10/2007	R	<2	MFCOL	EXT		CL	H	R
WV054.00	1/23/2008	R	8	MFCOL	EXT		CL	H	R
WV054.00	3/17/2008	R	<2	MFCOL	LL		N	HE	R
WV054.00	5/19/2008	R	<2	MFCOL	EXT		CL	H	R
WV054.00	7/14/2008	R	<2	MFCOL	FP		S	E	R
WV054.00	9/2/2008	R	3.6	MFCOL	LL		NE	F	R
WV054.00	10/27/2008	R	3.6	MFCOL	FP		NE	HE	R
WV054.00	2/11/2009	R	<2	MFCOL	FP		CL	E	R
WV054.00	3/17/2009	R	<2	MFCOL	FP		S	HF	R
WV054.00	5/5/2009	R	8	MFCOL	EXT		CL	HE	R
WV054.00	7/22/2009	R	106	MFCOL	LSM		NE	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV054.00	8/17/2009	R	<2	MFCOL	LSM		CL	E	R
WV054.00	9/30/2009	R	48	MFCOL	MLP		CL	HE	R
WV054.00	4/13/2010	R	<2	MFCOL	EXT		NE	H	R
WV054.00	4/27/2010	R	2	MFCOL	FP		NE	H	R
WV054.00	6/2/2010	R	4	MFCOL	LSM		CL	HF	R
WV054.00	7/20/2010	R	16	MFCOL	EXT		CL	E	R
WV054.00	9/14/2010	R	6	MFCOL	HG	P	CL	HF	R
WV054.00	11/1/2010	R	56	MFCOL	ESK		NW	E	R
WV054.00	3/23/2011	R	<2	MFCOL	HG		CL	H	R
WV054.00	5/6/2011	R	<2	MFCOL	LSM		CL	F	R
WV054.00	6/14/2011	R	36	MFCOL	ESK		N	H	R
WV054.00	8/3/2011	R	18	MFCOL	ESK		S	HE	R
WV054.00	9/20/2011	R	<2	MFCOL	ESK		W	F	R
WV054.00	11/2/2011	R	2	MFCOL	HG		CL	HF	R
WV055.00	4/3/2006	R	<3	A1COL	FP	W	N	L	R
WV055.00	5/22/2006	R	3.6	A1COL	LL		NW	E	R
WV055.00	7/18/2006	R	<3	A1COL	FP		S	E	R
WV055.00	8/28/2006	R	5.5	MFCOL	JB	P	E	H	R
WV055.00	10/16/2006	R	10	MFCOL	FP		CL	HE	R
WV055.00	11/28/2006	R	6	MFCOL	FP		N	L	R
WV055.00	2/26/2007	R	2	MFCOL	FP		CL	E	R
WV055.00	4/23/2007	R	<2	MFCOL	FP		SW	LF	R
WV055.00	6/12/2007	R	8	MFCOL	EXT	P	NE	HE	R
WV055.00	8/8/2007	R	4	MFCOL	LL	P	CL	E	R
WV055.00	9/26/2007	R	<2	MFCOL	FP		SW	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV055.00	12/10/2007	R	<2	MFCOL	EXT		N	H	R
WV055.00	1/23/2008	R	<2	MFCOL	EXT		NW	H	R
WV055.00	3/17/2008	R	<2	MFCOL	LL		N	HE	R
WV055.00	5/19/2008	R	<2	MFCOL	EXT		CL	H	R
WV055.00	7/14/2008	R	<2	MFCOL	FP		S	E	R
WV055.00	9/2/2008	R	2	MFCOL	LL		NE	F	R
WV055.00	10/27/2008	R	2	MFCOL	FP		NE	HE	R
WV055.00	2/2/2009	R	<2	MFCOL	MLP		CL	F	R
WV055.00	3/17/2009	R	<2	MFCOL	FP		S	HF	R
WV055.00	5/5/2009	R	6	MFCOL	EXT		CL	HE	R
WV055.00	7/22/2009	R	15	MFCOL	LSM		NE	H	R
WV055.00	8/17/2009	R	4	MFCOL	LSM		CL	E	R
WV055.00	9/30/2009	R	2	MFCOL	MLP		CL	HE	R
WV055.00	4/13/2010	R	<2	MFCOL	EXT		N	H	R
WV055.00	4/27/2010	R	<2	MFCOL	FP		NE	H	R
WV055.00	6/2/2010	R	6	MFCOL	LSM		SW	HF	R
WV055.00	7/20/2010	R	6	MFCOL	EXT		CL	E	R
WV055.00	9/14/2010	R	2	MFCOL	HG	P	CL	HF	R
WV055.00	11/1/2010	R	<2	MFCOL	ESK		NW	E	R
WV055.00	3/23/2011	R	<2	MFCOL	HG		E	H	R
WV055.00	5/6/2011	R	<2	MFCOL	LSM		CL	F	R
WV055.00	6/14/2011	R	22	MFCOL	ESK		N	H	R
WV055.00	8/3/2011	R	10	MFCOL	ESK		CL	HE	R
WV055.00	9/20/2011	R	2	MFCOL	ESK		SW	F	R
WV055.00	11/2/2011	R	4	MFCOL	HG		S	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV056.00	4/25/2006	R	<3	A1COL	FP		CL	HE	A
WV056.00	7/18/2006	R	93	A1COL	FP	N	S	E	A
WV056.00	8/28/2006	R	42	MFCOL	JB	P	E	H	A
WV056.00	9/6/2006	R	56	MFCOL	JXK		CL	H	A
WV056.00	10/16/2006	R	<2	MFCOL	FP		CL	E	A
WV056.00	11/28/2006	R	8	MFCOL	FP		NE	F	A
WV056.00	2/26/2007	R	<2	MFCOL	FP		N	E	A
WV056.00	4/23/2007	R	<2	MFCOL	FP		S	F	A
WV056.00	6/12/2007	R	10	MFCOL	EXT		NE	HE	A
WV056.00	8/15/2007	R	4	MFCOL	EXT		SW	HE	A
WV056.00	9/26/2007	R	26	MFCOL	FP		SW	HE	A
WV056.00	12/10/2007	R	2	MFCOL	EXT		CL	HE	A
WV056.00	1/23/2008	R	<2	MFCOL	EXT		CL	H	A
WV056.00	3/17/2008	R	4	MFCOL	LL		N	HE	A
WV056.00	5/19/2008	R	2	MFCOL	EXT		S	H	A
WV056.00	7/14/2008	R	2	MFCOL	FP		S	E	A
WV056.00	9/2/2008	R	<2	MFCOL	LL		NE	HF	A
WV056.00	10/28/2008	R	7.3	MFCOL	FP		CL	E	A
WV056.00	2/11/2009	R	<2	MFCOL	FP		S	E	A
WV056.00	3/17/2009	R	<2	MFCOL	FP		S	HF	A
WV056.00	5/5/2009	R	<2	MFCOL	EXT		CL	HE	A
WV056.00	7/22/2009	R	33	MFCOL	LSM		CL	H	A
WV056.00	8/17/2009	R	5.5	MFCOL	LSM		CL	E	A
WV056.00	9/30/2009	R	26	MFCOL	MLP		CL	HE	A
WV056.00	4/13/2010	R	<2	MFCOL	EXT		NE	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV056.00	4/27/2010	R	<2	MFCOL	FP		NE	H	A
WV056.00	6/2/2010	R	<2	MFCOL	LSM		SW	HF	A
WV056.00	7/20/2010	R	2	MFCOL	EXT		CL	E	A
WV056.00	9/14/2010	R	4	MFCOL	HG		CL	HF	A
WV056.00	11/1/2010	R	2	MFCOL	ESK		CL	E	A
WV056.00	3/23/2011	R	2	MFCOL	HG		CL	H	A
WV056.00	5/6/2011	R	14	MFCOL	LSM		SE	F	A
WV056.00	6/14/2011	R	10	MFCOL	ESK		N	H	A
WV056.00	8/3/2011	R	158	MFCOL	ESK		S	HE	A
WV056.00	9/20/2011	R	7.3	MFCOL	ESK		SW	F	A
WV056.00	11/2/2011	R	8	MFCOL	HG		SW	HF	A
WV057.00	4/25/2006	R	3.6	A1COL	FP	N	NW	H	P
WV057.00	7/18/2006	R	150	A1COL	FP	N	CL	E	P
WV057.00	8/28/2006	R	29	MFCOL	JB	P	CL	H	P
WV057.00	9/6/2006	R	200	MFCOL	JXK		CL	HE	P
WV057.00	10/16/2006	R	8	MFCOL	FP	N	CL	E	P
WV057.00	11/28/2006	R	6	MFCOL	FP		CL	F	P
WV057.00	2/26/2007	R	<2	MFCOL	FP		N	E	P
WV057.00	4/23/2007	R	<2	MFCOL	FP	N	S	F	P
WV057.00	6/12/2007	R	142	MFCOL	EXT		CL	E	P
WV057.00	8/15/2007	R	108	MFCOL	EXT		SW	HE	P
WV057.00	9/26/2007	R	460	MFCOL	FP		SW	HE	P
WV057.00	12/10/2007	R	2	MFCOL	EXT		CL	HE	P
WV057.00	1/23/2008	R	<2	MFCOL	EXT		CL	H	P
WV057.00	3/17/2008	R	4	MFCOL	LL		N	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV057.00	5/19/2008	R	<2	MFCOL	EXT		CL	H	P
WV057.00	7/14/2008	R	2	MFCOL	FP		CL	E	P
WV057.00	9/2/2008	R	<2	MFCOL	LL		NE	HF	P
WV057.00	10/28/2008	R	<2	MFCOL	FP		CL	HE	P
WV057.00	2/11/2009	R	<2	MFCOL	FP		S	E	P
WV057.00	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV057.00	5/5/2009	R	<2	MFCOL	EXT		CL	E	P
WV057.00	7/22/2009	R	136	MFCOL	LSM		NE	HE	P
WV057.00	8/17/2009	R	4	MFCOL	LSM		CL	E	P
WV057.00	9/30/2009	R	<2	MFCOL	MLP		CL	HE	P
WV057.00	4/13/2010	R	<2	MFCOL	EXT		SE	H	P
WV057.00	4/27/2010	R	<2	MFCOL	FP		NE	H	P
WV057.00	6/2/2010	R	2	MFCOL	LSM		CL	H	P
WV057.00	7/20/2010	R	14	MFCOL	EXT		CL	E	P
WV057.00	9/14/2010	R	7.3	MFCOL	HG		CL	HF	P
WV057.00	11/1/2010	R	148	MFCOL	ESK	W	NW	E	P
WV057.00	3/23/2011	R	<2	MFCOL	HG		CL	H	P
WV057.00	5/6/2011	R	<2	MFCOL	LSM		SE	F	P
WV057.00	6/14/2011	R	35	MFCOL	ESK		N	H	P
WV057.00	8/3/2011	R	2	MFCOL	ESK		S	HE	P
WV057.00	9/20/2011	R	6	MFCOL	ESK		SW	F	P
WV057.00	11/2/2011	R	4	MFCOL	HG		CL	HF	P
WV058.00	4/25/2006	R	<3	A1COL	FP		NW	HE	P
WV058.00	5/22/2006	R	<3	A1COL	LL		NW	E	P
WV058.00	7/18/2006	R	9.1	A1COL	FP		S	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV058.00	8/28/2006	R	5.5	MFCOL	JB	P	E	H	P
WV058.00	10/16/2006	R	22	MFCOL	FP		CL	E	P
WV058.00	11/28/2006	R	<2	MFCOL	FP		CL	L	P
WV058.00	2/26/2007	R	<2	MFCOL	FP		CL	E	P
WV058.00	4/23/2007	R	<2	MFCOL	FP		S	F	P
WV058.00	6/12/2007	R	11	MFCOL	EXT		NE	E	P
WV058.00	8/8/2007	R	14	MFCOL	LL	P	CL	E	P
WV058.00	9/26/2007	R	62	MFCOL	FP		SW	HE	P
WV058.00	12/10/2007	R	<2	MFCOL	EXT		N	HE	P
WV058.00	1/23/2008	R	<2	MFCOL	EXT		NW	H	P
WV058.00	3/17/2008	R	4	MFCOL	LL		N	HE	P
WV058.00	5/19/2008	R	<2	MFCOL	EXT		S	H	P
WV058.00	7/14/2008	R	<2	MFCOL	FP		S	E	P
WV058.00	9/2/2008	R	<2	MFCOL	LL		NE	HF	P
WV058.00	10/28/2008	R	18	MFCOL	FP		SE	HE	P
WV058.00	2/2/2009	R	<2	MFCOL	MLP		CL	F	P
WV058.00	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV058.00	5/5/2009	R	<2	MFCOL	EXT		NE	E	P
WV058.00	7/22/2009	R	10	MFCOL	LSM		NE	HE	P
WV058.00	8/17/2009	R	4	MFCOL	LSM		CL	E	P
WV058.00	9/30/2009	R	<2	MFCOL	MLP		S	HE	P
WV058.00	4/13/2010	R	<2	MFCOL	EXT		N	H	P
WV058.00	4/27/2010	R	<2	MFCOL	FP		NE	H	P
WV058.00	6/2/2010	R	<2	MFCOL	LSM		SW	H	P
WV058.00	7/20/2010	R	88	MFCOL	EXT		N	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV058.00	9/14/2010	R	<2	MFCOL	HG		CL	HF	P
WV058.00	11/1/2010	R	<2	MFCOL	ESK		NW	E	P
WV058.00	3/23/2011	R	<2	MFCOL	HG		CL	H	P
WV058.00	5/6/2011	R	<2	MFCOL	LSM		SE	HF	P
WV058.00	6/14/2011	R	40	MFCOL	ESK		NE	HF	P
WV058.00	8/3/2011	R	29	MFCOL	ESK		S	H	P
WV058.00	9/20/2011	R	<2	MFCOL	ESK		SW	F	A
WV058.00	11/2/2011	R	3.6	MFCOL	HG		SW	H	A
WV059.00	4/3/2006	R	<3	A1COL	FP		CL	L	A
WV059.00	5/22/2006	R	<3	A1COL	LL		NW	E	A
WV059.00	7/18/2006	R	<3	A1COL	FP		S	LE	A
WV059.00	8/28/2006	R	2	MFCOL	JB	P	NE	H	A
WV059.00	10/16/2006	R	<2	MFCOL	FP		CL	E	A
WV059.00	11/28/2006	R	<2	MFCOL	FP		CL	LF	A
WV059.00	2/26/2007	R	<2	MFCOL	FP		NE	E	A
WV059.00	4/23/2007	R	<2	MFCOL	FP		S	F	A
WV059.00	6/12/2007	R	<2	MFCOL	EXT		CL	E	A
WV059.00	8/8/2007	R	16	MFCOL	LL	P	SE	LE	A
WV059.00	9/26/2007	R	22	MFCOL	FP		SW	HE	A
WV059.00	12/10/2007	R	4	MFCOL	EXT		CL	HE	A
WV059.00	1/23/2008	R	<2	MFCOL	EXT		CL	H	A
WV059.00	3/17/2008	R	<2	MFCOL	LL		CL	HE	A
WV059.00	5/19/2008	R	<2	MFCOL	EXT		S	H	A
WV059.00	7/14/2008	R	<2	MFCOL	FP		CL	E	A
WV059.00	9/2/2008	R	<2	MFCOL	LL		CL	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV059.00	10/28/2008	R	<2	MFCOL	FP		SE	HE	A
WV059.00	2/2/2009	R	<2	MFCOL	MLP		CL	HF	A
WV059.00	3/17/2009	R	<2	MFCOL	FP		S	F	A
WV059.00	5/5/2009	R	<2	MFCOL	EXT		NE	E	A
WV059.00	7/22/2009	R	2	MFCOL	LSM		CL	HE	A
WV059.00	8/17/2009	R	2	MFCOL	LSM		CL	E	A
WV059.00	9/30/2009	R	<2	MFCOL	MLP		S	HE	A
WV059.00	4/13/2010	R	<2	MFCOL	EXT		NE	HE	A
WV059.00	4/27/2010	R	<2	MFCOL	FP		NE	H	A
WV059.00	6/2/2010	R	<2	MFCOL	LSM		SW	H	A
WV059.00	7/20/2010	R	<2	MFCOL	EXT		CL	E	A
WV059.00	9/14/2010	R	2	MFCOL	HG		N	HF	A
WV059.00	11/1/2010	R	<2	MFCOL	ESK		NW	H	A
WV059.00	3/23/2011	R	<2	MFCOL	HG		CL	H	A
WV059.00	5/6/2011	R	<2	MFCOL	LSM		S	HF	A
WV059.00	6/14/2011	R	10	MFCOL	ESK		N	HF	A
WV059.00	8/3/2011	R	2	MFCOL	ESK		S	H	A
WV059.00	9/20/2011	R	<2	MFCOL	ESK		SW	F	A
WV059.00	11/2/2011	R	<2	MFCOL	HG		SW	H	A
WV060.00	4/3/2006	R	<3	A1COL	FP		CL	L	A
WV060.00	5/22/2006	R	<3	A1COL	LL		NW	L	A
WV060.00	7/18/2006	R	9.1	A1COL	FP		S	E	A
WV060.00	8/28/2006	R	40	MFCOL	JB	P	CL	HE	A
WV060.00	10/16/2006	R	27	MFCOL	FP		CL	E	A
WV060.00	11/28/2006	R	<2	MFCOL	FP		N	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV060.00	2/26/2007	R	<2	MFCOL	FP		CL	LE	P
WV060.00	4/23/2007	R	<2	MFCOL	FP		SW	F	P
WV060.00	6/12/2007	R	10	MFCOL	EXT		CL	E	P
WV060.00	8/8/2007	R	36	MFCOL	LL	P	SE	LE	P
WV060.00	9/26/2007	R	62	MFCOL	FP		S	HE	P
WV060.00	12/10/2007	R	<2	MFCOL	EXT		CL	E	P
WV060.00	1/23/2008	R	<2	MFCOL	EXT		CL	HE	P
WV060.00	3/19/2008	R	<2	MFCOL	FP		S	E	P
WV060.00	5/19/2008	R	<2	MFCOL	EXT		S	H	P
WV060.00	7/14/2008	R	<2	MFCOL	FP		CL	E	P
WV060.00	9/2/2008	R	<2	MFCOL	LL		CL	HF	P
WV060.00	10/28/2008	R	2	MFCOL	FP		SE	HE	P
WV060.00	2/11/2009	R	<2	MFCOL	FP		S	E	P
WV060.00	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV060.00	5/5/2009	R	<2	MFCOL	EXT		NE	E	P
WV060.00	7/22/2009	R	64	MFCOL	LSM		NE	HE	P
WV060.00	8/17/2009	R	<2	MFCOL	LSM		CL	E	P
WV060.00	9/30/2009	R	2	MFCOL	MLP		S	E	P
WV060.00	4/13/2010	R	<2	MFCOL	EXT		CL	HE	P
WV060.00	4/27/2010	R	<2	MFCOL	FP		CL	HE	P
WV060.00	6/2/2010	R	<2	MFCOL	LSM		SW	H	P
WV060.00	7/20/2010	R	6	MFCOL	EXT		CL	E	P
WV060.00	9/14/2010	R	2	MFCOL	HG	P	N	F	P
WV060.00	11/1/2010	R	<2	MFCOL	ESK		NW	H	P
WV060.00	3/23/2011	R	<2	MFCOL	HG		CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV060.00	5/6/2011	R	<2	MFCOL	LSM		S	HF	P
WV060.00	6/14/2011	R	2	MFCOL	ESK		N	HF	P
WV060.00	8/3/2011	R	56	MFCOL	ESK		S	H	P
WV060.00	9/20/2011	R	7.3	MFCOL	ESK		W	F	P
WV060.00	11/30/2011	R	2	MFCOL	HG		S	F	P
WV061.00	4/3/2006	R	<3	A1COL	FP		CL	LF	P
WV061.00	5/22/2006	R	<3	A1COL	LL		NW	LE	P
WV061.00	7/18/2006	R	3.6	A1COL	FP		S	LE	P
WV061.00	8/28/2006	R	10	MFCOL	JB	P	E	HE	P
WV061.00	10/16/2006	R	<2	MFCOL	FP		CL	E	P
WV061.00	11/28/2006	R	<2	MFCOL	FP		CL	LF	P
WV061.00	2/26/2007	R	<2	MFCOL	FP		CL	LE	P
WV061.00	4/23/2007	R	<2	MFCOL	FP		S	F	P
WV061.00	6/12/2007	R	3.6	MFCOL	EXT		CL	E	P
WV061.00	8/8/2007	R	6	MFCOL	LL	P	SE	LE	P
WV061.00	9/26/2007	R	<2	MFCOL	FP		S	E	P
WV061.00	12/10/2007	R	4	MFCOL	EXT		CL	E	P
WV061.00	1/23/2008	R	<2	MFCOL	EXT		CL	HE	P
WV061.00	3/17/2008	R	2	MFCOL	LL		CL	E	P
WV061.00	5/19/2008	R	<2	MFCOL	EXT		S	HE	P
WV061.00	7/14/2008	R	<2	MFCOL	FP		CL	E	P
WV061.00	9/2/2008	R	<2	MFCOL	LL		NE	HF	P
WV061.00	10/28/2008	R	11	MFCOL	FP		SE	HE	P
WV061.00	2/2/2009	R	<2	MFCOL	MLP		CL	HF	P
WV061.00	3/17/2009	R	<2	MFCOL	FP		S	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV061.00	5/5/2009	R	<2	MFCOL	EXT		NE	E	P
WV061.00	7/22/2009	R	2	MFCOL	LSM		NE	HE	P
WV061.00	8/17/2009	R	<2	MFCOL	LSM		CL	E	P
WV061.00	9/30/2009	R	<2	MFCOL	MLP		S	E	P
WV061.00	4/13/2010	R	<2	MFCOL	EXT		SE	HE	P
WV061.00	4/27/2010	R	8	MFCOL	FP		CL	HE	P
WV061.00	6/2/2010	R	<2	MFCOL	LSM		SW	H	P
WV061.00	7/20/2010	R	<2	MFCOL	EXT		CL	E	P
WV061.00	9/14/2010	R	2	MFCOL	HG		S	F	P
WV061.00	11/1/2010	R	<2	MFCOL	ESK		CL	H	P
WV061.00	3/23/2011	R	<2	MFCOL	HG		CL	HE	P
WV061.00	5/6/2011	R	<2	MFCOL	LSM		S	HF	P
WV061.00	6/14/2011	R	3.6	MFCOL	ESK		N	F	P
WV061.00	8/3/2011	R	<2	MFCOL	ESK		SW	H	P
WV061.00	9/20/2011	R	<2	MFCOL	ESK		SW	F	P
WV061.00	11/2/2011	R	8	MFCOL	HG		S	H	P
WV062.50	4/3/2006	R	<3	A1COL	FP		E	F	P
WV062.50	5/22/2006	R	<3	A1COL	LL		NW	LE	P
WV062.50	7/18/2006	R	9.1	A1COL	FP		S	LE	P
WV062.50	8/28/2006	R	440	MFCOL	JB	P	E	HE	P
WV062.50	10/16/2006	R	<2	MFCOL	FP		CL	E	P
WV062.50	11/28/2006	R	2	MFCOL	FP		NE	F	P
WV062.50	2/26/2007	R	<2	MFCOL	FP		E	LE	P
WV062.50	4/23/2007	R	22	MFCOL	FP		S	F	P
WV062.50	6/12/2007	R	<2	MFCOL	EXT		NE	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV062.50	8/8/2007	R	11	MFCOL	LL	P	SE	LE	P
WV062.50	9/26/2007	R	12	MFCOL	FP		SW	E	P
WV062.50	12/10/2007	R	<2	MFCOL	EXT		CL	E	P
WV062.50	1/23/2008	R	<2	MFCOL	EXT		CL	HE	P
WV062.50	3/17/2008	R	<2	MFCOL	LL		N	E	P
WV062.50	5/19/2008	R	<2	MFCOL	EXT		S	HE	P
WV062.50	7/14/2008	R	<2	MFCOL	FP		S	E	P
WV062.50	9/2/2008	R	<2	MFCOL	LL		NE	H	P
WV062.50	10/28/2008	R	2	MFCOL	FP		SE	HE	P
WV062.50	2/2/2009	R	<2	MFCOL	MLP		CL	HF	P
WV062.50	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV062.50	5/5/2009	R	3.6	MFCOL	EXT		NE	E	P
WV062.50	7/22/2009	R	12	MFCOL	LSM		NE	E	P
WV062.50	8/17/2009	R	<2	MFCOL	LSM		W	E	P
WV062.50	9/30/2009	R	<2	MFCOL	MLP		S	E	P
WV062.50	4/13/2010	R	<2	MFCOL	EXT		E	HE	P
WV062.50	4/27/2010	R	<2	MFCOL	FP		NE	HE	P
WV062.50	6/2/2010	R	2	MFCOL	LSM		S	H	P
WV062.50	7/20/2010	R	<2	MFCOL	EXT		CL	E	P
WV062.50	9/14/2010	R	<2	MFCOL	HG		S	F	P
WV062.50	11/1/2010	R	<2	MFCOL	ESK		NW	E	P
WV062.50	3/23/2011	R	<2	MFCOL	HG		E	HE	P
WV062.50	5/6/2011	R	<2	MFCOL	LSM		S	HF	P
WV062.50	6/14/2011	R	<2	MFCOL	ESK		N	F	P
WV062.50	8/3/2011	R	7.3	MFCOL	ESK		S	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV062.50	9/20/2011	R	2	MFCOL	ESK		SW	F	P
WV062.50	11/2/2011	R	<2	MFCOL	HG		SW	H	P
WV063.00	4/3/2006	R	23	A1COL	FP		E	F	P
WV063.00	7/18/2006	R	23	A1COL	FP		S	LE	P
WV063.00	8/28/2006	R	12	MFCOL	JB	P	NE	HE	P
WV063.00	9/6/2006	R	6	MFCOL	JXK		CL	HE	P
WV063.00	10/16/2006	R	<2	MFCOL	FP		CL	E	P
WV063.00	11/28/2006	R	6	MFCOL	FP		NE	F	P
WV063.00	4/23/2007	R	<2	MFCOL	FP		S	F	P
WV063.00	5/15/2007	R	2	MFCOL	FP	P	W	HE	P
WV063.00	6/12/2007	R	2	MFCOL	EXT		NE	E	P
WV063.00	8/15/2007	R	<2	MFCOL	EXT		CL	HE	P
WV063.00	9/26/2007	R	4	MFCOL	FP		W	E	P
WV063.00	12/10/2007	R	<2	MFCOL	EXT		CL	E	P
WV063.00	1/23/2008	R	2	MFCOL	EXT		CL	HE	P
WV063.00	3/17/2008	R	<2	MFCOL	LL		N	E	P
WV063.00	5/19/2008	R	<2	MFCOL	EXT		S	HE	P
WV063.00	7/14/2008	R	6	MFCOL	FP		S	E	P
WV063.00	9/2/2008	R	<2	MFCOL	LL		NE	H	P
WV063.00	10/28/2008	R	<2	MFCOL	FP		CL	H	P
WV063.00	2/2/2009	R	<2	MFCOL	MLP		CL	HF	P
WV063.00	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV063.00	5/5/2009	R	18	MFCOL	EXT		NE	E	P
WV063.00	7/22/2009	R	64	MFCOL	LSM		NE	E	P
WV063.00	8/17/2009	R	4	MFCOL	LSM		W	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV063.00	9/30/2009	R	<2	MFCOL	MLP		CL	E	P
WV063.00	4/13/2010	R	<2	MFCOL	EXT		E	HE	P
WV063.00	4/27/2010	R	4	MFCOL	FP		NE	HE	P
WV063.00	6/2/2010	R	2	MFCOL	LSM		W	H	P
WV063.00	9/14/2010	R	2	MFCOL	HG		CL	F	P
WV063.00	11/1/2010	R	<2	MFCOL	ESK	W	NW	E	P
WV063.00	12/6/2010	R	5.7	MFCOL	HG		W	HE	P
WV063.00	3/23/2011	R	<2	MFCOL	HG		E	HE	P
WV063.00	5/6/2011	R	<2	MFCOL	LSM		S	HF	P
WV063.00	6/14/2011	R	6	MFCOL	ESK		N	HF	P
WV063.00	8/3/2011	R	<2	MFCOL	ESK		S	H	P
WV063.00	9/20/2011	R	2	MFCOL	ESK		SW	F	P
WV063.00	11/2/2011	R	2	MFCOL	HG		SW	H	P
WV064.00	4/25/2006	R	<3	A1COL	FP	N	NW	H	P
WV064.00	7/18/2006	R	15	A1COL	FP		S	E	P
WV064.00	8/28/2006	R	5.5	MFCOL	JB	P	E	HE	P
WV064.00	9/6/2006	R	9.1	MFCOL	JXK		CL	HE	P
WV064.00	10/16/2006	R	20	MFCOL	FP	N	CL	E	P
WV064.00	11/28/2006	R	<2	MFCOL	FP		N	F	P
WV064.00	2/26/2007	R	<2	MFCOL	FP	N	NE	E	P
WV064.00	4/23/2007	R	1440	MFCOL	FP	N	S	F	P
WV064.00	6/12/2007	R	4	MFCOL	EXT		NE	E	P
WV064.00	8/15/2007	R	2	MFCOL	EXT		SW	E	P
WV064.00	9/26/2007	R	33	MFCOL	FP		W	E	P
WV064.00	12/10/2007	R	<2	MFCOL	EXT	W	CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV064.00	1/23/2008	R	<2	MFCOL	EXT		NW	HE	P
WV064.00	3/17/2008	R	2	MFCOL	LL		CL	E	P
WV064.00	5/19/2008	R	<2	MFCOL	EXT		S	HE	P
WV064.00	7/14/2008	R	<2	MFCOL	FP		S	E	P
WV064.00	9/2/2008	R	2	MFCOL	LL	W	CL	H	P
WV064.00	10/28/2008	R	4	MFCOL	FP		E	H	P
WV064.00	2/2/2009	R	2	MFCOL	MLP		CL	HF	P
WV064.00	3/17/2009	R	2	MFCOL	FP	W	S	F	P
WV064.00	5/5/2009	R	<2	MFCOL	EXT		CL	E	P
WV064.00	7/22/2009	R	140	MFCOL	LSM		NE	E	P
WV064.00	8/17/2009	R	20	MFCOL	LSM		CL	E	P
WV064.00	9/30/2009	R	14	MFCOL	MLP	W	S	E	P
WV064.00	4/13/2010	R	<2	MFCOL	EXT		E	E	P
WV064.00	4/27/2010	R	<2	MFCOL	FP		NE	E	P
WV064.00	6/2/2010	R	6	MFCOL	LSM		S	HE	P
WV064.00	7/20/2010	R	22	MFCOL	EXT		NW	E	P
WV064.00	9/14/2010	R	<2	MFCOL	HG		S	F	P
WV064.00	11/2/2010	R	<2	MFCOL	HG		N	HF	P
WV064.00	3/23/2011	R	<2	MFCOL	HG		CL	HE	P
WV064.00	5/6/2011	R	<2	MFCOL	LSM		S	HF	P
WV064.00	6/14/2011	R	10	MFCOL	ESK		N	HF	P
WV064.00	8/3/2011	R	<2	MFCOL	ESK		S	H	P
WV064.00	9/20/2011	R	<2	MFCOL	ESK		S	F	P
WV064.00	11/2/2011	R	6	MFCOL	HG		CL	H	P
WV065.00	4/3/2006	R	<3	A1COL	FP		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV065.00	5/22/2006	R	<3	A1COL	LL		NW	LE	P
WV065.00	7/18/2006	R	<3	A1COL	FP		S	E	P
WV065.00	8/28/2006	R	6	MFCOL	JB	P	CL	HE	P
WV065.00	10/16/2006	R	2	MFCOL	FP		CL	E	P
WV065.00	11/28/2006	R	<2	MFCOL	FP		N	F	P
WV065.00	4/23/2007	R	<2	MFCOL	FP		S	F	P
WV065.00	5/15/2007	R	27	MFCOL	FP	P	W	HE	P
WV065.00	6/12/2007	R	<2	MFCOL	EXT		CL	E	P
WV065.00	8/8/2007	R	4	MFCOL	LL	P	SE	L	P
WV065.00	9/26/2007	R	<2	MFCOL	FP		W	E	P
WV065.00	12/10/2007	R	2	MFCOL	EXT		CL	E	P
WV065.00	1/23/2008	R	<2	MFCOL	EXT		NW	E	P
WV065.00	3/17/2008	R	<2	MFCOL	LL		CL	E	P
WV065.00	5/19/2008	R	<2	MFCOL	EXT		S	E	P
WV065.00	7/14/2008	R	2	MFCOL	FP		SE	E	P
WV065.00	9/2/2008	R	<2	MFCOL	LL		CL	H	P
WV065.00	10/28/2008	R	<2	MFCOL	FP		E	H	P
WV065.00	2/2/2009	R	<2	MFCOL	MLP		CL	H	P
WV065.00	3/17/2009	R	<2	MFCOL	FP		S	F	P
WV065.00	5/5/2009	R	<2	MFCOL	EXT		CL	E	P
WV065.00	7/22/2009	R	11	MFCOL	LSM		NE	E	P
WV065.00	8/17/2009	R	<2	MFCOL	LSM		CL	E	P
WV065.00	9/30/2009	R	18	MFCOL	MLP		S	E	P
WV065.00	4/13/2010	R	<2	MFCOL	EXT		CL	E	P
WV065.00	4/27/2010	R	<2	MFCOL	FP		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV065.00	6/2/2010	R	3.9	MFCOL	LSM		SW	HE	P
WV065.00	7/20/2010	R	<2	MFCOL	EXT		CL	E	P
WV065.00	9/14/2010	R	<2	MFCOL	HG		S	F	P
WV065.00	11/1/2010	R	<2	MFCOL	ESK		N	E	P
WV065.00	3/23/2011	R	<2	MFCOL	HG		CL	HE	P
WV065.00	5/6/2011	R	2.8	MFCOL	LSM		S	HF	P
WV065.00	6/14/2011	R	4	MFCOL	ESK		N	HF	P
WV065.00	8/3/2011	R	27	MFCOL	ESK		S	H	P
WV065.00	9/20/2011	R	<2	MFCOL	ESK		SW	F	P
WV065.00	11/2/2011	R	<2	MFCOL	HG		SW	H	P
WV077.00	5/24/2006	R	3.6	A1COL	FP		NE	HE	A
WV077.00	7/19/2006	R	<3	A1COL	FP	B	N	LE	A
WV077.00	8/16/2006	R	<3	A1COL	FP		N	L	A
WV077.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A
WV077.00	11/29/2006	R	4	MFCOL	FP		S	LE	A
WV077.00	12/12/2006	R	<2	MFCOL	FP			L	A
WV077.00	3/26/2007	R	<2	MFCOL	FP		S	F	A
WV077.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV077.00	7/16/2007	R	<2	MFCOL	FP	P	CL	F	A
WV077.00	8/15/2007	R	10	MFCOL	JB	B	S	HF	A
WV077.00	9/4/2007	R	<2	MFCOL	FP		NW	L	A
WV077.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV077.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV077.00	4/14/2008	R	3.6	MFCOL	FP		NW	E	A
WV077.00	7/1/2008	R	<2	MFCOL	FP		S	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV077.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV077.00	8/18/2008	R	<2	MFCOL	FP	B	S	F	A
WV077.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV077.00	4/1/2009	R	<2	MFCOL	FP		SW	LF	A
WV077.00	5/18/2009	R	<2	MFCOL	FP		N	E	A
WV077.00	7/13/2009	R	<2	MFCOL	MLP	P	S	LF	A
WV077.00	8/19/2009	R	<2	MFCOL	FP	B	CL	H	A
WV077.00	9/14/2009	R	<2	MFCOL	FP	B	NW	E	A
WV077.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV077.00	5/3/2010	R	<2	MFCOL	FP		SW	LF	A
WV077.00	5/17/2010	R	<2	MFCOL	FP		CL	F	A
WV077.00	7/19/2010	R	<2	MFCOL	EXT		S	LE	A
WV077.00	8/23/2010	R	<2	MFCOL	FP	B	NE	HF	A
WV077.00	9/13/2010	R	<2	MFCOL	FP		S	LF	A
WV077.00	10/4/2010	R	<2	MFCOL	FP	P	NE	E	A
WV077.00	5/23/2011	R	7.3	MFCOL	FP		SW	L	A
WV077.00	6/13/2011	R	<2	MFCOL	FP		N	E	A
WV077.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV077.00	7/11/2011	R	<2	MFCOL	FP	B	SW	E	A
WV077.00	9/19/2011	R	<2	MFCOL	FP		NE	L	A
WV077.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV078.00	5/24/2006	R	<3	A1COL	FP	W	NE	HE	A
WV078.00	7/19/2006	R	<3	A1COL	FP		CL	LE	A
WV078.00	8/16/2006	R	<3	A1COL	FP		N	L	A
WV078.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV078.00	11/29/2006	R	15	MFCOL	FP		S	LE	A
WV078.00	12/12/2006	R	<2	MFCOL	FP			L	A
WV078.00	3/26/2007	R	<2	MFCOL	FP		S	F	A
WV078.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV078.00	7/16/2007	R	<2	MFCOL	FP	P	CL	F	A
WV078.00	8/15/2007	R	<2	MFCOL	JB	B	S	HF	A
WV078.00	9/4/2007	R	<2	MFCOL	FP		NW	L	A
WV078.00	10/1/2007	R	2	MFCOL	FP		S	F	A
WV078.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV078.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV078.00	7/1/2008	R	<2	MFCOL	FP		S	HE	A
WV078.00	7/28/2008	R	4	MFCOL	FP		SW	E	A
WV078.00	8/18/2008	R	<2	MFCOL	FP		S	F	A
WV078.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV078.00	4/1/2009	R	<2	MFCOL	FP		SW	LF	A
WV078.00	5/18/2009	R	<2	MFCOL	FP		CL	E	A
WV078.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	LF	A
WV078.00	8/19/2009	R	2	MFCOL	FP		CL	H	A
WV078.00	9/14/2009	R	2	MFCOL	FP	B	NW	E	A
WV078.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV078.00	5/3/2010	R	2	MFCOL	FP		SW	LF	A
WV078.00	5/17/2010	R	<2	MFCOL	FP		CL	F	A
WV078.00	7/19/2010	R	<2	MFCOL	EXT		S	LE	A
WV078.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV078.00	9/13/2010	R	<2	MFCOL	FP		S	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV078.00	10/4/2010	R	<2	MFCOL	FP	P	NE	E	A
WV078.00	5/23/2011	R	2	MFCOL	FP		SW	L	A
WV078.00	6/13/2011	R	<2	MFCOL	FP		N	E	A
WV078.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV078.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV078.00	9/19/2011	R	<2	MFCOL	FP		NE	L	A
WV078.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV079.00	5/24/2006	R	3.6	A1COL	FP		NE	E	A
WV079.00	7/19/2006	R	<3	A1COL	FP		N	LE	A
WV079.00	8/16/2006	R	<3	A1COL	FP		N	L	A
WV079.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A
WV079.00	11/29/2006	R	2	MFCOL	FP		S	LE	A
WV079.00	12/12/2006	R	<2	MFCOL	FP			L	A
WV079.00	3/26/2007	R	<2	MFCOL	FP		SW	F	A
WV079.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV079.00	7/16/2007	R	<2	MFCOL	FP	P	CL	F	A
WV079.00	8/15/2007	R	<2	MFCOL	JB	B	SW	HF	A
WV079.00	9/4/2007	R	<2	MFCOL	FP		NW	L	A
WV079.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV079.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV079.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV079.00	7/1/2008	R	2	MFCOL	FP		S	E	A
WV079.00	7/28/2008	R	3.6	MFCOL	FP		SW	E	A
WV079.00	8/18/2008	R	<2	MFCOL	FP		S	F	A
WV079.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV079.00	4/1/2009	R	<2	MFCOL	FP		SW	LF	A
WV079.00	5/18/2009	R	<2	MFCOL	FP	W	CL	E	A
WV079.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	LF	A
WV079.00	8/19/2009	R	<2	MFCOL	FP		CL	H	A
WV079.00	9/14/2009	R	<2	MFCOL	FP	B	NW	E	A
WV079.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV079.00	5/3/2010	R	<2	MFCOL	FP		SW	LF	A
WV079.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV079.00	7/19/2010	R	<2	MFCOL	EXT		S	LE	A
WV079.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV079.00	9/13/2010	R	<2	MFCOL	FP		CL	LF	A
WV079.00	10/4/2010	R	<2	MFCOL	FP	P	NE	E	A
WV079.00	5/23/2011	R	2	MFCOL	FP		SW	L	A
WV079.00	6/13/2011	R	2	MFCOL	FP		N	E	A
WV079.00	6/27/2011	R	5.5	MFCOL	FP		S	E	A
WV079.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV079.00	9/19/2011	R	<2	MFCOL	FP		NE	L	A
WV079.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV080.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV080.00	7/19/2006	R	<3	A1COL	FP		N	LE	A
WV080.00	8/16/2006	R	<3	A1COL	FP		N	L	A
WV080.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A
WV080.00	11/29/2006	R	4	MFCOL	FP		S	L	A
WV080.00	12/12/2006	R	<2	MFCOL	FP			L	A
WV080.00	3/26/2007	R	<2	MFCOL	FP		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV080.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV080.00	7/16/2007	R	<2	MFCOL	FP	P	CL	F	A
WV080.00	8/15/2007	R	<2	MFCOL	JB	B	SW	HF	A
WV080.00	9/4/2007	R	<2	MFCOL	FP		NW	L	A
WV080.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV080.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV080.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV080.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV080.00	7/28/2008	R	4	MFCOL	FP		SW	E	A
WV080.00	8/18/2008	R	<2	MFCOL	FP		CL	F	A
WV080.00	10/27/2008	R	2	MFCOL	FP		NE	E	A
WV080.00	4/1/2009	R	<2	MFCOL	FP		CL	LF	A
WV080.00	5/18/2009	R	2	MFCOL	FP		N	E	A
WV080.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV080.00	8/19/2009	R	<2	MFCOL	FP		CL	H	A
WV080.00	9/14/2009	R	2	MFCOL	FP	B	NW	E	A
WV080.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV080.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV080.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV080.00	7/19/2010	R	<2	MFCOL	EXT		S	LE	A
WV080.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV080.00	9/13/2010	R	<2	MFCOL	FP		CL	LF	A
WV080.00	10/4/2010	R	6	MFCOL	FP	P	NE	E	A
WV080.00	5/23/2011	R	<2	MFCOL	FP		SW	L	A
WV080.00	6/1/2011	R	2	MFCOL	FP		N	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV080.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV080.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV080.00	9/19/2011	R	<2	MFCOL	FP		CL	L	A
WV080.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV081.00	5/24/2006	R	3.6	A1COL	FP		NE	E	A
WV081.00	7/19/2006	R	<3	A1COL	FP		N	LE	A
WV081.00	8/16/2006	R	<3	A1COL	FP		N	L	A
WV081.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A
WV081.00	11/29/2006	R	7.3	MFCOL	FP		S	L	A
WV081.00	12/12/2006	R	<2	MFCOL	FP			L	A
WV081.00	3/26/2007	R	<2	MFCOL	FP		SW	F	A
WV081.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV081.00	7/16/2007	R	2	MFCOL	FP	P	CL	F	A
WV081.00	8/15/2007	R	<2	MFCOL	JB	B	SW	H	A
WV081.00	9/4/2007	R	<2	MFCOL	FP		NW	L	A
WV081.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV081.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV081.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV081.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV081.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV081.00	8/18/2008	R	2	MFCOL	FP		S	F	A
WV081.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV081.00	4/1/2009	R	<2	MFCOL	FP		SW	LF	A
WV081.00	5/18/2009	R	6	MFCOL	FP		N	E	A
WV081.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV081.00	8/19/2009	R	<2	MFCOL	FP		CL	E	A
WV081.00	9/14/2009	R	2	MFCOL	FP	B	NW	E	A
WV081.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV081.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV081.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV081.00	7/19/2010	R	<2	MFCOL	EXT		S	LE	A
WV081.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV081.00	9/13/2010	R	<2	MFCOL	FP		CL	LF	A
WV081.00	10/4/2010	R	<2	MFCOL	FP	P	NE	E	A
WV081.00	5/23/2011	R	<2	MFCOL	FP		SW	L	A
WV081.00	6/13/2011	R	<2	MFCOL	FP		N	E	A
WV081.00	6/27/2011	R	<2	MFCOL	FP		CL	E	A
WV081.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV081.00	9/19/2011	R	<2	MFCOL	FP		NE	L	A
WV081.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV083.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV083.00	7/19/2006	R	<3	A1COL	FP		CL	L	A
WV083.00	8/16/2006	R	<3	A1COL	FP		S	F	A
WV083.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV083.00	11/29/2006	R	<2	MFCOL	FP		S	LF	A
WV083.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV083.00	3/26/2007	R	<2	MFCOL	FP		SW	LF	A
WV083.00	5/21/2007	R	2	MFCOL	FP		NW	F	A
WV083.00	7/16/2007	R	2	MFCOL	FP	P	S	F	A
WV083.00	8/15/2007	R	<2	MFCOL	JB	B	SW	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV083.00	9/4/2007	R	<2	MFCOL	FP		NW	F	A
WV083.00	10/1/2007	R	<2	MFCOL	FP		SW	F	A
WV083.00	3/18/2008	R	<2	MFCOL	FP		N	E	A
WV083.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV083.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV083.00	7/28/2008	R	2	MFCOL	FP		SW	E	A
WV083.00	8/18/2008	R	<2	MFCOL	FP		S	HF	A
WV083.00	10/27/2008	R	2	MFCOL	FP		NE	E	A
WV083.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV083.00	5/18/2009	R	<2	MFCOL	FP		N	LE	A
WV083.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV083.00	8/19/2009	R	<2	MFCOL	FP		W	HE	A
WV083.00	9/14/2009	R	<2	MFCOL	FP	B	NW	E	A
WV083.00	10/6/2009	R	<2	MFCOL	FP		NW	HF	A
WV083.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV083.00	5/17/2010	R	<2	MFCOL	FP		SW	F	A
WV083.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV083.00	8/23/2010	R	<2	MFCOL	FP		NE	H	A
WV083.00	9/13/2010	R	<2	MFCOL	FP		S	F	A
WV083.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A
WV083.00	5/23/2011	R	<2	MFCOL	FP		SW	F	A
WV083.00	6/13/2011	R	<2	MFCOL	FP		N	E	A
WV083.00	6/27/2011	R	<2	MFCOL	FP		SW	E	A
WV083.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV083.00	9/19/2011	R	<2	MFCOL	FP		CL	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV083.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV084.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV084.00	7/19/2006	R	<3	A1COL	FP		CL	L	A
WV084.00	8/16/2006	R	<3	A1COL	FP		S	F	A
WV084.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV084.00	11/29/2006	R	<2	MFCOL	FP		S	LF	A
WV084.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV084.00	3/26/2007	R	<2	MFCOL	FP		SW	LF	A
WV084.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV084.00	7/16/2007	R	<2	MFCOL	FP	P	S	F	A
WV084.00	8/15/2007	R	<2	MFCOL	JB	B	SW	HE	A
WV084.00	9/4/2007	R	<2	MFCOL	FP		NW	F	A
WV084.00	10/1/2007	R	<2	MFCOL	FP		SW	F	A
WV084.00	3/18/2008	R	<2	MFCOL	FP		N	E	A
WV084.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV084.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV084.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV084.00	8/18/2008	R	<2	MFCOL	FP		S	HF	A
WV084.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV084.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV084.00	5/18/2009	R	<2	MFCOL	FP		N	LE	A
WV084.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV084.00	8/19/2009	R	2.8	MFCOL	FP		W	HE	A
WV084.00	9/14/2009	R	<2	MFCOL	FP	B	NW	E	A
WV084.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV084.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV084.00	5/17/2010	R	<2	MFCOL	FP		SW	F	A
WV084.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV084.00	8/23/2010	R	<2	MFCOL	FP		NE	H	A
WV084.00	9/13/2010	R	<2	MFCOL	FP		S	F	A
WV084.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A
WV084.00	5/23/2011	R	<2	MFCOL	FP		SW	LF	A
WV084.00	6/13/2011	R	30	MFCOL	FP		N	E	A
WV084.00	6/27/2011	R	<2	MFCOL	FP		SW	E	A
WV084.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV084.00	9/19/2011	R	<2	MFCOL	FP		NE	LF	A
WV084.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV085.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV085.00	7/19/2006	R	3	A1COL	FP		CL	L	A
WV085.00	8/16/2006	R	<3	A1COL	FP		S	F	A
WV085.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV085.00	11/29/2006	R	7.3	MFCOL	FP		S	LF	A
WV085.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV085.00	3/26/2007	R	<2	MFCOL	FP		SW	LF	A
WV085.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV085.00	7/16/2007	R	<2	MFCOL	FP	P	S	F	A
WV085.00	8/15/2007	R	<2	MFCOL	JB	B	SW	HE	A
WV085.00	9/4/2007	R	<2	MFCOL	FP		NW	F	A
WV085.00	10/1/2007	R	<2	MFCOL	FP		SW	F	A
WV085.00	3/18/2008	R	<2	MFCOL	FP		N	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV085.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV085.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV085.00	7/28/2008	R	2	MFCOL	FP		SW	E	A
WV085.00	8/18/2008	R	<2	MFCOL	FP		S	HF	A
WV085.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV085.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV085.00	5/18/2009	R	<2	MFCOL	FP		N	LE	A
WV085.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV085.00	8/19/2009	R	9.1	MFCOL	FP		W	HE	A
WV085.00	9/14/2009	R	<2	MFCOL	FP	B	NW	E	A
WV085.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV085.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV085.00	5/17/2010	R	<2	MFCOL	FP		SW	F	A
WV085.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV085.00	8/23/2010	R	<2	MFCOL	FP		NE	H	A
WV085.00	9/13/2010	R	4	MFCOL	FP		CL	F	A
WV085.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A
WV085.00	5/23/2011	R	<2	MFCOL	FP		SW	LF	A
WV085.00	6/13/2011	R	9.1	MFCOL	FP		N	E	A
WV085.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV085.00	7/11/2011	R	2	MFCOL	FP		SW	E	A
WV085.00	9/19/2011	R	<2	MFCOL	FP		CL	LF	A
WV085.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV086.00	5/24/2006	R	240	A1COL	FP		NE	E	A
WV086.00	7/19/2006	R	<3	A1COL	FP		N	L	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV086.00	8/16/2006	R	<3	A1COL	FP		S	F	A
WV086.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV086.00	11/29/2006	R	2	MFCOL	FP		S	L	A
WV086.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV086.00	3/26/2007	R	<2	MFCOL	FP		SW	LF	A
WV086.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV086.00	7/16/2007	R	4	MFCOL	FP	P	S	F	A
WV086.00	8/15/2007	R	<2	MFCOL	JB	B	SW	H	A
WV086.00	9/4/2007	R	<2	MFCOL	FP		NW	LF	A
WV086.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV086.00	3/18/2008	R	<2	MFCOL	FP		N	E	A
WV086.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV086.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV086.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV086.00	8/18/2008	R	2	MFCOL	FP		S	HF	A
WV086.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV086.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV086.00	5/18/2009	R	2	MFCOL	FP		N	LE	A
WV086.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV086.00	8/19/2009	R	6	MFCOL	FP		W	H	A
WV086.00	9/14/2009	R	4	MFCOL	FP	B	NW	E	A
WV086.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV086.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV086.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV086.00	7/19/2010	R	5.5	MFCOL	EXT		S	L	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV086.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV086.00	9/13/2010	R	<2	MFCOL	FP		S	F	A
WV086.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A
WV086.00	5/23/2011	R	2	MFCOL	FP		SW	LF	A
WV086.00	6/13/2011	R	42	MFCOL	FP		N	E	A
WV086.00	6/27/2011	R	<2	MFCOL	FP		SW	E	A
WV086.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV086.00	9/19/2011	R	<2	MFCOL	FP		NE	LF	A
WV086.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV087.00	5/24/2006	R	23	A1COL	FP		NE	E	A
WV087.00	7/19/2006	R	<3	A1COL	FP		CL	L	A
WV087.00	8/16/2006	R	<3	A1COL	FP		S	F	A
WV087.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV087.00	11/29/2006	R	<2	MFCOL	FP		S	L	A
WV087.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV087.00	3/26/2007	R	<2	MFCOL	FP		SW	LF	A
WV087.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV087.00	7/16/2007	R	<2	MFCOL	FP	P	S	F	A
WV087.00	8/15/2007	R	<2	MFCOL	JB	B	SW	H	A
WV087.00	9/4/2007	R	<2	MFCOL	FP		NW	LF	A
WV087.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV087.00	3/18/2008	R	<2	MFCOL	FP		N	E	A
WV087.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV087.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV087.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV087.00	8/18/2008	R	<2	MFCOL	FP		CL	F	A
WV087.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV087.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV087.00	5/18/2009	R	<2	MFCOL	FP		N	LE	A
WV087.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV087.00	8/19/2009	R	<2	MFCOL	FP		CL	H	A
WV087.00	9/14/2009	R	4	MFCOL	FP	B	NW	E	A
WV087.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV087.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV087.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV087.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV087.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV087.00	9/13/2010	R	<2	MFCOL	FP		S	F	A
WV087.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A
WV087.00	5/23/2011	R	<2	MFCOL	FP		SW	LF	A
WV087.00	6/13/2011	R	<2	MFCOL	FP		N	E	A
WV087.00	6/27/2011	R	<2	MFCOL	FP		SW	E	A
WV087.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV087.00	9/19/2011	R	<2	MFCOL	FP		NE	LF	A
WV087.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV088.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV088.00	7/19/2006	R	<3	A1COL	FP		N	LE	A
WV088.00	8/16/2006	R	<3	A1COL	FP		S	LF	A
WV088.00	9/13/2006	R	<2	MFCOL	FP		SW	F	A
WV088.00	11/29/2006	R	<2	MFCOL	FP		S	L	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV088.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV088.00	3/26/2007	R	<2	MFCOL	FP		S	L	A
WV088.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV088.00	7/16/2007	R	<2	MFCOL	FP	P	S	F	A
WV088.00	8/15/2007	R	2	MFCOL	JB	B	CL	H	A
WV088.00	9/4/2007	R	<2	MFCOL	FP		NW	LF	A
WV088.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV088.00	3/18/2008	R	<2	MFCOL	FP		N	E	A
WV088.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV088.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV088.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV088.00	8/18/2008	R	<2	MFCOL	FP	W	S	F	A
WV088.00	10/27/2008	R	<2	MFCOL	FP		NE	E	A
WV088.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A
WV088.00	5/18/2009	R	<2	MFCOL	FP		N	E	A
WV088.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV088.00	8/19/2009	R	2	MFCOL	FP		CL	H	A
WV088.00	9/14/2009	R	6	MFCOL	FP	B	NW	E	A
WV088.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV088.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV088.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV088.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV088.00	8/23/2010	R	2	MFCOL	FP		NE	HF	A
WV088.00	9/13/2010	R	2	MFCOL	FP		S	F	A
WV088.00	10/4/2010	R	<2	MFCOL	FP		NE	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV088.00	5/23/2011	R	<2	MFCOL	FP		SW	LF	A
WV088.00	6/13/2011	R	9.1	MFCOL	FP		N	E	A
WV088.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV088.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV088.00	9/19/2011	R	<2	MFCOL	FP		NE	LF	A
WV088.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A
WV089.00	5/24/2006	R	<3	A1COL	FP		NE	E	A
WV089.00	7/19/2006	R	3	A1COL	FP		N	LE	A
WV089.00	8/16/2006	R	<3	A1COL	FP		N	LF	A
WV089.00	9/13/2006	R	<2	MFCOL	FP		SW	LF	A
WV089.00	11/29/2006	R	<2	MFCOL	FP		S	L	A
WV089.00	12/12/2006	R	<2	MFCOL	FP			LF	A
WV089.00	3/26/2007	R	<2	MFCOL	FP		S	L	A
WV089.00	5/21/2007	R	<2	MFCOL	FP		NW	F	A
WV089.00	7/16/2007	R	<2	MFCOL	FP	P	CL	F	A
WV089.00	8/15/2007	R	<2	MFCOL	JB	B	SW	H	A
WV089.00	9/4/2007	R	<2	MFCOL	FP		NW	LF	A
WV089.00	10/1/2007	R	<2	MFCOL	FP		S	F	A
WV089.00	3/18/2008	R	<2	MFCOL	FP		N	HE	A
WV089.00	4/14/2008	R	<2	MFCOL	FP		NW	E	A
WV089.00	7/1/2008	R	<2	MFCOL	FP		S	E	A
WV089.00	7/28/2008	R	<2	MFCOL	FP		SW	E	A
WV089.00	8/18/2008	R	<2	MFCOL	FP		S	F	A
WV089.00	10/27/2008	R	2	MFCOL	FP		NE	E	A
WV089.00	4/1/2009	R	<2	MFCOL	FP		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WV089.00	5/18/2009	R	2	MFCOL	FP		N	E	A
WV089.00	7/13/2009	R	<2	MFCOL	MLP	P	SW	F	A
WV089.00	8/19/2009	R	<2	MFCOL	FP		CL	H	A
WV089.00	9/14/2009	R	18	MFCOL	FP	B	NW	E	A
WV089.00	10/6/2009	R	<2	MFCOL	FP		NW	F	A
WV089.00	5/3/2010	R	<2	MFCOL	FP		SW	F	A
WV089.00	5/17/2010	R	<2	MFCOL	FP		NE	F	A
WV089.00	7/19/2010	R	<2	MFCOL	EXT		S	L	A
WV089.00	8/23/2010	R	<2	MFCOL	FP		NE	HF	A
WV089.00	9/13/2010	R	<2	MFCOL	FP		CL	LF	A
WV089.00	10/4/2010	R	<2	MFCOL	FP	P	NE	E	A
WV089.00	5/23/2011	R	<2	MFCOL	FP		SW	LF	A
WV089.00	6/13/2011	R	42	MFCOL	FP		N	E	A
WV089.00	6/27/2011	R	<2	MFCOL	FP		S	E	A
WV089.00	7/11/2011	R	<2	MFCOL	FP		SW	E	A
WV089.00	9/19/2011	R	<2	MFCOL	FP		NE	LF	A
WV089.00	10/11/2011	R	<2	MFCOL	ESK		NE	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.