

# Maine DMR Shellfish Growing Area Classification Program Tabulated Data Report

## Growing Area: WZ

DMR collects additional water samples during flood events, to document pollution sources and under other adverse conditions which may not be included in this tabulated data report. Please refer to the specific growing area annual, triennial or sanitary survey report for further information on these samples and explanation of current classifications in each growing area. The 30 most recent data scores are used in the P90 calculation to determine classifications in a growing area. Additional information can be found on the DMR website under the Public Health Division Shellfish Program: [www.maine.gov/dmr/rm/public\\_health/htm](http://www.maine.gov/dmr/rm/public_health/htm).

**Data Key** **Score:** fecal coliform/100ml sea water sample **Strategy:** R = Random sample E = Extra sample

**Method:** MFCOL = membrane filtration, mTEC agar, A1COL = multiple tube fermentation MPN A1 media

**Adversity:** B = minimum 5 enclosed boats (i.e. not open skiffs) that might have a head; F= statewide flood closure, H= seasonal habitation of homes; M= marinas with 10 or more enclosed boats in the water; N= flowing streams, stormwater pipes, or overland runoff, P= rain or mixed precipitation anytime within past 2 days (i.e. thunderstorms, rainfall more than a drizzle); T= thawing snow and ice melt; S= sewage treatment plant malfunction or bypass events; W= Waterfowl (10 or more), domestic or wild animals (i.e., at the station or in close enough proximity to have a possible impact).

**Wind:** Wind direction **Class:** Classification when sample was collected; A= approved, CA=Conditionally Approved, R=restricted, CR=Conditionally restricted, P=Prohibited

**Tide:** Tide stage

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ003.00	4/24/2006	R	<3	A1COL	FP		E	E	P
WZ003.00	5/30/2006	R	15	A1COL	LL		S	F	P
WZ003.00	6/27/2006	R	75	A1COL	FP	P	SW	F	P
WZ003.00	7/26/2006	R	43	A1COL	FP	P	SW	F	P
WZ003.00	8/8/2006	R	3.6	A1COL	FP		N	H	P
WZ003.00	8/15/2006	R	43	A1COL	SXR	P	CL	L	P
WZ003.00	9/13/2006	R	44	MFCOL	JB		NW	LF	P
WZ003.00	10/4/2006	R	200	MFCOL	JXK		E	E	P
WZ003.00	2/27/2007	R	<2	MFCOL	FP		CL	E	P
WZ003.00	4/24/2007	R	2	MFCOL	FP		N	E	P
WZ003.00	6/26/2007	R	22	MFCOL	FP		SW	H	P
WZ003.00	8/6/2007	R	<2	MFCOL	FP		SE	LE	P
WZ003.00	10/3/2007	R	4	MFCOL	FP		S	LE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ003.00	12/12/2007	R	2	MFCOL	FP		NW	F	P
WZ003.00	1/29/2008	R	<2	MFCOL	EXT		CL	L	P
WZ003.00	3/24/2008	R	<2	MFCOL	LL		SE	F	P
WZ003.00	5/20/2008	R	24	MFCOL	FP		SW	F	P
WZ003.00	7/16/2008	R	<2	MFCOL	MLP		CL	H	P
WZ003.00	9/2/2008	R	12	MFCOL	MLP		NE	F	P
WZ003.00	11/3/2008	R	20	MFCOL	MLP		W	F	P
WZ003.00	3/9/2009	R	<2	MFCOL	AB		CL	H	P
WZ003.00	5/12/2009	R	2	MFCOL	MLP		NE	F	P
WZ003.00	5/26/2009	R	4	MFCOL	EXT		NW	F	P
WZ003.00	7/20/2009	R	22	MFCOL	FP		W	HE	P
WZ003.00	8/3/2009	R	26	MFCOL	FP		CL	H	P
WZ003.00	9/21/2009	R	27	MFCOL	EXT		CL	H	P
WZ003.00	4/12/2010	R	<2	MFCOL	EXT		NW	H	P
WZ003.00	6/14/2010	R	66	MFCOL	FP		W	F	P
WZ003.00	7/26/2010	R	62	MFCOL	HG		W	F	P
WZ003.00	8/23/2010	R	42	MFCOL	ESK		E	HF	P
WZ003.00	9/13/2010	R	112	MFCOL	EXT		S	L	P
WZ003.00	10/6/2010	R	80	MFCOL	ESK		NE	HE	P
WZ003.00	10/26/2010	R	68	MFCOL	FP		CL	F	P
WZ003.00	12/7/2010	E	12	MFCOL	ESK		NW	F	P
WZ003.00	3/21/2011	R	<2	MFCOL	ESK		SW	F	P
WZ003.00	5/3/2011	R	<2	MFCOL	HG		SE	F	P
WZ003.00	6/28/2011	R	4	MFCOL	EXT		CL	HE	P
WZ003.00	8/1/2011	R	24	MFCOL	EXT		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ003.00	9/12/2011	R	10	MFCOL	FP		SW	HF	P
WZ003.00	10/25/2011	R	760	MFCOL	ESK		W	HF	P
WZ003.50	4/24/2006	R	<3	A1COL	FP		E	E	P
WZ003.50	5/30/2006	R	3.6	A1COL	LL		S	F	P
WZ003.50	6/27/2006	R	240	A1COL	FP	P	NE	F	P
WZ003.50	7/26/2006	R	93	A1COL	FP	PN	SW	F	P
WZ003.50	8/8/2006	R	3.6	A1COL	FP		N	H	P
WZ003.50	8/15/2006	R	43	A1COL	SXR	P	SW	L	P
WZ003.50	9/13/2006	R	27	MFCOL	JB		NW	L	P
WZ003.50	10/4/2006	R	<2	MFCOL	JXK		E	E	P
WZ003.50	4/24/2007	R	<2	MFCOL	FP		N	E	P
WZ003.50	5/16/2007	R	2	MFCOL	FP		SW	F	R
WZ003.50	6/26/2007	R	<2	MFCOL	FP		SW	H	R
WZ003.50	8/6/2007	R	<2	MFCOL	FP		S	LE	R
WZ003.50	10/3/2007	R	2	MFCOL	FP		CL	LE	R
WZ003.50	5/20/2008	R	14	MFCOL	FP		NW	F	R
WZ003.50	6/18/2008	R	<2	MFCOL	AB		CL	HF	R
WZ003.50	7/21/2008	R	<2	MFCOL	MLP		CL	H	R
WZ003.50	9/2/2008	R	2	MFCOL	MLP		NE	F	R
WZ003.50	11/3/2008	R	<2	MFCOL	MLP		SW	HF	R
WZ003.50	11/19/2008	R	86	MFCOL	FP			F	R
WZ003.50	5/12/2009	R	<2	MFCOL	MLP		NE	F	R
WZ003.50	5/26/2009	R	8	MFCOL	EXT		NW	F	R
WZ003.50	7/20/2009	R	50	MFCOL	FP		W	HE	R
WZ003.50	8/3/2009	R	140	MFCOL	FP		CL	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ003.50	9/21/2009	R	90	MFCOL	EXT		CL	H	R
WZ003.50	10/21/2009	R	27	MFCOL	FP		CL	F	R
WZ003.50	4/12/2010	R	2	MFCOL	EXT		W	H	R
WZ003.50	6/14/2010	R	8	MFCOL	FP		NW	F	R
WZ003.50	7/26/2010	R	180	MFCOL	HG		NW	F	R
WZ003.50	8/23/2010	R	2	MFCOL	ESK		SE	HF	R
WZ003.50	9/13/2010	R	62	MFCOL	EXT		CL	LF	R
WZ003.50	10/6/2010	R	94	MFCOL	ESK		NE	HE	R
WZ003.50	10/26/2010	R	2	MFCOL	FP		CL	F	R
WZ003.50	12/7/2010	E	<2	MFCOL	ESK		NW	F	R
WZ003.50	5/3/2011	R	2	MFCOL	HG		CL	F	R
WZ003.50	6/1/2011	R	<2	MFCOL	FP			HF	R
WZ003.50	6/28/2011	R	<2	MFCOL	EXT		CL	HE	R
WZ003.50	8/1/2011	R	2	MFCOL	EXT		CL	F	R
WZ003.50	9/12/2011	R	18	MFCOL	FP		SW	HF	R
WZ003.50	10/25/2011	R	27	MFCOL	ESK		NW	HF	R
WZ003.70	5/20/2008	R	2	MFCOL	FP		W	F	R
WZ003.70	6/18/2008	R	2	MFCOL	AB		CL	F	R
WZ003.70	7/16/2008	R	<2	MFCOL	MLP		CL	HF	R
WZ003.70	9/2/2008	R	12	MFCOL	MLP		NE	F	R
WZ003.70	11/3/2008	R	4	MFCOL	MLP		S	HF	R
WZ003.70	11/19/2008	R	66	MFCOL	FP			F	R
WZ003.70	5/12/2009	R	<2	MFCOL	MLP		NE	F	R
WZ003.70	5/26/2009	R	12	MFCOL	EXT		NW	F	R
WZ003.70	7/20/2009	R	44	MFCOL	FP		CL	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ003.70	8/3/2009	R	64	MFCOL	FP		CL	H	R
WZ003.70	9/21/2009	R	72	MFCOL	EXT		SW	HF	R
WZ003.70	10/21/2009	R	6	MFCOL	FP		CL	F	R
WZ003.70	4/12/2010	R	<2	MFCOL	EXT		N	H	R
WZ003.70	6/14/2010	R	180	MFCOL	FP		CL	F	R
WZ003.70	7/26/2010	R	140	MFCOL	HG		NW	F	R
WZ003.70	8/23/2010	R	<2	MFCOL	ESK		N	HF	R
WZ003.70	9/13/2010	R	64	MFCOL	EXT		CL	LF	R
WZ003.70	10/6/2010	R	180	MFCOL	ESK		NE	H	R
WZ003.70	10/26/2010	R	9.1	MFCOL	FP		CL	F	R
WZ003.70	12/7/2010	E	5.5	MFCOL	ESK		CL	F	R
WZ003.70	3/21/2011	R	<2	MFCOL	ESK		SE	F	R
WZ003.70	5/3/2011	R	<2	MFCOL	HG		SE	F	R
WZ003.70	6/28/2011	R	<2	MFCOL	EXT		CL	HE	R
WZ003.70	8/1/2011	R	4	MFCOL	EXT		NE	F	R
WZ003.70	9/12/2011	R	2	MFCOL	FP		CL	HF	R
WZ003.70	10/25/2011	R	46	MFCOL	ESK		CL	HF	R
WZ004.00	4/24/2006	R	3.6	A1COL	FP		E	E	P
WZ004.00	5/30/2006	R	<3	A1COL	LL		S	F	P
WZ004.00	6/27/2006	R	7.3	A1COL	FP	P	S	F	P
WZ004.00	7/26/2006	R	7.3	A1COL	FP	P	SW	F	P
WZ004.00	8/15/2006	R	3.6	A1COL	SXR	P	CL	L	P
WZ004.00	9/13/2006	R	<2	MFCOL	JB		CL	LF	P
WZ004.00	2/27/2007	R	<2	MFCOL	FP		CL	E	P
WZ004.00	4/24/2007	R	<2	MFCOL	FP		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ004.00	6/26/2007	R	<2	MFCOL	FP		CL	H	P
WZ004.00	8/6/2007	R	10	MFCOL	FP		SE	LE	P
WZ004.00	10/3/2007	R	<2	MFCOL	FP		CL	L	P
WZ004.00	12/12/2007	R	<2	MFCOL	FP		CL	F	P
WZ004.00	1/29/2008	R	<2	MFCOL	EXT		N	LF	P
WZ004.00	3/24/2008	R	<2	MFCOL	LL		SE	F	P
WZ004.00	5/20/2008	R	<2	MFCOL	FP		SW	F	P
WZ004.00	7/16/2008	R	<2	MFCOL	MLP		W	H	P
WZ004.00	9/2/2008	R	6	MFCOL	MLP		NE	F	P
WZ004.00	11/3/2008	R	4	MFCOL	MLP		W	F	P
WZ004.00	3/9/2009	R	<2	MFCOL	AB		CL	HE	P
WZ004.00	5/12/2009	R	<2	MFCOL	MLP		NE	F	P
WZ004.00	5/26/2009	R	<2	MFCOL	EXT		NW	F	P
WZ004.00	7/20/2009	R	8	MFCOL	FP		W	HE	P
WZ004.00	8/3/2009	R	158	MFCOL	FP		CL	HE	P
WZ004.00	9/21/2009	R	2	MFCOL	EXT		CL	H	P
WZ004.00	4/12/2010	R	<2	MFCOL	EXT		NW	H	P
WZ004.00	6/14/2010	R	6	MFCOL	FP	W	CL	F	P
WZ004.00	7/26/2010	R	2	MFCOL	HG		NW	HF	P
WZ004.00	8/23/2010	R	15	MFCOL	ESK		N	H	P
WZ004.00	9/13/2010	R	8	MFCOL	EXT		S	LF	P
WZ004.00	10/6/2010	R	94	MFCOL	ESK		NE	HE	P
WZ004.00	10/26/2010	R	<2	MFCOL	FP		CL	F	P
WZ004.00	12/7/2010	E	98	MFCOL	ESK		NW	F	P
WZ004.00	3/21/2011	R	<2	MFCOL	ESK		SW	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ004.00	5/3/2011	R	<2	MFCOL	HG		S	HF	P
WZ004.00	6/28/2011	R	5.5	MFCOL	EXT		CL	HE	P
WZ004.00	8/1/2011	R	12	MFCOL	EXT		CL	F	P
WZ004.00	9/12/2011	R	4	MFCOL	FP		SW	HF	P
WZ004.00	10/25/2011	R	60	MFCOL	ESK		CL	HF	P
WZ004.30	5/16/2007	R	<2	MFCOL	FP		SW	F	P
WZ004.30	6/26/2007	R	<2	MFCOL	FP		SW	H	P
WZ004.30	8/6/2007	R	<2	MFCOL	FP		S	LE	P
WZ004.30	8/29/2007	R	<2	MFCOL	FP		S	F	P
WZ004.30	10/3/2007	R	24	MFCOL	FP		S	LE	P
WZ004.30	12/12/2007	R	<2	MFCOL	FP		CL	F	P
WZ004.30	1/29/2008	R	<2	MFCOL	EXT		N	LF	P
WZ004.30	3/24/2008	R	<2	MFCOL	LL		SE	F	P
WZ004.30	5/20/2008	R	<2	MFCOL	FP		W	F	P
WZ004.30	7/16/2008	R	<2	MFCOL	MLP		CL	H	P
WZ004.30	9/2/2008	R	<2	MFCOL	MLP		NE	F	P
WZ004.30	11/3/2008	R	2	MFCOL	MLP		SW	F	P
WZ004.30	3/9/2009	R	<2	MFCOL	AB		S	HE	P
WZ004.30	5/12/2009	R	<2	MFCOL	MLP		NE	F	P
WZ004.30	5/26/2009	R	<2	MFCOL	EXT		NW	F	P
WZ004.30	7/20/2009	R	29	MFCOL	FP	W	CL	HE	P
WZ004.30	8/3/2009	R	132	MFCOL	FP		CL	H	P
WZ004.30	9/21/2009	R	58	MFCOL	EXT		CL	H	P
WZ004.30	4/12/2010	R	<2	MFCOL	EXT		NW	H	P
WZ004.30	6/14/2010	R	2	MFCOL	FP		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ004.30	7/26/2010	R	6	MFCOL	HG		NW	HF	P
WZ004.30	8/23/2010	R	<2	MFCOL	ESK		SE	H	P
WZ004.30	9/13/2010	R	<2	MFCOL	EXT		S	F	P
WZ004.30	10/6/2010	R	76	MFCOL	ESK		NE	HE	P
WZ004.30	10/26/2010	R	5.5	MFCOL	FP		CL	F	P
WZ004.30	12/7/2010	E	2	MFCOL	ESK		NW	F	P
WZ004.30	3/21/2011	R	<2	MFCOL	ESK		SW	F	P
WZ004.30	5/3/2011	R	<2	MFCOL	HG		SE	HF	P
WZ004.30	6/28/2011	R	2	MFCOL	EXT		CL	HE	P
WZ004.30	8/1/2011	R	9.1	MFCOL	EXT		CL	F	P
WZ004.30	9/12/2011	R	4	MFCOL	FP		SW	HF	P
WZ004.30	10/25/2011	R	20	MFCOL	ESK		NW	HF	P
WZ005.00	4/24/2006	R	<3	A1COL	FP		E	E	A
WZ005.00	5/30/2006	R	<3	A1COL	LL		S	F	A
WZ005.00	6/27/2006	R	3.6	A1COL	FP	P	S	F	A
WZ005.00	7/26/2006	R	3	A1COL	FP	P	SW	F	A
WZ005.00	8/15/2006	R	3.6	A1COL	SXR	P	CL	L	A
WZ005.00	9/13/2006	R	<2	MFCOL	JB		CL	LF	A
WZ005.00	2/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ005.00	4/24/2007	R	<2	MFCOL	FP		CL	E	A
WZ005.00	6/26/2007	R	2	MFCOL	FP		CL	H	A
WZ005.00	8/6/2007	R	4	MFCOL	FP		SE	LE	A
WZ005.00	10/3/2007	R	6	MFCOL	FP		CL	L	A
WZ005.00	12/12/2007	R	2	MFCOL	FP		CL	F	A
WZ005.00	1/29/2008	R	<2	MFCOL	EXT		CL	LF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ005.00	3/24/2008	R	<2	MFCOL	LL		SE	F	A
WZ005.00	5/20/2008	R	2	MFCOL	FP		SW	F	A
WZ005.00	7/16/2008	R	<2	MFCOL	MLP		CL	H	A
WZ005.00	9/2/2008	R	<2	MFCOL	MLP		NE	F	A
WZ005.00	11/3/2008	R	108	MFCOL	MLP		W	F	A
WZ005.00	3/9/2009	R	<2	MFCOL	AB		CL	HE	A
WZ005.00	5/12/2009	R	4	MFCOL	MLP		NE	F	A
WZ005.00	5/26/2009	R	6	MFCOL	EXT		CL	F	A
WZ005.00	7/20/2009	R	<2	MFCOL	FP		W	HE	A
WZ005.00	8/3/2009	R	6	MFCOL	FP		S	HE	A
WZ005.00	9/21/2009	R	<2	MFCOL	EXT		CL	H	A
WZ005.00	4/12/2010	R	<2	MFCOL	EXT		NW	H	A
WZ005.00	6/14/2010	R	36	MFCOL	FP		CL	F	A
WZ005.00	7/26/2010	R	6	MFCOL	HG		NW	HF	A
WZ005.00	8/23/2010	R	<2	MFCOL	ESK		E	H	A
WZ005.00	9/13/2010	R	7.3	MFCOL	EXT		CL	LF	A
WZ005.00	10/6/2010	R	24	MFCOL	ESK		NE	HE	A
WZ005.00	10/26/2010	R	11	MFCOL	FP		CL	F	A
WZ005.00	12/7/2010	E	6	MFCOL	ESK		CL	F	A
WZ005.00	3/21/2011	R	<2	MFCOL	ESK		SW	F	A
WZ005.00	5/3/2011	R	<2	MFCOL	HG		SE	HF	A
WZ005.00	6/28/2011	R	<2	MFCOL	EXT		CL	HE	A
WZ005.00	8/1/2011	R	9.1	MFCOL	EXT		CL	F	A
WZ005.00	9/12/2011	R	6	MFCOL	FP		SW	HF	A
WZ005.00	10/25/2011	R	48	MFCOL	ESK		CL	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ005.90	5/30/2006	R	<3	A1COL	LL		S	F	A
WZ005.90	6/27/2006	R	43	A1COL	FP	P	SW	F	A
WZ005.90	7/26/2006	R	23	A1COL	FP	PB	SW	F	A
WZ005.90	8/8/2006	R	9.1	A1COL	FP		N	H	A
WZ005.90	8/15/2006	R	93	A1COL	SXR	P	CL	LF	A
WZ005.90	10/4/2006	R	1500	MFCOL	JXK		E	E	A
WZ005.90	4/24/2007	R	<2	MFCOL	FP		N	LE	A
WZ005.90	5/16/2007	R	2	MFCOL	FP		SW	F	R
WZ005.90	6/26/2007	R	12	MFCOL	FP		SW	HE	R
WZ005.90	8/6/2007	R	38	MFCOL	FP	B	S	L	R
WZ005.90	10/3/2007	R	12	MFCOL	FP		S	L	R
WZ005.90	1/29/2008	R	<2	MFCOL	EXT		CL	F	R
WZ005.90	3/24/2008	R	<2	MFCOL	LL		SE	HF	R
WZ005.90	5/20/2008	R	<2	MFCOL	FP		SW	HF	R
WZ005.90	7/16/2008	R	<2	MFCOL	MLP		SW	HE	R
WZ005.90	9/2/2008	R	2	MFCOL	MLP		CL	F	R
WZ005.90	11/3/2008	R	18	MFCOL	MLP		SW	F	R
WZ005.90	3/9/2009	R	<2	MFCOL	AB		CL	HE	R
WZ005.90	5/12/2009	R	<2	MFCOL	MLP		CL	F	R
WZ005.90	5/26/2009	R	<2	MFCOL	EXT		CL	F	R
WZ005.90	7/20/2009	R	72	MFCOL	FP	O	SW	E	R
WZ005.90	8/3/2009	R	400	MFCOL	FP		S	HE	R
WZ005.90	9/21/2009	R	2	MFCOL	EXT		CL	HF	R
WZ005.90	4/12/2010	R	<2	MFCOL	EXT		CL	E	R
WZ005.90	6/14/2010	R	4	MFCOL	FP		SW	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ005.90	7/26/2010	R	7.3	MFCOL	HG		N	HE	R
WZ005.90	8/23/2010	R	2	MFCOL	ESK		CL	H	R
WZ005.90	9/13/2010	R	10	MFCOL	EXT		SW	F	R
WZ005.90	10/6/2010	R	6	MFCOL	ESK		NE	HE	R
WZ005.90	10/26/2010	R	4	MFCOL	FP		CL	F	R
WZ005.90	12/7/2010	E	2	MFCOL	ESK		NW	F	R
WZ005.90	5/3/2011	R	<2	MFCOL	HG		SW	HE	R
WZ005.90	6/1/2011	R	26	MFCOL	FP	P		HF	R
WZ005.90	6/28/2011	R	36	MFCOL	EXT		S	E	R
WZ005.90	8/1/2011	R	4	MFCOL	EXT		SW	HF	R
WZ005.90	9/12/2011	R	<2	MFCOL	FP		SW	H	R
WZ005.90	10/25/2011	R	240	MFCOL	ESK		CL	H	R
WZ006.00	4/24/2006	R	93	A1COL	FP	N	E	E	A
WZ006.00	5/30/2006	R	23	A1COL	LL		S	F	A
WZ006.00	6/27/2006	R	93	A1COL	FP	PN	SE	F	A
WZ006.00	7/26/2006	R	93	A1COL	FP	PN	SW	F	A
WZ006.00	8/15/2006	R	43	A1COL	SXR	PN	CL	LF	A
WZ006.00	9/13/2006	R	<2	MFCOL	JB		NW	LF	A
WZ006.00	2/27/2007	R	<2	MFCOL	FP	N	CL	E	A
WZ006.00	5/16/2007	R	16	MFCOL	FP		SW	HF	R
WZ006.00	6/26/2007	R	4	MFCOL	FP		CL	HE	R
WZ006.00	9/17/2007	R	<2	MFCOL	FP		CL	F	R
WZ006.00	10/3/2007	R	<2	MFCOL	FP		S	LF	R
WZ006.00	12/12/2007	R	<2	MFCOL	FP		CL	HF	R
WZ006.00	1/29/2008	R	<2	MFCOL	EXT		CL	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ006.00	3/24/2008	R	<2	MFCOL	LL		SE	HF	R
WZ006.00	5/20/2008	R	<2	MFCOL	FP		SW	HF	R
WZ006.00	7/16/2008	R	2	MFCOL	MLP		CL	HE	R
WZ006.00	9/2/2008	R	<2	MFCOL	MLP		CL	F	R
WZ006.00	11/3/2008	R	25	MFCOL	MLP		CL	F	R
WZ006.00	3/9/2009	R	<2	MFCOL	AB		CL	E	R
WZ006.00	5/12/2009	R	<2	MFCOL	MLP		CL	F	R
WZ006.00	5/26/2009	R	<2	MFCOL	EXT		CL	HF	R
WZ006.00	7/20/2009	R	40	MFCOL	FP		SW	E	R
WZ006.00	8/3/2009	R	8	MFCOL	FP		S	HE	R
WZ006.00	9/21/2009	R	20	MFCOL	EXT		CL	HF	R
WZ006.00	4/12/2010	R	<2	MFCOL	EXT		CL	E	R
WZ006.00	6/14/2010	R	20	MFCOL	FP		CL	F	R
WZ006.00	7/26/2010	R	9.1	MFCOL	HG		N	HE	R
WZ006.00	8/23/2010	R	4	MFCOL	ESK		N	H	R
WZ006.00	9/13/2010	R	46	MFCOL	EXT		SW	F	R
WZ006.00	10/6/2010	R	60	MFCOL	ESK		S	HE	R
WZ006.00	10/26/2010	R	6	MFCOL	FP		CL	F	R
WZ006.00	12/7/2010	E	<2	MFCOL	ESK		CL	F	R
WZ006.00	5/3/2011	R	<2	MFCOL	HG		S	H	R
WZ006.00	6/1/2011	R	84	MFCOL	FP	P		HF	R
WZ006.00	6/28/2011	R	140	MFCOL	EXT		CL	E	R
WZ006.00	8/1/2011	R	4	MFCOL	EXT		SW	HF	R
WZ006.00	9/12/2011	R	2	MFCOL	FP		S	H	R
WZ006.00	10/25/2011	R	360	MFCOL	ESK		CL	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ007.00	4/24/2006	R	<3	A1COL	FP		CL	E	P
WZ007.00	5/30/2006	R	<3	A1COL	LL		S	F	P
WZ007.00	6/27/2006	R	23	A1COL	FP	P	S	F	P
WZ007.00	7/26/2006	R	93	A1COL	FP	P	SW	F	P
WZ007.00	8/15/2006	R	1100	A1COL	SXR	P	CL	LF	P
WZ007.00	9/13/2006	R	2	MFCOL	JB		NW	LF	P
WZ007.00	2/27/2007	R	<2	MFCOL	FP		N	E	A
WZ007.00	4/24/2007	R	<2	MFCOL	FP		N	LE	A
WZ007.00	6/26/2007	R	<2	MFCOL	FP		S	HE	R
WZ007.00	8/6/2007	R	11	MFCOL	FP		S	L	R
WZ007.00	10/3/2007	R	18	MFCOL	FP		CL	LF	R
WZ007.00	12/12/2007	R	2	MFCOL	FP		CL	HF	R
WZ007.00	1/29/2008	R	<2	MFCOL	EXT		CL	F	R
WZ007.00	3/24/2008	R	<2	MFCOL	LL		SE	HF	R
WZ007.00	5/20/2008	R	3.6	MFCOL	FP		SW	HF	R
WZ007.00	7/16/2008	R	<2	MFCOL	MLP		SW	HE	R
WZ007.00	9/2/2008	R	6	MFCOL	MLP		CL	F	R
WZ007.00	11/3/2008	R	2	MFCOL	MLP		SW	F	R
WZ007.00	3/9/2009	R	<2	MFCOL	AB		CL	E	R
WZ007.00	5/12/2009	R	<2	MFCOL	MLP		NE	F	R
WZ007.00	5/26/2009	R	<2	MFCOL	EXT		NW	HF	R
WZ007.00	7/20/2009	R	35	MFCOL	FP		SW	E	R
WZ007.00	8/3/2009	R	46	MFCOL	FP		S	E	R
WZ007.00	9/21/2009	R	13	MFCOL	EXT		SW	HF	R
WZ007.00	4/12/2010	R	<2	MFCOL	EXT		N	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ007.00	6/14/2010	R	13	MFCOL	FP		SW	F	R
WZ007.00	7/26/2010	R	44	MFCOL	HG		NW	H	R
WZ007.00	8/23/2010	R	<2	MFCOL	ESK		N	HE	R
WZ007.00	9/13/2010	R	10	MFCOL	EXT		SW	F	R
WZ007.00	10/6/2010	R	126	MFCOL	ESK		N	E	R
WZ007.00	10/26/2010	R	<2	MFCOL	FP		CL	F	R
WZ007.00	12/7/2010	E	5.5	MFCOL	ESK		SW	F	R
WZ007.00	5/3/2011	R	<2	MFCOL	HG		S	H	R
WZ007.00	6/1/2011	R	4	MFCOL	FP	P		HF	R
WZ007.00	6/28/2011	R	4	MFCOL	EXT		SW	E	R
WZ007.00	8/1/2011	R	10	MFCOL	EXT		SW	HF	R
WZ007.00	9/12/2011	R	80	MFCOL	FP		SW	H	R
WZ007.00	10/25/2011	R	400	MFCOL	ESK		SW	H	R
WZ007.40	5/16/2007	R	2	MFCOL	FP		CL	HF	R
WZ007.40	6/26/2007	R	<2	MFCOL	FP		CL	HE	R
WZ007.40	8/6/2007	R	2	MFCOL	FP		S	L	R
WZ007.40	8/29/2007	R	13	MFCOL	FP		S	HF	R
WZ007.40	11/27/2007	R	86	MFCOL	FP	P	CL	F	R
WZ007.40	12/12/2007	R	6	MFCOL	FP		CL	HF	R
WZ007.40	1/29/2008	R	<2	MFCOL	EXT		CL	F	R
WZ007.40	3/24/2008	R	<2	MFCOL	LL		SE	HF	R
WZ007.40	5/20/2008	R	4	MFCOL	FP		S	HF	R
WZ007.40	7/16/2008	R	<2	MFCOL	MLP		CL	HE	R
WZ007.40	9/2/2008	R	<2	MFCOL	MLP		N	F	R
WZ007.40	11/3/2008	R	<2	MFCOL	MLP		SW	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ007.40	3/9/2009	R	<2	MFCOL	AB		CL	E	R
WZ007.40	5/12/2009	R	<2	MFCOL	MLP		CL	HF	R
WZ007.40	5/26/2009	R	<2	MFCOL	EXT		CL	HF	R
WZ007.40	7/20/2009	R	31	MFCOL	FP		SW	E	R
WZ007.40	8/3/2009	R	140	MFCOL	FP		CL	E	R
WZ007.40	9/21/2009	R	4	MFCOL	EXT		CL	F	R
WZ007.40	4/12/2010	R	<2	MFCOL	EXT		E	E	R
WZ007.40	6/14/2010	R	20	MFCOL	FP		SW	HF	R
WZ007.40	7/26/2010	R	58	MFCOL	HG		CL	HE	R
WZ007.40	8/23/2010	R	6	MFCOL	ESK		N	HE	R
WZ007.40	9/13/2010	R	10	MFCOL	EXT		S	F	R
WZ007.40	10/6/2010	R	160	MFCOL	ESK		E	E	R
WZ007.40	10/26/2010	R	10	MFCOL	FP		CL	HF	R
WZ007.40	12/7/2010	E	20	MFCOL	ESK		NW	F	R
WZ007.40	3/21/2011	R	8	MFCOL	ESK		SW	HF	R
WZ007.40	5/3/2011	R	<2	MFCOL	HG		SW	HE	R
WZ007.40	6/28/2011	R	40	MFCOL	EXT		SW	E	R
WZ007.40	8/1/2011	R	9.1	MFCOL	EXT		SW	HF	R
WZ007.40	9/12/2011	R	2	MFCOL	FP		SW	H	R
WZ007.40	10/25/2011	R	136	MFCOL	ESK		CL	H	R
WZ007.80	4/24/2006	R	<3	A1COL	FP		E	E	A
WZ007.80	5/30/2006	R	15	A1COL	LL		S	F	A
WZ007.80	6/27/2006	R	<3	A1COL	FP	P	N	F	A
WZ007.80	7/26/2006	R	<3	A1COL	FP	P	SW	F	A
WZ007.80	8/15/2006	R	<3	A1COL	SXR	P	CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ007.80	9/13/2006	R	<2	MFCOL	JB		CL	LF	A
WZ007.80	4/24/2007	R	<2	MFCOL	FP		N	LE	P
WZ007.80	5/16/2007	R	2	MFCOL	FP		SW	HF	P
WZ007.80	6/26/2007	R	<2	MFCOL	FP		S	E	P
WZ007.80	8/6/2007	R	<2	MFCOL	FP		S	L	P
WZ007.80	10/3/2007	R	10	MFCOL	FP		CL	LF	P
WZ007.80	12/12/2007	R	4	MFCOL	FP		NW	HF	P
WZ007.80	1/29/2008	R	<2	MFCOL	EXT			F	P
WZ007.80	3/24/2008	R	<2	MFCOL	LL		CL	HF	P
WZ007.80	5/20/2008	R	<2	MFCOL	FP		E	HF	P
WZ007.80	7/16/2008	R	<2	MFCOL	MLP		SW	HE	P
WZ007.80	9/2/2008	R	<2	MFCOL	MLP		NE	HF	P
WZ007.80	11/3/2008	R	<2	MFCOL	MLP		SW	F	P
WZ007.80	5/12/2009	R	<2	MFCOL	MLP		NE	F	P
WZ007.80	5/26/2009	R	<2	MFCOL	EXT		CL	HF	P
WZ007.80	7/20/2009	R	2	MFCOL	FP		SW	E	P
WZ007.80	8/3/2009	R	3.6	MFCOL	FP		CL	E	P
WZ007.80	9/21/2009	R	<2	MFCOL	EXT		CL	HF	P
WZ007.80	10/19/2009	R	260	MFCOL	FP	P	NW	F	P
WZ007.80	4/12/2010	R	<2	MFCOL	EXT		N	HF	P
WZ007.80	6/14/2010	R	18	MFCOL	FP		SW	HF	P
WZ007.80	7/26/2010	R	3.6	MFCOL	HG		N	E	P
WZ007.80	8/23/2010	R	5.5	MFCOL	ESK		E	HE	P
WZ007.80	9/13/2010	R	2	MFCOL	EXT		CL	F	P
WZ007.80	10/6/2010	R	260	MFCOL	ESK		NE	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ007.80	10/26/2010	R	11	MFCOL	FP		CL	HF	P
WZ007.80	12/7/2010	E	2	MFCOL	ESK		CL	F	P
WZ007.80	3/21/2011	R	<2	MFCOL	ESK		CL	HF	P
WZ007.80	5/3/2011	R	<2	MFCOL	HG		E	HE	P
WZ007.80	6/28/2011	R	<2	MFCOL	EXT		CL	E	P
WZ007.80	8/1/2011	R	<2	MFCOL	EXT		S	H	P
WZ007.80	9/12/2011	R	<2	MFCOL	FP		SW	H	P
WZ007.80	10/25/2011	R	22	MFCOL	ESK		CL	H	P
WZ008.00	4/24/2006	R	<3	A1COL	FP	N	CL	E	P
WZ008.00	5/30/2006	R	9.1	A1COL	LL		S	F	P
WZ008.00	6/27/2006	R	240	A1COL	FP	P	SE	HF	P
WZ008.00	7/26/2006	R	23	A1COL	FP	PN	CL	F	P
WZ008.00	8/15/2006	R	9.1	A1COL	SXR	PB	CL	F	P
WZ008.00	9/13/2006	R	2	MFCOL	JB		NW	F	P
WZ008.00	2/27/2007	R	<2	MFCOL	FP		CL	E	P
WZ008.00	5/16/2007	R	66	MFCOL	FP		CL	HF	P
WZ008.00	6/26/2007	R	<2	MFCOL	FP		CL	E	P
WZ008.00	9/17/2007	R	<2	MFCOL	FP		CL	F	P
WZ008.00	10/3/2007	R	6	MFCOL	FP		CL	F	P
WZ008.00	12/12/2007	R	<2	MFCOL	FP		NW	H	P
WZ008.00	1/29/2008	R	<2	MFCOL	EXT		CL	F	P
WZ008.00	3/24/2008	R	<2	MFCOL	LL		CL	H	P
WZ008.00	5/20/2008	R	<2	MFCOL	FP		S	H	P
WZ008.00	7/21/2008	R	6	MFCOL	MLP		CL	F	P
WZ008.00	9/2/2008	R	<2	MFCOL	MLP		CL	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ008.00	11/3/2008	R	<2	MFCOL	MLP		CL	F	P
WZ008.00	3/9/2009	R	<2	MFCOL	AB		CL	E	P
WZ008.00	5/12/2009	R	<2	MFCOL	MLP		CL	F	P
WZ008.00	5/26/2009	R	<2	MFCOL	EXT		CL	HF	P
WZ008.00	7/20/2009	R	<2	MFCOL	FP		SW	E	P
WZ008.00	8/3/2009	R	2	MFCOL	FP		CL	E	P
WZ008.00	9/21/2009	R	46	MFCOL	EXT		CL	F	P
WZ008.00	4/12/2010	R	<2	MFCOL	EXT		NW	E	P
WZ008.00	6/14/2010	R	2	MFCOL	FP		CL	HF	P
WZ008.00	7/26/2010	R	2	MFCOL	HG		NW	E	P
WZ008.00	8/23/2010	R	8	MFCOL	ESK		N	HE	P
WZ008.00	9/13/2010	R	2	MFCOL	EXT		CL	F	P
WZ008.00	10/6/2010	R	460	MFCOL	ESK		SE	E	P
WZ008.00	10/26/2010	R	10	MFCOL	FP		CL	HF	P
WZ008.00	12/7/2010	E	2	MFCOL	ESK		NW	F	P
WZ008.00	3/21/2011	R	<2	MFCOL	ESK		SE	HF	P
WZ008.00	5/3/2011	R	<2	MFCOL	HG		S	HE	P
WZ008.00	6/28/2011	R	2	MFCOL	EXT		CL	E	P
WZ008.00	8/1/2011	R	2	MFCOL	EXT		S	H	P
WZ008.00	9/12/2011	R	6	MFCOL	FP		SW	HE	P
WZ008.00	10/25/2011	R	16	MFCOL	ESK		NW	HE	P
WZ009.00	4/24/2006	R	<3	A1COL	FP		CL	E	A
WZ009.00	5/30/2006	R	<3	A1COL	LL		S	F	A
WZ009.00	6/27/2006	R	9.1	A1COL	FP	P	CL	HF	A
WZ009.00	7/26/2006	R	<3	A1COL	FP	P	CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ009.00	8/15/2006	R	9.1	A1COL	SXR	P	CL	F	A
WZ009.00	9/13/2006	R	2	MFCOL	JB		CL	F	A
WZ009.00	4/24/2007	R	<2	MFCOL	FP		CL	L	A
WZ009.00	5/16/2007	R	2	MFCOL	FP		CL	H	A
WZ009.00	6/26/2007	R	<2	MFCOL	FP		CL	E	A
WZ009.00	8/6/2007	R	<2	MFCOL	FP		S	LF	A
WZ009.00	10/3/2007	R	12	MFCOL	FP		CL	F	A
WZ009.00	12/12/2007	R	3.6	MFCOL	FP		NW	H	A
WZ009.00	1/29/2008	R	<2	MFCOL	EXT		CL	F	A
WZ009.00	5/20/2008	R	<2	MFCOL	FP		NW	H	A
WZ009.00	6/18/2008	R	10	MFCOL	AB		CL	H	A
WZ009.00	7/16/2008	R	<2	MFCOL	MLP		SW	E	A
WZ009.00	9/2/2008	R	12	MFCOL	MLP		CL	HF	A
WZ009.00	11/3/2008	R	<2	MFCOL	MLP		SW	F	A
WZ009.00	5/12/2009	R	<2	MFCOL	MLP		N	F	A
WZ009.00	5/26/2009	R	<2	MFCOL	EXT		W	H	A
WZ009.00	7/20/2009	R	8	MFCOL	FP		SW	E	A
WZ009.00	8/3/2009	R	13	MFCOL	FP		CL	E	A
WZ009.00	9/21/2009	R	8	MFCOL	EXT		CL	F	A
WZ009.00	10/19/2009	R	96	MFCOL	FP	P	N	HF	A
WZ009.00	4/12/2010	R	<2	MFCOL	EXT		CL	HE	A
WZ009.00	6/14/2010	R	16	MFCOL	FP		CL	HF	A
WZ009.00	7/26/2010	R	108	MFCOL	HG		NW	H	A
WZ009.00	8/23/2010	R	2	MFCOL	ESK		CL	HE	A
WZ009.00	9/13/2010	R	6	MFCOL	EXT		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ009.00	10/6/2010	R	46	MFCOL	ESK		E	E	A
WZ009.00	10/26/2010	R	36	MFCOL	FP		CL	H	A
WZ009.00	12/7/2010	E	<2	MFCOL	ESK		NW	HF	A
WZ009.00	5/3/2011	R	<2	MFCOL	HG		CL	H	A
WZ009.00	6/1/2011	R	2	MFCOL	FP	P		H	A
WZ009.00	6/28/2011	R	<2	MFCOL	EXT		SW	E	A
WZ009.00	8/1/2011	R	2	MFCOL	EXT		CL	H	A
WZ009.00	9/12/2011	R	18	MFCOL	FP		SW	HE	A
WZ009.00	10/25/2011	R	400	MFCOL	ESK		W	HE	A
WZ009.50	4/24/2006	R	<3	A1COL	FP		E	E	A
WZ009.50	5/30/2006	R	9.1	A1COL	LL		S	F	A
WZ009.50	6/27/2006	R	9.1	A1COL	FP	P	CL	HF	A
WZ009.50	7/26/2006	R	3.6	A1COL	FP	PN	CL	F	A
WZ009.50	8/15/2006	R	9.1	A1COL	SXR	P	CL	F	A
WZ009.50	9/13/2006	R	<2	MFCOL	JB		CL	F	A
WZ009.50	2/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ009.50	4/24/2007	R	<2	MFCOL	FP		CL	L	A
WZ009.50	6/26/2007	R	<2	MFCOL	FP		CL	E	A
WZ009.50	8/6/2007	R	<2	MFCOL	FP		S	LF	A
WZ009.50	10/3/2007	R	<2	MFCOL	FP		CL	F	A
WZ009.50	12/12/2007	R	<2	MFCOL	FP		NW	H	A
WZ009.50	1/29/2008	R	<2	MFCOL	EXT		CL	F	A
WZ009.50	5/20/2008	R	<2	MFCOL	FP		NW	H	A
WZ009.50	6/18/2008	R	<2	MFCOL	AB		CL	H	A
WZ009.50	7/16/2008	R	<2	MFCOL	MLP		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ009.50	9/2/2008	R	2	MFCOL	MLP		NE	HF	A
WZ009.50	11/3/2008	R	<2	MFCOL	MLP		SW	F	A
WZ009.50	5/12/2009	R	<2	MFCOL	MLP		CL	F	A
WZ009.50	5/26/2009	R	<2	MFCOL	EXT		CL	H	A
WZ009.50	7/20/2009	R	2	MFCOL	FP		SW	E	A
WZ009.50	8/3/2009	R	4	MFCOL	FP		CL	E	A
WZ009.50	9/21/2009	R	<2	MFCOL	EXT		CL	F	A
WZ009.50	10/19/2009	R	70	MFCOL	FP	P	N	HF	A
WZ009.50	4/12/2010	R	<2	MFCOL	EXT		CL	HE	A
WZ009.50	6/14/2010	R	6	MFCOL	FP		CL	HF	A
WZ009.50	7/26/2010	R	<2	MFCOL	HG		NW	H	A
WZ009.50	8/23/2010	R	14	MFCOL	ESK		E	E	A
WZ009.50	9/13/2010	R	<2	MFCOL	EXT		CL	F	A
WZ009.50	10/6/2010	R	62	MFCOL	ESK		E	E	A
WZ009.50	10/26/2010	R	<2	MFCOL	FP		CL	H	A
WZ009.50	12/7/2010	E	<2	MFCOL	ESK		CL	HF	A
WZ009.50	5/3/2011	R	<2	MFCOL	HG		E	H	A
WZ009.50	6/1/2011	R	27	MFCOL	FP	P		H	A
WZ009.50	6/28/2011	R	<2	MFCOL	EXT		SW	E	A
WZ009.50	8/1/2011	R	10	MFCOL	EXT		CL	H	A
WZ009.50	9/12/2011	R	<2	MFCOL	FP		CL	HE	A
WZ009.50	10/25/2011	R	10	MFCOL	ESK		CL	HE	A
WZ010.50	5/16/2007	R	2	MFCOL	FP		SW	H	A
WZ010.50	6/26/2007	R	<2	MFCOL	FP		CL	E	A
WZ010.50	8/6/2007	R	<2	MFCOL	FP		S	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ010.50	8/29/2007	R	<2	MFCOL	FP		SW	HF	A
WZ010.50	10/3/2007	R	<2	MFCOL	FP		CL	F	A
WZ010.50	12/12/2007	R	<2	MFCOL	EXT		NW	H	A
WZ010.50	1/29/2008	R	<2	MFCOL	EXT		CL	F	A
WZ010.50	3/24/2008	R	<2	MFCOL	LL		CL	F	A
WZ010.50	5/20/2008	R	<2	MFCOL	FP		W	H	A
WZ010.50	7/16/2008	R	<2	MFCOL	MLP		SW	E	A
WZ010.50	9/2/2008	R	2	MFCOL	MLP		NE	H	A
WZ010.50	11/3/2008	R	<2	MFCOL	MLP		SW	F	A
WZ010.50	5/12/2009	R	<2	MFCOL	MLP		NW	HF	A
WZ010.50	5/26/2009	R	6	MFCOL	EXT		W	H	A
WZ010.50	7/20/2009	R	<2	MFCOL	FP		SW	E	A
WZ010.50	8/4/2009	R	<2	MFCOL	LSM		CL	H	A
WZ010.50	9/21/2009	R	<2	MFCOL	EXT		CL	F	A
WZ010.50	10/19/2009	R	8	MFCOL	FP	P	NW	HF	A
WZ010.50	4/12/2010	R	<2	MFCOL	EXT		CL	HE	A
WZ010.50	6/14/2010	R	<2	MFCOL	FP		SW	H	A
WZ010.50	7/26/2010	R	10	MFCOL	HG		NW	H	A
WZ010.50	8/23/2010	R	4	MFCOL	ESK		E	E	A
WZ010.50	9/13/2010	R	6	MFCOL	EXT		CL	F	A
WZ010.50	10/6/2010	R	28	MFCOL	ESK		E	E	A
WZ010.50	10/26/2010	R	<2	MFCOL	FP		CL	H	A
WZ010.50	12/7/2010	E	<2	MFCOL	ESK		NW	HF	A
WZ010.50	5/3/2011	R	<2	MFCOL	HG		S	H	A
WZ010.50	6/1/2011	R	2	MFCOL	FP	P		H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ010.50	6/28/2011	R	2	MFCOL	EXT		SW	E	A
WZ010.50	8/1/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ010.50	9/12/2011	R	<2	MFCOL	FP		SW	HE	A
WZ010.50	10/25/2011	R	52	MFCOL	ESK		W	HE	A
WZ011.00	4/24/2006	R	<3	A1COL	FP		E	E	P
WZ011.00	6/27/2006	R	23	A1COL	FP	P	W	H	P
WZ011.00	7/26/2006	R	93	A1COL	FP	PN	CL	F	P
WZ011.00	8/15/2006	R	93	A1COL	SXR	P	CL	F	P
WZ011.00	9/13/2006	R	<2	MFCOL	JB		W	F	P
WZ011.00	10/4/2006	R	7.3	MFCOL	JXK		CL	E	P
WZ011.00	5/16/2007	R	<2	MFCOL	FP		SW	H	P
WZ011.00	6/26/2007	R	<2	MFCOL	FP		CL	E	P
WZ011.00	8/6/2007	R	<2	MFCOL	FP		S	F	P
WZ011.00	8/29/2007	R	6	MFCOL	FP		SW	HF	P
WZ011.00	10/3/2007	R	20	MFCOL	FP		CL	F	P
WZ011.00	1/29/2008	R	<2	MFCOL	FP		CL	F	P
WZ011.00	5/20/2008	R	<2	MFCOL	FP		W	HE	P
WZ011.00	6/18/2008	R	<2	MFCOL	AB		CL	HF	P
WZ011.00	7/16/2008	R	<2	MFCOL	MLP		CL	E	P
WZ011.00	9/2/2008	R	<2	MFCOL	MLP		CL	H	P
WZ011.00	11/3/2008	R	<2	MFCOL	MLP		SW	F	P
WZ011.00	5/12/2009	R	<2	MFCOL	MLP		CL	HF	P
WZ011.00	5/26/2009	R	2	MFCOL	EXT		W	H	P
WZ011.00	7/20/2009	R	2	MFCOL	FP		S	E	P
WZ011.00	8/3/2009	R	2	MFCOL	FP		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ011.00	9/21/2009	R	2	MFCOL	EXT		CL	F	P
WZ011.00	10/19/2009	R	13	MFCOL	FP	P	N	H	P
WZ011.00	4/12/2010	R	<2	MFCOL	EXT		NW	HE	P
WZ011.00	6/14/2010	R	<2	MFCOL	FP		CL	H	P
WZ011.00	7/26/2010	R	120	MFCOL	HG		NW	HF	P
WZ011.00	8/23/2010	R	11	MFCOL	ESK		E	E	P
WZ011.00	9/13/2010	R	<2	MFCOL	EXT		CL	F	P
WZ011.00	10/6/2010	R	38	MFCOL	ESK		SE	E	P
WZ011.00	10/26/2010	R	2	MFCOL	FP		CL	H	P
WZ011.00	12/7/2010	E	<2	MFCOL	ESK		NW	H	P
WZ011.00	3/21/2011	R	<2	MFCOL	ESK		SW	H	P
WZ011.00	5/3/2011	R	<2	MFCOL	HG		S	HF	P
WZ011.00	6/28/2011	R	2	MFCOL	EXT		CL	E	P
WZ011.00	8/1/2011	R	3.6	MFCOL	EXT		S	HE	P
WZ011.00	9/12/2011	R	<2	MFCOL	FP		SW	E	P
WZ011.00	10/25/2011	R	70	MFCOL	ESK		NW	HE	P
WZ012.00	4/24/2006	R	240	A1COL	FP	N	E	E	A
WZ012.00	6/27/2006	R	9.1	A1COL	FP	P	SE	H	A
WZ012.00	7/26/2006	R	<3	A1COL	FP	PN	CL	F	A
WZ012.00	8/15/2006	R	<3	A1COL	SXR	P	CL	F	A
WZ012.00	9/13/2006	R	2	MFCOL	JB		CL	F	A
WZ012.00	10/4/2006	R	140	MFCOL	JXK		S	E	A
WZ012.00	5/16/2007	R	6	MFCOL	FP		SW	H	A
WZ012.00	6/26/2007	R	<2	MFCOL	FP		CL	E	A
WZ012.00	8/6/2007	R	2	MFCOL	FP		S	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ012.00	8/29/2007	R	2	MFCOL	FP		CL	HF	A
WZ012.00	10/3/2007	R	15	MFCOL	FP		CL	F	A
WZ012.00	1/29/2008	R	<2	MFCOL	FP		CL	F	A
WZ012.00	5/20/2008	R	<2	MFCOL	FP		W	HE	A
WZ012.00	6/18/2008	R	<2	MFCOL	AB		CL	HF	A
WZ012.00	7/16/2008	R	2	MFCOL	MLP		CL	E	A
WZ012.00	9/2/2008	R	<2	MFCOL	MLP		NE	H	A
WZ012.00	11/3/2008	R	<2	MFCOL	MLP		SW	F	A
WZ012.00	5/12/2009	R	<2	MFCOL	MLP		CL	HF	A
WZ012.00	5/26/2009	R	4	MFCOL	EXT		CL	H	A
WZ012.00	7/20/2009	R	6	MFCOL	FP		S	E	A
WZ012.00	8/3/2009	R	86	MFCOL	FP		CL	E	A
WZ012.00	9/21/2009	R	<2	MFCOL	EXT		CL	F	A
WZ012.00	10/19/2009	R	10	MFCOL	FP	P	CL	H	A
WZ012.00	4/12/2010	R	<2	MFCOL	EXT		CL	HE	A
WZ012.00	6/14/2010	R	<2	MFCOL	FP		CL	H	A
WZ012.00	7/26/2010	R	2	MFCOL	HG		NW	HF	A
WZ012.00	8/23/2010	R	23	MFCOL	ESK		S	E	A
WZ012.00	9/13/2010	R	2	MFCOL	EXT		CL	F	A
WZ012.00	10/6/2010	R	200	MFCOL	ESK		S	E	A
WZ012.00	10/26/2010	R	4	MFCOL	FP		CL	H	A
WZ012.00	12/7/2010	E	<2	MFCOL	ESK		CL	H	A
WZ012.00	3/21/2011	R	<2	MFCOL	ESK		SW	H	A
WZ012.00	5/3/2011	R	<2	MFCOL	HG		S	HF	A
WZ012.00	6/28/2011	R	<2	MFCOL	EXT		SW	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ012.00	8/1/2011	R	6	MFCOL	EXT		SW	HE	A
WZ012.00	9/12/2011	R	2	MFCOL	FP		SW	E	A
WZ012.00	10/25/2011	R	180	MFCOL	ESK		NW	E	A
WZ013.00	4/24/2006	R	<3	A1COL	FP		E	E	A
WZ013.00	6/27/2006	R	3.6	A1COL	FP	P	E	H	A
WZ013.00	7/26/2006	R	<3	A1COL	FP	P	CL	F	A
WZ013.00	8/15/2006	R	3.6	A1COL	SXR	P	CL	F	A
WZ013.00	9/13/2006	R	<2	MFCOL	JB		CL	F	A
WZ013.00	10/4/2006	R	20	MFCOL	JXK		SE	E	A
WZ013.00	2/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ013.00	4/24/2007	R	<2	MFCOL	FP		N	LF	A
WZ013.00	6/26/2007	R	<2	MFCOL	FP		SW	E	A
WZ013.00	8/6/2007	R	<2	MFCOL	FP		S	F	A
WZ013.00	10/3/2007	R	38	MFCOL	EXT		E	L	A
WZ013.00	12/12/2007	R	<2	MFCOL	EXT		NW	H	A
WZ013.00	1/29/2008	R	<2	MFCOL	FP		CL	F	A
WZ013.00	3/25/2008	R	<2	MFCOL	LL		SE	F	A
WZ013.00	5/21/2008	R	<2	MFCOL	FP		S	F	A
WZ013.00	7/21/2008	R	2	MFCOL	MLP		NW	F	A
WZ013.00	9/3/2008	R	<2	MFCOL	LL		CL	F	A
WZ013.00	11/4/2008	R	6	MFCOL	FP		CL	F	A
WZ013.00	5/13/2009	R	<2	MFCOL	FP		CL	F	A
WZ013.00	5/27/2009	R	<2	MFCOL	MLP		S	F	A
WZ013.00	7/20/2009	R	2	MFCOL	FP		S	E	A
WZ013.00	8/4/2009	R	<2	MFCOL	LSM		CL	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ013.00	9/22/2009	R	<2	MFCOL	MLP		NE	F	A
WZ013.00	10/19/2009	R	18	MFCOL	FP	P	CL	H	A
WZ013.00	4/13/2010	R	<2	MFCOL	ESK		N	HF	A
WZ013.00	6/15/2010	R	11	MFCOL	FP		CL	F	A
WZ013.00	7/27/2010	R	2	MFCOL	ESK		W	F	A
WZ013.00	8/24/2010	R	24	MFCOL	FP		NE	HF	A
WZ013.00	9/15/2010	R	7.3	MFCOL	EXT		W	L	A
WZ013.00	10/12/2010	R	10	MFCOL	HG		CL	F	A
WZ013.00	10/29/2010	R	16	MFCOL	EXT	P	S	LF	A
WZ013.00	12/7/2010	E	46	MFCOL	ESK		NW	H	A
WZ013.00	3/22/2011	R	<2	MFCOL	EXT		SE	F	A
WZ013.00	5/4/2011	R	<2	MFCOL	EXT		SE	F	A
WZ013.00	6/29/2011	R	<2	MFCOL	ESK		CL	H	A
WZ013.00	8/2/2011	R	4	MFCOL	HG	W	W	F	A
WZ013.00	9/13/2011	R	<2	MFCOL	ESK		S	F	A
WZ013.00	10/26/2011	R	2	MFCOL	HG		W	H	A
WZ014.00	4/24/2006	R	3.6	A1COL	FP		E	E	A
WZ014.00	6/27/2006	R	<3	A1COL	FP	P	E	H	A
WZ014.00	7/26/2006	R	<3	A1COL	FP	P	CL	F	A
WZ014.00	8/15/2006	R	3.6	A1COL	SXR	P	CL	F	A
WZ014.00	9/13/2006	R	2	MFCOL	JB		CL	F	A
WZ014.00	10/4/2006	R	4	MFCOL	JXK		SE	E	A
WZ014.00	2/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ014.00	5/16/2007	R	<2	MFCOL	FP		CL	HE	A
WZ014.00	6/26/2007	R	2	MFCOL	LL		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ014.00	8/6/2007	R	<2	MFCOL	EXT		SW	F	A
WZ014.00	10/3/2007	R	<2	MFCOL	EXT		SW	F	A
WZ014.00	12/12/2007	R	<2	MFCOL	EXT		CL	H	A
WZ014.00	1/29/2008	R	<2	MFCOL	FP		CL	F	A
WZ014.00	3/25/2008	R	<2	MFCOL	LL		SE	F	A
WZ014.00	5/21/2008	R	<2	MFCOL	FP		CL	F	A
WZ014.00	7/21/2008	R	2	MFCOL	MLP		NW	F	A
WZ014.00	9/3/2008	R	2	MFCOL	LL		CL	F	A
WZ014.00	11/4/2008	R	<2	MFCOL	FP		CL	F	A
WZ014.00	5/13/2009	R	<2	MFCOL	FP		CL	F	A
WZ014.00	5/27/2009	R	<2	MFCOL	MLP		S	F	A
WZ014.00	7/21/2009	R	<2	MFCOL	FP		CL	H	A
WZ014.00	8/4/2009	R	<2	MFCOL	LSM		CL	H	A
WZ014.00	9/22/2009	R	<2	MFCOL	MLP		E	F	A
WZ014.00	10/19/2009	R	8	MFCOL	FP	P	N	H	A
WZ014.00	4/13/2010	R	<2	MFCOL	ESK		NW	H	A
WZ014.00	6/15/2010	R	<2	MFCOL	FP		N	F	A
WZ014.00	7/27/2010	R	<2	MFCOL	ESK		N	F	A
WZ014.00	8/24/2010	R	2	MFCOL	FP		NE	HF	A
WZ014.00	9/15/2010	R	<2	MFCOL	EXT		N	F	A
WZ014.00	10/12/2010	R	4	MFCOL	HG		N	F	A
WZ014.00	10/29/2010	R	11	MFCOL	EXT	P	CL	LF	A
WZ014.00	12/7/2010	E	<2	MFCOL	ESK		NW	H	A
WZ014.00	3/22/2011	R	<2	MFCOL	EXT		SE	F	A
WZ014.00	5/4/2011	R	<2	MFCOL	EXT		SE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ014.00	6/29/2011	R	4	MFCOL	ESK		E	H	A
WZ014.00	8/2/2011	R	10	MFCOL	HG		NW	F	A
WZ014.00	9/13/2011	R	<2	MFCOL	ESK		SE	F	A
WZ014.00	10/26/2011	R	10	MFCOL	HG		W	H	A
WZ014.50	5/16/2007	R	2	MFCOL	FP		NE	HE	P
WZ014.50	6/26/2007	R	<2	MFCOL	FP		CL	E	P
WZ014.50	8/6/2007	R	10	MFCOL	EXT		SW	LE	P
WZ014.50	8/29/2007	R	4	MFCOL	FP		S	H	P
WZ014.50	10/3/2007	R	2	MFCOL	EXT		CL	L	P
WZ014.50	12/12/2007	R	<2	MFCOL	EXT		CL	H	P
WZ014.50	1/29/2008	R	<2	MFCOL	FP		CL	F	P
WZ014.50	3/25/2008	R	<2	MFCOL	LL		SE	F	P
WZ014.50	5/21/2008	R	<2	MFCOL	FP		W	F	P
WZ014.50	7/21/2008	R	2	MFCOL	MLP		CL	F	P
WZ014.50	9/3/2008	R	13	MFCOL	LL		CL	F	P
WZ014.50	11/4/2008	R	2	MFCOL	FP		CL	F	P
WZ014.50	5/13/2009	R	<2	MFCOL	FP		CL	F	P
WZ014.50	5/27/2009	R	2	MFCOL	MLP		S	F	P
WZ014.50	7/21/2009	R	6	MFCOL	FP		SE	H	P
WZ014.50	8/4/2009	R	2	MFCOL	LSM		CL	H	P
WZ014.50	9/22/2009	R	6	MFCOL	MLP		E	F	P
WZ014.50	10/19/2009	R	5.5	MFCOL	FP	P	N	H	P
WZ014.50	4/13/2010	R	<2	MFCOL	ESK		SE	H	P
WZ014.50	6/15/2010	R	4	MFCOL	FP		CL	F	P
WZ014.50	7/27/2010	R	8	MFCOL	ESK		SW	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ014.50	8/24/2010	R	<2	MFCOL	FP		NE	HF	P
WZ014.50	9/15/2010	R	27	MFCOL	EXT		W	LE	P
WZ014.50	10/12/2010	R	9.1	MFCOL	HG		E	F	P
WZ014.50	10/29/2010	R	12	MFCOL	EXT	P	CL	LF	P
WZ014.50	12/7/2010	E	<2	MFCOL	ESK		CL	H	P
WZ014.50	3/22/2011	R	<2	MFCOL	EXT		CL	F	P
WZ014.50	5/4/2011	R	3.6	MFCOL	EXT		SE	F	P
WZ014.50	6/29/2011	R	4	MFCOL	ESK		CL	HE	P
WZ014.50	8/2/2011	R	68	MFCOL	HG		CL	F	P
WZ014.50	9/13/2011	R	<2	MFCOL	ESK		SW	F	P
WZ014.50	10/26/2011	R	16	MFCOL	HG		SW	H	P
WZ015.00	4/24/2006	R	7.3	A1COL	FP	N	CL	E	P
WZ015.00	5/30/2006	R	23	A1COL	LL		S	F	P
WZ015.00	6/27/2006	R	3.6	A1COL	FP	P	E	H	P
WZ015.00	7/26/2006	R	15	A1COL	FP	P	CL	HF	P
WZ015.00	8/15/2006	R	3.6	A1COL	SXR	P	CL	F	P
WZ015.00	9/13/2006	R	2	MFCOL	JB		CL	F	P
WZ015.00	2/27/2007	R	<2	MFCOL	FP		CL	E	P
WZ015.00	5/16/2007	R	4	MFCOL	FP		CL	HE	P
WZ015.00	6/26/2007	R	<2	MFCOL	LL		CL	HE	P
WZ015.00	8/6/2007	R	8	MFCOL	EXT		CL	L	P
WZ015.00	10/3/2007	R	14	MFCOL	EXT		CL	LE	P
WZ015.00	12/12/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ015.00	1/29/2008	R	<2	MFCOL	FP		N	LF	P
WZ015.00	3/25/2008	R	<2	MFCOL	LL		NE	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ015.00	5/21/2008	R	<2	MFCOL	FP		S	F	P
WZ015.00	7/21/2008	R	9.1	MFCOL	MLP		N	F	P
WZ015.00	9/3/2008	R	2	MFCOL	LL		NE	F	P
WZ015.00	11/4/2008	R	15	MFCOL	FP		CL	F	P
WZ015.00	5/13/2009	R	<2	MFCOL	FP		CL	F	P
WZ015.00	5/27/2009	R	10	MFCOL	MLP		CL	F	P
WZ015.00	7/21/2009	R	16	MFCOL	FP		SE	H	P
WZ015.00	8/4/2009	R	10	MFCOL	LSM		CL	HE	P
WZ015.00	9/22/2009	R	8	MFCOL	MLP		NW	F	P
WZ015.00	10/19/2009	R	280	MFCOL	FP	P	N	H	P
WZ015.00	4/13/2010	R	<2	MFCOL	ESK		NE	H	P
WZ015.00	6/15/2010	R	20	MFCOL	FP		N	F	P
WZ015.00	7/27/2010	R	122	MFCOL	ESK		NE	F	P
WZ015.00	8/24/2010	R	11	MFCOL	FP		NE	HF	P
WZ015.00	9/15/2010	R	22	MFCOL	EXT		CL	LE	P
WZ015.00	10/12/2010	R	50	MFCOL	HG		NE	F	P
WZ015.00	10/29/2010	R	92	MFCOL	EXT	P	CL	LF	P
WZ015.00	12/7/2010	E	2	MFCOL	ESK		NW	H	P
WZ015.00	3/22/2011	R	<2	MFCOL	EXT		CL	F	P
WZ015.00	5/4/2011	R	20	MFCOL	EXT		CL	F	P
WZ015.00	6/29/2011	R	6	MFCOL	ESK		CL	HE	P
WZ015.00	8/2/2011	R	106	MFCOL	HG		N	F	P
WZ015.00	9/13/2011	R	16	MFCOL	ESK		SW	HF	P
WZ015.00	10/26/2011	R	34	MFCOL	HG		SW	H	P
WZ015.50	4/24/2006	R	<3	A1COL	FP	NW	CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ015.50	5/30/2006	R	15	A1COL	LL		S	HF	A
WZ015.50	6/27/2006	R	9.1	A1COL	FP	P	CL	HE	A
WZ015.50	7/26/2006	R	9.1	A1COL	FP	PN	CL	HF	A
WZ015.50	8/15/2006	R	<3	A1COL	SXR	PN	CL	F	A
WZ015.50	9/13/2006	R	2	MFCOL	JB		CL	F	A
WZ015.50	5/16/2007	R	220	MFCOL	FP		NE	HE	P
WZ015.50	6/26/2007	R	<2	MFCOL	LL		CL	E	P
WZ015.50	8/6/2007	R	18	MFCOL	EXT		SW	LF	P
WZ015.50	8/29/2007	R	44	MFCOL	FP		CL	H	P
WZ015.50	10/3/2007	R	120	MFCOL	EXT		CL	L	P
WZ015.50	12/12/2007	R	4	MFCOL	EXT		CL	HF	P
WZ015.50	1/29/2008	R	2	MFCOL	FP		CL	F	P
WZ015.50	5/21/2008	R	<2	MFCOL	FP		CL	F	P
WZ015.50	6/18/2008	R	<2	MFCOL	AB		E	HE	P
WZ015.50	7/21/2008	R	68	MFCOL	MLP		NE	F	P
WZ015.50	9/3/2008	R	44	MFCOL	LL		CL	F	P
WZ015.50	11/4/2008	R	<2	MFCOL	FP		CL	F	P
WZ015.50	5/13/2009	R	<2	MFCOL	FP		CL	F	P
WZ015.50	5/27/2009	R	<2	MFCOL	MLP		CL	F	P
WZ015.50	7/21/2009	R	18	MFCOL	FP	W	SE	H	P
WZ015.50	8/4/2009	R	10	MFCOL	LSM		CL	HE	P
WZ015.50	9/22/2009	R	2	MFCOL	MLP		CL	F	P
WZ015.50	10/19/2009	R	44	MFCOL	FP	P	N	HE	P
WZ015.50	4/13/2010	R	<2	MFCOL	ESK		NE	H	P
WZ015.50	6/15/2010	R	54	MFCOL	FP		N	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ015.50	7/27/2010	R	54	MFCOL	ESK		NE	F	P
WZ015.50	8/24/2010	R	62	MFCOL	FP		NE	H	P
WZ015.50	9/15/2010	R	46	MFCOL	EXT		NW	L	P
WZ015.50	10/12/2010	R	20	MFCOL	HG		NE	F	P
WZ015.50	10/29/2010	R	4	MFCOL	EXT	P	CL	LF	P
WZ015.50	12/7/2010	E	<2	MFCOL	ESK		CL	H	P
WZ015.50	5/4/2011	R	2	MFCOL	EXT		CL	HF	P
WZ015.50	6/1/2011	R	440	MFCOL	FP	P		HE	P
WZ015.50	6/29/2011	R	12	MFCOL	ESK		CL	HE	P
WZ015.50	8/2/2011	R	78	MFCOL	HG		CL	F	P
WZ015.50	9/13/2011	R	24	MFCOL	ESK		CL	HF	P
WZ015.50	10/26/2011	R	40	MFCOL	HG		N	H	P
WZ016.00	6/27/2006	R	<3	A1COL	FP	P	CL	HE	A
WZ016.00	7/26/2006	R	3.6	A1COL	FP	PN	S	HF	A
WZ016.00	8/8/2006	R	15	A1COL	FP		N	HE	A
WZ016.00	8/15/2006	R	3.6	A1COL	SXR	PN	CL	F	A
WZ016.00	9/13/2006	R	2	MFCOL	JB		CL	F	A
WZ016.00	10/24/2006	R	88	MFCOL	JXK		CL	F	A
WZ016.00	6/26/2007	R	<2	MFCOL	LL		CL	E	A
WZ016.00	8/29/2007	R	4	MFCOL	FP		S	H	R
WZ016.00	9/17/2007	R	2	MFCOL	FP	W	CL	F	R
WZ016.00	10/3/2007	R	4	MFCOL	EXT		CL	F	R
WZ016.00	11/27/2007	R	10	MFCOL	FP	P	CL	F	R
WZ016.00	12/12/2007	R	<2	MFCOL	EXT		CL	HF	R
WZ016.00	1/29/2008	R	<2	MFCOL	FP		SE	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ016.00	3/25/2008	R	<2	MFCOL	LL		CL	F	R
WZ016.00	5/21/2008	R	<2	MFCOL	FP		CL	HF	R
WZ016.00	7/21/2008	R	8	MFCOL	MLP		CL	F	R
WZ016.00	9/3/2008	R	<2	MFCOL	LL		CL	F	R
WZ016.00	11/4/2008	R	2	MFCOL	FP		CL	F	R
WZ016.00	5/13/2009	R	<2	MFCOL	FP		CL	F	R
WZ016.00	5/27/2009	R	<2	MFCOL	MLP	P	S	F	R
WZ016.00	7/21/2009	R	2	MFCOL	FP		CL	H	R
WZ016.00	8/4/2009	R	26	MFCOL	LSM		CL	HE	R
WZ016.00	9/22/2009	R	<2	MFCOL	MLP		CL	F	R
WZ016.00	10/19/2009	R	76	MFCOL	FP	P	CL	HE	R
WZ016.00	4/13/2010	R	<2	MFCOL	ESK		SE	H	R
WZ016.00	6/15/2010	R	6	MFCOL	FP		SW	F	R
WZ016.00	7/27/2010	R	4	MFCOL	ESK		N	HF	R
WZ016.00	8/24/2010	R	<2	MFCOL	FP		NE	H	R
WZ016.00	9/15/2010	R	<2	MFCOL	EXT		CL	F	R
WZ016.00	10/12/2010	R	11	MFCOL	HG		E	F	R
WZ016.00	10/29/2010	R	3.6	MFCOL	EXT	P	SE	F	R
WZ016.00	12/7/2010	E	2	MFCOL	ESK		NW	HE	R
WZ016.00	3/22/2011	R	<2	MFCOL	EXT		SE	F	R
WZ016.00	5/4/2011	R	<2	MFCOL	EXT		SE	HF	R
WZ016.00	6/29/2011	R	8	MFCOL	ESK		CL	HE	R
WZ016.00	8/2/2011	R	26	MFCOL	HG		CL	F	R
WZ016.00	9/13/2011	R	2	MFCOL	ESK		SE	HF	R
WZ016.00	10/26/2011	R	16	MFCOL	HG		N	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ017.00	5/30/2006	R	<3	A1COL	LL		S	HF	A
WZ017.00	6/27/2006	R	<3	A1COL	FP	P	SE	HE	A
WZ017.00	7/26/2006	R	3.6	A1COL	FP	P	CL	HF	A
WZ017.00	8/8/2006	R	1100	A1COL	FP		N	HE	A
WZ017.00	9/13/2006	R	<2	MFCOL	JB		W	F	A
WZ017.00	10/4/2006	R	2	MFCOL	JXK		SW	E	A
WZ017.00	6/26/2007	R	<2	MFCOL	LL		CL	E	A
WZ017.00	8/29/2007	R	2	MFCOL	FP		CL	H	R
WZ017.00	9/17/2007	R	<2	MFCOL	FP		CL	F	R
WZ017.00	10/3/2007	R	<2	MFCOL	EXT		CL	F	R
WZ017.00	11/27/2007	R	7.3	MFCOL	FP	P	CL	HF	R
WZ017.00	12/12/2007	R	2	MFCOL	EXT		W	F	R
WZ017.00	1/29/2008	R	<2	MFCOL	FP		CL	F	R
WZ017.00	3/25/2008	R	<2	MFCOL	LL		CL	F	R
WZ017.00	5/21/2008	R	<2	MFCOL	FP		CL	HF	R
WZ017.00	7/21/2008	R	8	MFCOL	MLP		CL	F	R
WZ017.00	9/3/2008	R	<2	MFCOL	LL		CL	F	R
WZ017.00	11/4/2008	R	2	MFCOL	FP		CL	F	R
WZ017.00	5/13/2009	R	2	MFCOL	FP		CL	F	R
WZ017.00	5/27/2009	R	<2	MFCOL	MLP	P	CL	F	R
WZ017.00	7/21/2009	R	10	MFCOL	FP		CL	HE	R
WZ017.00	8/4/2009	R	2	MFCOL	LSM		CL	HE	R
WZ017.00	9/22/2009	R	<2	MFCOL	MLP		CL	F	R
WZ017.00	10/19/2009	R	35	MFCOL	FP	P	NE	HE	R
WZ017.00	4/13/2010	R	<2	MFCOL	ESK		N	HE	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ017.00	6/15/2010	R	<2	MFCOL	FP		NW	F	R
WZ017.00	7/27/2010	R	20	MFCOL	ESK		N	HF	R
WZ017.00	8/24/2010	R	11	MFCOL	FP		NE	H	R
WZ017.00	9/15/2010	R	4	MFCOL	EXT		CL	F	R
WZ017.00	10/12/2010	R	<2	MFCOL	HG		N	F	R
WZ017.00	10/29/2010	R	10	MFCOL	EXT	P	SE	F	R
WZ017.00	12/7/2010	E	2.8	MFCOL	ESK		CL	HE	R
WZ017.00	3/22/2011	R	<2	MFCOL	EXT		CL	F	R
WZ017.00	5/4/2011	R	<2	MFCOL	EXT		S	HF	R
WZ017.00	6/29/2011	R	14	MFCOL	ESK		CL	HE	R
WZ017.00	8/2/2011	R	14	MFCOL	HG		CL	F	R
WZ017.00	9/13/2011	R	2	MFCOL	ESK		SE	HF	R
WZ017.00	10/26/2011	R	54	MFCOL	HG		N	HE	R
WZ017.50	5/16/2007	R	2	MFCOL	FP		NE	HE	R
WZ017.50	6/26/2007	R	<2	MFCOL	LL		CL	E	R
WZ017.50	8/6/2007	R	<2	MFCOL	EXT		CL	LF	R
WZ017.50	8/29/2007	R	2	MFCOL	FP		S	H	R
WZ017.50	10/3/2007	R	7.3	MFCOL	EXT		CL	LF	R
WZ017.50	12/12/2007	R	16	MFCOL	EXT		NW	HF	R
WZ017.50	1/29/2008	R	<2	MFCOL	FP		N	LF	R
WZ017.50	3/25/2008	R	<2	MFCOL	LL		CL	F	R
WZ017.50	5/21/2008	R	<2	MFCOL	FP		SW	HF	R
WZ017.50	7/21/2008	R	6	MFCOL	MLP		CL	HF	R
WZ017.50	9/3/2008	R	2	MFCOL	LL		CL	F	R
WZ017.50	11/19/2008	R	72	MFCOL	FP			LF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ017.50	5/13/2009	R	<2	MFCOL	FP		CL	F	R
WZ017.50	5/27/2009	R	<2	MFCOL	MLP	P	CL	F	R
WZ017.50	7/21/2009	R	<2	MFCOL	FP		CL	HE	R
WZ017.50	8/4/2009	R	<2	MFCOL	LSM		CL	HE	R
WZ017.50	9/22/2009	R	2	MFCOL	MLP		NW	F	R
WZ017.50	10/19/2009	R	16	MFCOL	FP	P	NE	HE	R
WZ017.50	4/13/2010	R	<2	MFCOL	ESK		N	HE	R
WZ017.50	6/15/2010	R	2	MFCOL	FP		NW	F	R
WZ017.50	7/27/2010	R	<2	MFCOL	ESK		N	HF	R
WZ017.50	8/24/2010	R	4	MFCOL	FP		NE	H	R
WZ017.50	9/15/2010	R	2	MFCOL	EXT		N	LF	R
WZ017.50	10/12/2010	R	20	MFCOL	HG		N	F	R
WZ017.50	10/29/2010	R	46	MFCOL	EXT	P	S	F	R
WZ017.50	12/7/2010	E	10	MFCOL	ESK		NW	HE	R
WZ017.50	3/22/2011	R	<2	MFCOL	EXT		E	F	R
WZ017.50	5/4/2011	R	<2	MFCOL	EXT		CL	HF	R
WZ017.50	6/29/2011	R	<2	MFCOL	ESK		CL	HE	R
WZ017.50	8/2/2011	R	16	MFCOL	HG		CL	F	R
WZ017.50	9/13/2011	R	2	MFCOL	ESK		SW	HF	R
WZ017.50	10/26/2011	R	500	MFCOL	HG		W	HE	R
WZ018.00	5/30/2006	R	<3	A1COL	LL		S	HF	A
WZ018.00	6/27/2006	R	9.1	A1COL	FP	P	S	HE	A
WZ018.00	7/26/2006	R	9.1	A1COL	FP	PN	S	HF	A
WZ018.00	8/8/2006	R	<3	A1COL	FP		N	HE	A
WZ018.00	9/13/2006	R	<2	MFCOL	JB		CL	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ018.00	10/24/2006	R	29	MFCOL	JXK		N	F	A
WZ018.00	6/26/2007	R	2	MFCOL	LL		CL	E	A
WZ018.00	8/29/2007	R	3.6	MFCOL	FP		CL	HE	A
WZ018.00	9/17/2007	R	6	MFCOL	FP		CL	F	A
WZ018.00	10/3/2007	R	6	MFCOL	EXT		SW	F	A
WZ018.00	11/27/2007	R	31	MFCOL	FP	P	CL	HF	A
WZ018.00	12/12/2007	R	6	MFCOL	EXT		CL	F	A
WZ018.00	1/29/2008	R	<2	MFCOL	FP		CL	F	A
WZ018.00	3/25/2008	R	<2	MFCOL	LL		CL	F	A
WZ018.00	5/21/2008	R	<2	MFCOL	FP		S	HF	A
WZ018.00	7/21/2008	R	4	MFCOL	MLP		CL	F	A
WZ018.00	9/3/2008	R	<2	MFCOL	LL		CL	F	A
WZ018.00	11/4/2008	R	<2	MFCOL	FP		S	F	A
WZ018.00	5/13/2009	R	2	MFCOL	FP		SE	F	A
WZ018.00	5/27/2009	R	2	MFCOL	MLP	P	S	F	A
WZ018.00	7/21/2009	R	16	MFCOL	FP		CL	HE	A
WZ018.00	8/4/2009	R	2	MFCOL	LSM			E	A
WZ018.00	9/22/2009	R	22	MFCOL	MLP		S	F	A
WZ018.00	10/19/2009	R	5.5	MFCOL	FP	P	N	HE	A
WZ018.00	4/13/2010	R	<2	MFCOL	ESK		N	HE	A
WZ018.00	6/15/2010	R	2	MFCOL	FP		NW	F	A
WZ018.00	7/27/2010	R	2	MFCOL	ESK		N	HF	A
WZ018.00	8/24/2010	R	3.6	MFCOL	FP		NE	H	A
WZ018.00	9/15/2010	R	6	MFCOL	EXT		N	F	A
WZ018.00	10/12/2010	R	12	MFCOL	HG		N	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ018.00	10/29/2010	R	118	MFCOL	EXT	P	CL	F	A
WZ018.00	12/7/2010	E	2	MFCOL	ESK		CL	HE	A
WZ018.00	3/22/2011	R	<2	MFCOL	EXT		CL	F	A
WZ018.00	5/4/2011	R	18	MFCOL	EXT		S	HF	A
WZ018.00	6/29/2011	R	20	MFCOL	ESK		CL	HE	A
WZ018.00	8/2/2011	R	10	MFCOL	HG		N	F	A
WZ018.00	9/13/2011	R	<2	MFCOL	ESK		S	HF	A
WZ018.00	10/26/2011	R	20	MFCOL	HG		N	HE	A
WZ019.00	4/24/2006	R	<3	A1COL	FP		E	LE	A
WZ019.00	5/30/2006	R	<3	A1COL	LL		S	HF	A
WZ019.00	6/27/2006	R	<3	A1COL	FP	P	S	HE	A
WZ019.00	7/26/2006	R	<3	A1COL	FP	P	SW	HF	A
WZ019.00	9/13/2006	R	22	MFCOL	JB		CL	F	A
WZ019.00	10/4/2006	R	<2	MFCOL	JXK		S	E	A
WZ019.00	2/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ019.00	4/24/2007	R	<2	MFCOL	FP		N	LF	A
WZ019.00	6/26/2007	R	<2	MFCOL	LL		S	E	A
WZ019.00	8/6/2007	R	<2	MFCOL	EXT		SW	L	A
WZ019.00	10/3/2007	R	2	MFCOL	EXT		CL	LF	A
WZ019.00	12/12/2007	R	<2	MFCOL	EXT		SW	F	A
WZ019.00	1/29/2008	R	<2	MFCOL	FP		N	L	A
WZ019.00	3/25/2008	R	<2	MFCOL	LL		SE	F	A
WZ019.00	5/21/2008	R	<2	MFCOL	FP		SW	HF	A
WZ019.00	7/21/2008	R	<2	MFCOL	MLP		CL	HF	A
WZ019.00	9/3/2008	R	<2	MFCOL	LL		NE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ019.00	11/4/2008	R	<2	MFCOL	FP		S	F	A
WZ019.00	5/13/2009	R	<2	MFCOL	FP		S	F	A
WZ019.00	5/27/2009	R	2	MFCOL	MLP	P	CL	F	A
WZ019.00	7/21/2009	R	10	MFCOL	FP		CL	HE	A
WZ019.00	8/4/2009	R	4	MFCOL	LSM			E	A
WZ019.00	9/22/2009	R	<2	MFCOL	MLP		W	F	A
WZ019.00	10/19/2009	R	<2	MFCOL	FP	P	N	HE	A
WZ019.00	4/13/2010	R	<2	MFCOL	ESK		W	HE	A
WZ019.00	6/15/2010	R	<2	MFCOL	FP		NW	F	A
WZ019.00	7/27/2010	R	2	MFCOL	ESK		NW	HF	A
WZ019.00	8/24/2010	R	2	MFCOL	FP		NE	HE	A
WZ019.00	9/15/2010	R	<2	MFCOL	EXT		NE	LF	A
WZ019.00	10/12/2010	R	<2	MFCOL	HG		E	F	A
WZ019.00	10/29/2010	R	<2	MFCOL	EXT	P	S	F	A
WZ019.00	12/7/2010	E	20	MFCOL	ESK		NW	HE	A
WZ019.00	3/22/2011	R	<2	MFCOL	EXT		CL	HF	A
WZ019.00	5/4/2011	R	12	MFCOL	EXT		SE	HF	A
WZ019.00	6/29/2011	R	3.6	MFCOL	ESK		E	E	A
WZ019.00	8/2/2011	R	9.1	MFCOL	HG		E	HF	A
WZ019.00	9/13/2011	R	<2	MFCOL	ESK		SW	HF	A
WZ019.00	10/26/2011	R	13	MFCOL	HG		SW	HE	A
WZ020.00	4/24/2006	R	3	A1COL	FP		CL	LE	A
WZ020.00	5/30/2006	R	<3	A1COL	LL		S	HF	A
WZ020.00	7/26/2006	R	9.1	A1COL	FP	P	SW	HF	A
WZ020.00	8/8/2006	R	15	A1COL	FP		N	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ020.00	9/13/2006	R	4	MFCOL	JB		CL	F	A
WZ020.00	10/4/2006	R	14	MFCOL	JXK		SW	LE	A
WZ020.00	2/27/2007	R	<2	MFCOL	FP		CL	LE	A
WZ020.00	4/24/2007	R	2	MFCOL	FP		N	LF	A
WZ020.00	6/26/2007	R	<2	MFCOL	LL		CL	E	A
WZ020.00	8/6/2007	R	4	MFCOL	EXT		SW	L	A
WZ020.00	10/3/2007	R	<2	MFCOL	EXT		CL	LF	A
WZ020.00	12/12/2007	R	<2	MFCOL	EXT		CL	F	A
WZ020.00	1/29/2008	R	<2	MFCOL	FP		N	L	A
WZ020.00	3/25/2008	R	<2	MFCOL	LL		CL	F	A
WZ020.00	5/21/2008	R	<2	MFCOL	FP		SW	H	A
WZ020.00	7/21/2008	R	7.3	MFCOL	MLP		CL	HF	A
WZ020.00	9/3/2008	R	<2	MFCOL	LL		CL	F	A
WZ020.00	11/3/2008	R	4	MFCOL	MLP		SW	H	A
WZ020.00	5/13/2009	R	<2	MFCOL	FP		S	F	A
WZ020.00	5/27/2009	R	<2	MFCOL	MLP	P	S	F	A
WZ020.00	7/21/2009	R	6	MFCOL	FP		CL	HE	A
WZ020.00	8/4/2009	R	2	MFCOL	LSM		CL	E	A
WZ020.00	9/22/2009	R	<2	MFCOL	MLP		SW	F	A
WZ020.00	10/19/2009	R	8	MFCOL	FP	P	N	HE	A
WZ020.00	4/13/2010	R	<2	MFCOL	ESK		N	E	A
WZ020.00	6/15/2010	R	2	MFCOL	FP		NW	F	A
WZ020.00	7/27/2010	R	6	MFCOL	ESK		NW	HF	A
WZ020.00	8/24/2010	R	2	MFCOL	FP		NE	HE	A
WZ020.00	9/15/2010	R	2	MFCOL	EXT		NE	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ020.00	10/12/2010	R	13	MFCOL	HG		NE	F	A
WZ020.00	10/29/2010	R	20	MFCOL	EXT	P	S	F	A
WZ020.00	12/7/2010	E	2	MFCOL	ESK		CL	HE	A
WZ020.00	3/22/2011	R	<2	MFCOL	EXT		NE	HF	A
WZ020.00	5/4/2011	R	<2	MFCOL	EXT		SE	H	A
WZ020.00	6/29/2011	R	10	MFCOL	ESK		CL	E	A
WZ020.00	8/2/2011	R	<2	MFCOL	HG		SE	HF	A
WZ020.00	9/13/2011	R	6	MFCOL	ESK		S	H	A
WZ020.00	10/26/2011	R	48	MFCOL	HG		W	HE	A
WZ021.00	4/24/2006	R	<3	A1COL	FP		CL	LE	P
WZ021.00	5/30/2006	R	3.6	A1COL	LL		S	H	P
WZ021.00	7/26/2006	R	23	A1COL	FP	P	SW	H	P
WZ021.00	8/8/2006	R	<3	A1COL	FP		N	HE	P
WZ021.00	9/13/2006	R	5.5	MFCOL	JB		CL	F	P
WZ021.00	10/4/2006	R	12	MFCOL	JXK		SW	LE	P
WZ021.00	4/24/2007	R	<2	MFCOL	FP		CL	F	P
WZ021.00	5/16/2007	R	3.6	MFCOL	FP		NE	E	P
WZ021.00	6/26/2007	R	4	MFCOL	LL		CL	E	P
WZ021.00	8/6/2007	R	2	MFCOL	EXT		SW	L	P
WZ021.00	10/3/2007	R	2	MFCOL	EXT		SW	F	P
WZ021.00	12/12/2007	R	<2	MFCOL	EXT		SW	F	P
WZ021.00	1/29/2008	R	<2	MFCOL	FP		CL	F	P
WZ021.00	3/25/2008	R	<2	MFCOL	LL		SE	F	P
WZ021.00	5/21/2008	R	<2	MFCOL	FP		SW	H	P
WZ021.00	7/21/2008	R	4	MFCOL	MLP		NE	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ021.00	9/3/2008	R	2	MFCOL	LL		CL	F	P
WZ021.00	11/3/2008	R	6	MFCOL	MLP		SW	H	P
WZ021.00	5/13/2009	R	<2	MFCOL	FP		S	HF	P
WZ021.00	5/27/2009	R	<2	MFCOL	MLP	P	S	F	P
WZ021.00	7/21/2009	R	8	MFCOL	FP		CL	HE	P
WZ021.00	8/4/2009	R	3.6	MFCOL	LSM		CL	E	P
WZ021.00	9/22/2009	R	<2	MFCOL	MLP		SW	F	P
WZ021.00	10/19/2009	R	8	MFCOL	FP	P	N	E	P
WZ021.00	4/13/2010	R	<2	MFCOL	ESK		NW	E	P
WZ021.00	6/15/2010	R	<2	MFCOL	FP		NW	F	P
WZ021.00	7/27/2010	R	6	MFCOL	ESK		NW	H	P
WZ021.00	8/24/2010	R	24	MFCOL	FP		NE	HE	P
WZ021.00	9/15/2010	R	<2	MFCOL	EXT		NE	LF	P
WZ021.00	10/12/2010	R	10	MFCOL	HG		NE	F	P
WZ021.00	10/29/2010	R	126	MFCOL	EXT	P	SW	F	P
WZ021.00	12/7/2010	E	78	MFCOL	ESK		NW	E	P
WZ021.00	3/22/2011	R	<2	MFCOL	EXT		NE	HF	P
WZ021.00	5/4/2011	R	2	MFCOL	EXT		SE	H	P
WZ021.00	6/29/2011	R	5.5	MFCOL	ESK		CL	E	P
WZ021.00	8/2/2011	R	2	MFCOL	HG		NE	HF	P
WZ021.00	9/13/2011	R	6	MFCOL	ESK		S	H	P
WZ021.00	10/26/2011	R	33	MFCOL	HG		W	E	P
WZ022.00	5/30/2006	R	9.1	A1COL	LL		S	H	P
WZ022.00	7/26/2006	R	80	A1COL	FP	PN	SW	H	P
WZ022.00	8/8/2006	R	23	A1COL	FP	N	N	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ022.00	10/4/2006	R	56	MFCOL	JXK		SE	LE	P
WZ022.00	10/24/2006	R	90	MFCOL	JXK		N	F	P
WZ022.00	11/27/2006	R	<2	MFCOL	FP	N	CL	LF	P
WZ022.00	5/16/2007	R	40	MFCOL	FP		NE	E	P
WZ022.00	6/26/2007	R	8	MFCOL	LL		CL	E	P
WZ022.00	8/6/2007	R	22	MFCOL	EXT		SW	L	P
WZ022.00	8/29/2007	R	12	MFCOL	FP		CL	HE	P
WZ022.00	10/3/2007	R	58	MFCOL	EXT		CL	F	P
WZ022.00	12/12/2007	R	24	MFCOL	EXT		CL	F	P
WZ022.00	1/29/2008	R	<2	MFCOL	FP		CL	F	P
WZ022.00	3/25/2008	R	<2	MFCOL	LL		CL	HF	P
WZ022.00	5/21/2008	R	<2	MFCOL	FP		SW	H	P
WZ022.00	7/21/2008	R	<2	MFCOL	MLP		NE	HF	P
WZ022.00	9/3/2008	R	6	MFCOL	LL		CL	F	P
WZ022.00	11/3/2008	R	4	MFCOL	MLP		SW	H	P
WZ022.00	5/13/2009	R	<2	MFCOL	FP		CL	HF	P
WZ022.00	5/27/2009	R	<2	MFCOL	MLP	P	CL	HF	P
WZ022.00	7/21/2009	R	68	MFCOL	FP		CL	HE	P
WZ022.00	8/4/2009	R	750	MFCOL	LSM		CL	E	P
WZ022.00	9/22/2009	R	50	MFCOL	MLP		CL	HF	P
WZ022.00	10/19/2009	R	18	MFCOL	FP	P	N	E	P
WZ022.00	4/13/2010	R	<2	MFCOL	ESK		NW	E	P
WZ022.00	6/15/2010	R	4	MFCOL	FP		NW	HF	P
WZ022.00	7/27/2010	R	10	MFCOL	ESK		NW	H	P
WZ022.00	8/24/2010	R	6	MFCOL	FP		NE	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ022.00	9/15/2010	R	<2	MFCOL	EXT		CL	F	P
WZ022.00	10/12/2010	R	40	MFCOL	HG		NE	F	P
WZ022.00	10/29/2010	R	118	MFCOL	EXT	P	SW	LF	P
WZ022.00	12/7/2010	E	2	MFCOL	ESK		CL	E	P
WZ022.00	3/22/2011	R	<2	MFCOL	EXT		CL	HF	P
WZ022.00	5/4/2011	R	22	MFCOL	EXT		CL	H	P
WZ022.00	6/29/2011	R	35	MFCOL	ESK		E	E	P
WZ022.00	8/2/2011	R	14	MFCOL	HG		NE	HF	P
WZ022.00	9/13/2011	R	<2	MFCOL	ESK		SW	H	P
WZ022.00	10/26/2011	R	7.3	MFCOL	HG		W	E	P
WZ026.00	5/30/2006	R	<3	A1COL	JB		E	F	A
WZ026.00	7/26/2006	R	23	A1COL	JXK		CL	F	A
WZ026.00	8/9/2006	R	3	A1COL	FP	N	CL	H	A
WZ026.00	8/15/2006	R	<3	A1COL	FP	PN	S	F	A
WZ026.00	9/20/2006	R	160	MFCOL	JXK		CL	H	A
WZ026.00	10/4/2006	R	2	MFCOL	FP	N	CL	E	A
WZ026.00	1/31/2007	R	<2	MFCOL	FP		CL	HE	A
WZ026.00	6/20/2007	R	2	MFCOL	MHE		CL	F	A
WZ026.00	9/10/2007	R	98	MFCOL	MHE	P	CL	HF	A
WZ026.00	9/25/2007	R	<2	MFCOL	FP	W	CL	E	A
WZ026.00	10/9/2007	R	4	MFCOL	FP	P	N	H	A
WZ026.00	11/14/2007	R	2	MFCOL	EXT		SW	F	A
WZ026.00	1/30/2008	R	<2	MFCOL	EXT		CL	F	R
WZ026.00	3/26/2008	R	<2	MFCOL	EXT	P	CL	H	R
WZ026.00	5/19/2008	R	2	MFCOL	LL		W	F	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ026.00	7/21/2008	R	18	MFCOL	FP	P	CL	F	R
WZ026.00	9/3/2008	R	<2	MFCOL	FP		CL	F	R
WZ026.00	11/3/2008	R	3.6	MFCOL	EXT		CL	F	R
WZ026.00	3/9/2009	R	<2	MFCOL	EXT		CL	HE	R
WZ026.00	5/12/2009	R	<2	MFCOL	FP		CL	F	R
WZ026.00	5/26/2009	R	6	MFCOL	MLP		CL	F	R
WZ026.00	7/20/2009	R	2	MFCOL	EXT		CL	HE	R
WZ026.00	8/5/2009	R	<2	MFCOL	MLP		SW	HF	R
WZ026.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	R
WZ026.00	4/26/2010	R	<2	MFCOL	HG		CL	HE	R
WZ026.00	6/14/2010	R	2	MFCOL	HG		CL	F	R
WZ026.00	7/28/2010	R	<2	MFCOL	FP		CL	F	R
WZ026.00	8/25/2010	R	<2	MFCOL	ESK	P	E	HF	R
WZ026.00	10/6/2010	R	60	MFCOL	LSM		NE	HE	R
WZ026.00	10/26/2010	R	29	MFCOL	ESK		CL	F	R
WZ026.00	12/7/2010	E	2	MFCOL	HG		CL	H	R
WZ026.00	1/5/2011	R	<2	MFCOL	FP		CL	H	R
WZ026.00	4/4/2011	R	<2	MFCOL	EXT		CL	HF	R
WZ026.00	5/3/2011	R	2	MFCOL	ESK		E	HF	R
WZ026.00	7/13/2011	R	<2	MFCOL	HG		CL	HE	R
WZ026.00	8/2/2011	R	15	MFCOL	ESK		CL	F	R
WZ026.00	9/12/2011	R	<2	MFCOL	EXT		CL	HF	R
WZ027.00	5/30/2006	R	3.6	A1COL	JB		E	F	P
WZ027.00	7/26/2006	R	23	A1COL	JXK		CL	F	P
WZ027.00	8/9/2006	R	23	A1COL	FP	N	CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ027.00	8/15/2006	R	23	A1COL	FP	PN	S	F	P
WZ027.00	9/20/2006	R	600	MFCOL	JXK		NW	HE	P
WZ027.00	10/4/2006	R	4	MFCOL	FP	NW	CL	E	P
WZ027.00	1/31/2007	R	<2	MFCOL	FP	N	CL	E	P
WZ027.00	3/27/2007	R	<2	MFCOL	FP	N	CL	E	P
WZ027.00	5/21/2007	R	126	MFCOL	EXT		NW	F	P
WZ027.00	7/18/2007	R	6	MFCOL	MHE	P	CL	F	P
WZ027.00	9/10/2007	R	7.3	MFCOL	MHE	P	CL	H	P
WZ027.00	11/14/2007	R	<2	MFCOL	EXT		CL	F	P
WZ027.00	1/30/2008	R	70	MFCOL	EXT	P	SW	F	R
WZ027.00	3/26/2008	R	<2	MFCOL	EXT	P	CL	F	R
WZ027.00	5/19/2008	R	<2	MFCOL	LL		W	F	R
WZ027.00	7/21/2008	R	26	MFCOL	FP	P	N	F	R
WZ027.00	9/3/2008	R	2	MFCOL	FP		N	F	R
WZ027.00	11/3/2008	R	11	MFCOL	EXT		SW	F	R
WZ027.00	3/9/2009	R	2	MFCOL	EXT		N	H	R
WZ027.00	5/12/2009	R	<2	MFCOL	FP		NE	F	R
WZ027.00	5/26/2009	R	7.3	MFCOL	MLP		CL	F	R
WZ027.00	7/20/2009	R	5.5	MFCOL	EXT		CL	HE	R
WZ027.00	8/5/2009	R	<2	MFCOL	MLP		SW	H	R
WZ027.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	R
WZ027.00	4/26/2010	R	<2	MFCOL	HG		CL	HE	R
WZ027.00	6/14/2010	R	<2	MFCOL	HG		CL	F	R
WZ027.00	7/28/2010	R	<2	MFCOL	FP		CL	F	R
WZ027.00	8/25/2010	R	4	MFCOL	ESK	P	E	HF	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ027.00	10/6/2010	R	78	MFCOL	FP		CL	HE	R
WZ027.00	10/26/2010	R	68	MFCOL	ESK		CL	F	R
WZ027.00	12/7/2010	E	2	MFCOL	HG		N	HF	R
WZ027.00	1/5/2011	R	<2	MFCOL	FP		CL	H	R
WZ027.00	4/4/2011	R	<2	MFCOL	EXT		CL	F	R
WZ027.00	5/3/2011	R	<2	MFCOL	ESK		S	HF	R
WZ027.00	7/13/2011	R	6	MFCOL	HG		N	HE	R
WZ027.00	8/2/2011	R	27	MFCOL	ESK		NE	F	R
WZ027.00	9/12/2011	R	<2	MFCOL	EXT		CL	HF	R
WZ028.00	5/30/2006	R	7.3	A1COL	JB		E	F	A
WZ028.00	6/27/2006	R	<3	A1COL	LL		SW	E	A
WZ028.00	7/26/2006	R	<3	A1COL	JXK		SW	HF	A
WZ028.00	8/15/2006	R	43	A1COL	FP	P	S	LF	A
WZ028.00	9/20/2006	R	18	MFCOL	JXK		NW	HE	A
WZ028.00	10/4/2006	R	6	MFCOL	FP		CL	L	A
WZ028.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ028.00	3/27/2007	R	<2	MFCOL	FP	W	CL	E	A
WZ028.00	5/21/2007	R	7.3	MFCOL	EXT		NW	F	A
WZ028.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	A
WZ028.00	9/10/2007	R	8	MFCOL	MHE	P	SE	H	A
WZ028.00	11/14/2007	R	<2	MFCOL	EXT		SW	F	A
WZ028.00	1/30/2008	R	<2	MFCOL	EXT		NE	L	A
WZ028.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	A
WZ028.00	5/19/2008	R	<2	MFCOL	LL		W	F	A
WZ028.00	7/21/2008	R	10	MFCOL	FP	P	N	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ028.00	9/3/2008	R	2	MFCOL	FP		N	F	A
WZ028.00	11/3/2008	R	<2	MFCOL	EXT		SW	F	A
WZ028.00	3/9/2009	R	3.6	MFCOL	EXT		NE	HE	A
WZ028.00	5/12/2009	R	<2	MFCOL	FP		N	F	A
WZ028.00	5/26/2009	R	2	MFCOL	MLP		CL	F	A
WZ028.00	7/20/2009	R	4	MFCOL	EXT		CL	HE	A
WZ028.00	8/5/2009	R	<2	MFCOL	MLP		SW	H	A
WZ028.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ028.00	4/26/2010	R	<2	MFCOL	HG		W	E	A
WZ028.00	6/14/2010	R	<2	MFCOL	HG		SW	F	A
WZ028.00	7/28/2010	R	<2	MFCOL	FP		S	F	A
WZ028.00	8/25/2010	R	<2	MFCOL	ESK	P	CL	HF	A
WZ028.00	10/6/2010	R	152	MFCOL	LSM		NE	HE	A
WZ028.00	10/26/2010	R	40	MFCOL	ESK		CL	F	A
WZ028.00	12/7/2010	E	<2	MFCOL	HG		W	H	A
WZ028.00	1/5/2011	R	<2	MFCOL	FP		NW	H	A
WZ028.00	4/4/2011	R	<2	MFCOL	EXT		CL	HF	A
WZ028.00	5/3/2011	R	<2	MFCOL	ESK		SE	HF	A
WZ028.00	7/13/2011	R	<2	MFCOL	HG		N	HE	A
WZ028.00	8/2/2011	R	20	MFCOL	ESK		E	F	A
WZ028.00	9/12/2011	R	<2	MFCOL	EXT		SW	HF	A
WZ029.00	5/30/2006	R	<3	A1COL	JB		CL	F	P
WZ029.00	6/27/2006	R	43	A1COL	LL		SW	F	P
WZ029.00	7/26/2006	R	240	A1COL	JXK		SW	HF	P
WZ029.00	8/15/2006	R	23	A1COL	FP	PN	S	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ029.00	9/20/2006	R	500	MFCOL	JXK		CL	HE	P
WZ029.00	10/4/2006	R	<2	MFCOL	FP	N	CL	E	P
WZ029.00	1/31/2007	R	<2	MFCOL	FP	N	CL	E	P
WZ029.00	5/21/2007	R	<2	MFCOL	EXT		CL	F	P
WZ029.00	6/20/2007	R	6	MFCOL	MHE		CL	F	P
WZ029.00	7/18/2007	R	6	MFCOL	MHE	P	CL	F	P
WZ029.00	9/10/2007	R	102	MFCOL	MHE	P	SE	H	P
WZ029.00	11/14/2007	R	35	MFCOL	EXT		SW	F	P
WZ029.00	1/30/2008	R	25	MFCOL	EXT		SW	F	P
WZ029.00	3/26/2008	R	4	MFCOL	EXT	P	SW	F	P
WZ029.00	5/19/2008	R	<2	MFCOL	LL		W	F	P
WZ029.00	7/21/2008	R	22	MFCOL	FP	P	CL	F	P
WZ029.00	9/3/2008	R	2	MFCOL	FP		CL	F	P
WZ029.00	11/3/2008	R	54	MFCOL	EXT		W	F	P
WZ029.00	3/9/2009	R	2	MFCOL	EXT		CL	HE	P
WZ029.00	5/12/2009	R	<2	MFCOL	FP		CL	F	P
WZ029.00	5/26/2009	R	4	MFCOL	MLP		S	HF	P
WZ029.00	7/20/2009	R	<2	MFCOL	EXT		SW	E	P
WZ029.00	8/5/2009	R	64	MFCOL	MLP		SW	H	P
WZ029.00	9/22/2009	R	29	MFCOL	LSM		SW	F	P
WZ029.00	4/26/2010	R	2	MFCOL	HG		SW	E	P
WZ029.00	6/14/2010	R	14	MFCOL	HG		SW	F	P
WZ029.00	7/28/2010	R	11	MFCOL	FP		S	F	P
WZ029.00	8/25/2010	R	1260	MFCOL	ESK	P	S	HF	P
WZ029.00	10/6/2010	R	102	MFCOL	FP		CL	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ029.00	10/26/2010	R	4	MFCOL	ESK		CL	F	P
WZ029.00	12/7/2010	E	22	MFCOL	HG	W	W	H	P
WZ029.00	1/5/2011	R	<2	MFCOL	FP		SW	HE	P
WZ029.00	4/4/2011	R	2	MFCOL	EXT		CL	HF	P
WZ029.00	5/3/2011	R	4	MFCOL	ESK		SE	HF	P
WZ029.00	7/13/2011	R	460	MFCOL	HG		CL	HE	P
WZ029.00	8/2/2011	R	14	MFCOL	ESK		CL	F	P
WZ029.00	9/12/2011	R	<2	MFCOL	EXT		SW	H	P
WZ030.00	5/30/2006	R	<3	A1COL	JB		E	F	A
WZ030.00	6/27/2006	R	3.6	A1COL	LL		SW	HF	A
WZ030.00	7/26/2006	R	29	A1COL	JXK		SW	HF	A
WZ030.00	8/15/2006	R	<3	A1COL	FP	P	S	LF	A
WZ030.00	9/20/2006	R	16	MFCOL	JXK		CL	HE	A
WZ030.00	10/4/2006	R	<2	MFCOL	FP		SW	E	A
WZ030.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ030.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ030.00	6/20/2007	R	<2	MFCOL	MHE		CL	F	A
WZ030.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	A
WZ030.00	9/10/2007	R	44	MFCOL	MHE	P	SE	H	A
WZ030.00	11/14/2007	R	<2	MFCOL	EXT		SW	F	A
WZ030.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	A
WZ030.00	5/19/2008	R	<2	MFCOL	LL		W	F	A
WZ030.00	6/18/2008	R	<2	MFCOL	EXT		SE	HF	A
WZ030.00	7/21/2008	R	<2	MFCOL	FP	P	N	F	A
WZ030.00	9/3/2008	R	<2	MFCOL	FP		NE	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ030.00	11/3/2008	R	10	MFCOL	EXT		W	F	A
WZ030.00	3/9/2009	R	<2	MFCOL	EXT		NE	HE	A
WZ030.00	5/12/2009	R	<2	MFCOL	FP		N	F	A
WZ030.00	5/26/2009	R	<2	MFCOL	MLP		S	HF	A
WZ030.00	7/20/2009	R	<2	MFCOL	EXT		SW	E	A
WZ030.00	8/5/2009	R	2	MFCOL	MLP	W	SW	H	A
WZ030.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ030.00	4/26/2010	R	<2	MFCOL	HG		W	E	A
WZ030.00	6/14/2010	R	<2	MFCOL	HG		CL	HE	A
WZ030.00	7/28/2010	R	<2	MFCOL	FP		S	F	A
WZ030.00	8/25/2010	R	280	MFCOL	ESK	P	SE	HE	A
WZ030.00	10/6/2010	R	1020	MFCOL	FP		NE	E	A
WZ030.00	11/3/2010	R	<2	MFCOL	FP		CL	E	A
WZ030.00	12/7/2010	E	<2	MFCOL	HG		W	E	A
WZ030.00	1/5/2011	R	<2	MFCOL	FP		NW	HE	A
WZ030.00	5/3/2011	R	<2	MFCOL	ESK		S	HF	A
WZ030.00	5/17/2011	R	<2	MFCOL	ESK		NE	HF	A
WZ030.00	7/13/2011	R	<2	MFCOL	HG		S	E	A
WZ030.00	8/2/2011	R	7.3	MFCOL	ESK		CL	F	A
WZ030.00	9/12/2011	R	4	MFCOL	EXT		SW	H	A
WZ031.00	5/30/2006	R	460	A1COL	JB		CL	F	A
WZ031.00	6/27/2006	R	23	A1COL	LL		SW	HF	A
WZ031.00	7/26/2006	R	23	A1COL	JXK		SW	HF	A
WZ031.00	8/15/2006	R	<3	A1COL	FP	P	S	F	A
WZ031.00	9/20/2006	R	480	MFCOL	JXK		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ031.00	10/4/2006	R	<2	MFCOL	FP		CL	E	A
WZ031.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ031.00	5/21/2007	R	2	MFCOL	EXT		CL	F	R
WZ031.00	6/20/2007	R	2	MFCOL	MHE		CL	F	R
WZ031.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	R
WZ031.00	9/10/2007	R	6	MFCOL	MHE	P	CL	H	R
WZ031.00	11/14/2007	R	<2	MFCOL	EXT		SW	F	R
WZ031.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	R
WZ031.00	5/19/2008	R	<2	MFCOL	LL		W	F	R
WZ031.00	6/18/2008	R	2	MFCOL	EXT		CL	HF	R
WZ031.00	7/21/2008	R	31	MFCOL	FP	P	CL	F	R
WZ031.00	9/3/2008	R	<2	MFCOL	FP		CL	F	R
WZ031.00	11/3/2008	R	<2	MFCOL	EXT		W	F	R
WZ031.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	R
WZ031.00	5/12/2009	R	<2	MFCOL	FP		CL	F	R
WZ031.00	5/26/2009	R	<2	MFCOL	MLP		CL	HF	R
WZ031.00	7/20/2009	R	25	MFCOL	EXT		SW	E	R
WZ031.00	8/5/2009	R	6	MFCOL	MLP		SW	H	R
WZ031.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	R
WZ031.00	4/26/2010	R	2	MFCOL	HG		W	E	R
WZ031.00	6/14/2010	R	62	MFCOL	HG		CL	HE	R
WZ031.00	7/28/2010	R	14	MFCOL	FP		S	F	R
WZ031.00	8/25/2010	R	22	MFCOL	ESK	P	CL	HE	R
WZ031.00	10/6/2010	R	4	MFCOL	FP		CL	E	R
WZ031.00	11/3/2010	R	<2	MFCOL	FP		CL	E	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ031.00	12/7/2010	E	10	MFCOL	HG		W	E	R
WZ031.00	1/5/2011	R	2	MFCOL	FP		W	HE	R
WZ031.00	5/3/2011	R	<2	MFCOL	ESK		S	HF	R
WZ031.00	5/17/2011	R	15	MFCOL	ESK		CL	HF	R
WZ031.00	7/13/2011	R	4	MFCOL	HG		W	E	R
WZ031.00	8/2/2011	R	<2	MFCOL	ESK		CL	F	R
WZ031.00	9/12/2011	R	<2	MFCOL	EXT		CL	H	R
WZ032.00	5/30/2006	R	<3	A1COL	JB		E	F	A
WZ032.00	6/27/2006	R	3.6	A1COL	LL		SW	F	A
WZ032.00	7/26/2006	R	3.6	A1COL	JXK		SW	H	A
WZ032.00	8/15/2006	R	<3	A1COL	FP	P	S	LF	A
WZ032.00	9/20/2006	R	12	MFCOL	JXK		CL	HE	A
WZ032.00	10/4/2006	R	<2	MFCOL	FP		CL	E	A
WZ032.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ032.00	3/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ032.00	5/21/2007	R	8	MFCOL	EXT		CL	F	A
WZ032.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	A
WZ032.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	H	A
WZ032.00	11/14/2007	R	<2	MFCOL	EXT		SW	HF	A
WZ032.00	3/26/2008	R	<2	MFCOL	EXT	P	S	F	A
WZ032.00	5/19/2008	R	<2	MFCOL	LL		SW	F	A
WZ032.00	6/18/2008	R	2	MFCOL	EXT		CL	HF	A
WZ032.00	7/21/2008	R	4	MFCOL	FP	P	N	F	A
WZ032.00	9/3/2008	R	<2	MFCOL	FP		CL	F	A
WZ032.00	11/3/2008	R	2	MFCOL	EXT		SW	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ032.00	3/9/2009	R	<2	MFCOL	EXT		NE	E	A
WZ032.00	5/12/2009	R	<2	MFCOL	FP		NE	F	A
WZ032.00	5/26/2009	R	<2	MFCOL	MLP		SW	HF	A
WZ032.00	7/20/2009	R	4	MFCOL	EXT		CL	LE	A
WZ032.00	8/5/2009	R	<2	MFCOL	MLP		SW	H	A
WZ032.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ032.00	4/26/2010	R	<2	MFCOL	HG		S	E	A
WZ032.00	6/14/2010	R	24	MFCOL	HG		CL	HE	A
WZ032.00	7/28/2010	R	<2	MFCOL	FP		S	HF	A
WZ032.00	8/25/2010	R	8	MFCOL	ESK	P	SE	HE	A
WZ032.00	10/6/2010	R	<2	MFCOL	LSM		NE	E	A
WZ032.00	10/26/2010	R	2	MFCOL	ESK		CL	F	A
WZ032.00	12/7/2010	E	<2	MFCOL	HG		CL	E	A
WZ032.00	1/5/2011	R	<2	MFCOL	FP		CL	HE	A
WZ032.00	4/4/2011	R	<2	MFCOL	EXT		S	H	A
WZ032.00	5/3/2011	R	<2	MFCOL	ESK		SE	H	A
WZ032.00	7/13/2011	R	<2	MFCOL	HG		S	LE	A
WZ032.00	8/2/2011	R	<2	MFCOL	ESK		E	F	A
WZ032.00	9/12/2011	R	<2	MFCOL	EXT		SW	H	A
WZ033.00	5/30/2006	R	15	A1COL	JB		E	F	A
WZ033.00	6/27/2006	R	<3	A1COL	LL		SW	F	A
WZ033.00	7/26/2006	R	<3	A1COL	JXK		S	H	A
WZ033.00	8/15/2006	R	9.1	A1COL	FP	P	S	LF	A
WZ033.00	9/20/2006	R	<2	MFCOL	JXK		NW	HE	A
WZ033.00	10/4/2006	R	<2	MFCOL	FP		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ033.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ033.00	3/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ033.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ033.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	A
WZ033.00	9/10/2007	R	4	MFCOL	MHE	P	CL	H	A
WZ033.00	11/14/2007	R	<2	MFCOL	EXT		SW	HF	A
WZ033.00	3/26/2008	R	<2	MFCOL	EXT	P	S	F	A
WZ033.00	5/19/2008	R	<2	MFCOL	LL		SW	F	A
WZ033.00	6/18/2008	R	4	MFCOL	EXT		CL	HF	A
WZ033.00	7/21/2008	R	4	MFCOL	FP	P	N	F	A
WZ033.00	9/3/2008	R	<2	MFCOL	FP		NE	F	A
WZ033.00	11/3/2008	R	<2	MFCOL	EXT		CL	F	A
WZ033.00	3/9/2009	R	2	MFCOL	EXT		NE	E	A
WZ033.00	5/12/2009	R	<2	MFCOL	FP	W	N	F	A
WZ033.00	5/26/2009	R	<2	MFCOL	MLP		S	HF	A
WZ033.00	7/20/2009	R	<2	MFCOL	EXT		SW	LE	A
WZ033.00	8/5/2009	R	<2	MFCOL	MLP		SW	H	A
WZ033.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ033.00	4/26/2010	R	<2	MFCOL	HG		S	LE	A
WZ033.00	6/14/2010	R	<2	MFCOL	HG		S	HE	A
WZ033.00	7/28/2010	R	<2	MFCOL	FP		S	HF	A
WZ033.00	8/25/2010	R	2	MFCOL	ESK	P	SE	HE	A
WZ033.00	10/6/2010	R	132	MFCOL	LSM		NE	LF	A
WZ033.00	10/26/2010	R	<2	MFCOL	ESK		CL	F	A
WZ033.00	12/7/2010	E	<2	MFCOL	HG		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ033.00	1/5/2011	R	<2	MFCOL	FP		NE	E	A
WZ033.00	4/4/2011	R	100	MFCOL	EXT		S	H	A
WZ033.00	5/3/2011	R	<2	MFCOL	ESK		S	H	A
WZ033.00	7/13/2011	R	4	MFCOL	HG		S	LE	A
WZ033.00	8/2/2011	R	<2	MFCOL	ESK		NE	F	A
WZ033.00	9/12/2011	R	4	MFCOL	EXT		SW	H	A
WZ034.00	5/30/2006	R	<3	A1COL	JB		CL	F	A
WZ034.00	6/27/2006	R	<3	A1COL	LL		SW	F	A
WZ034.00	7/26/2006	R	<3	A1COL	JXK		CL	H	A
WZ034.00	8/15/2006	R	<3	A1COL	FP	P	S	LF	A
WZ034.00	9/20/2006	R	<2	MFCOL	JXK		NW	HE	A
WZ034.00	10/4/2006	R	<2	MFCOL	FP		SW	E	A
WZ034.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ034.00	3/27/2007	R	<2	MFCOL	FP		N	E	A
WZ034.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ034.00	7/18/2007	R	142	MFCOL	MHE	P	CL	F	A
WZ034.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	HE	A
WZ034.00	11/14/2007	R	<2	MFCOL	EXT		SW	HF	A
WZ034.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	A
WZ034.00	5/19/2008	R	<2	MFCOL	LL		W	F	A
WZ034.00	6/18/2008	R	<2	MFCOL	EXT		SE	HF	A
WZ034.00	7/21/2008	R	2	MFCOL	FP	P	N	HF	A
WZ034.00	9/3/2008	R	<2	MFCOL	FP		CL	F	A
WZ034.00	11/3/2008	R	<2	MFCOL	EXT		SW	F	A
WZ034.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ034.00	5/12/2009	R	<2	MFCOL	FP		N	F	A
WZ034.00	5/26/2009	R	<2	MFCOL	MLP		S	HF	A
WZ034.00	7/20/2009	R	4	MFCOL	EXT		CL	LE	A
WZ034.00	8/5/2009	R	<2	MFCOL	MLP		SW	H	A
WZ034.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ034.00	4/26/2010	R	<2	MFCOL	HG		S	E	A
WZ034.00	6/14/2010	R	<2	MFCOL	HG	W	S	HE	A
WZ034.00	7/28/2010	R	<2	MFCOL	FP		CL	HF	A
WZ034.00	8/25/2010	R	2	MFCOL	ESK	PW	SE	HE	A
WZ034.00	10/6/2010	R	2	MFCOL	LSM		NE	E	A
WZ034.00	10/26/2010	R	<2	MFCOL	ESK		CL	F	A
WZ034.00	12/7/2010	E	2	MFCOL	HG		W	E	A
WZ034.00	1/5/2011	R	<2	MFCOL	FP		CL	E	A
WZ034.00	4/4/2011	R	<2	MFCOL	EXT		S	H	A
WZ034.00	5/3/2011	R	<2	MFCOL	ESK		S	H	A
WZ034.00	7/13/2011	R	<2	MFCOL	HG		S	LE	A
WZ034.00	8/2/2011	R	<2	MFCOL	ESK		NE	F	A
WZ034.00	9/12/2011	R	<2	MFCOL	EXT		SW	H	A
WZ035.00	5/30/2006	R	<3	A1COL	JB		SE	HF	P
WZ035.00	6/27/2006	R	3	A1COL	LL		SW	F	P
WZ035.00	7/26/2006	R	3.6	A1COL	JXK		SW	H	P
WZ035.00	8/15/2006	R	<3	A1COL	FP	P	S	F	P
WZ035.00	9/20/2006	R	<2	MFCOL	JXK		CL	E	P
WZ035.00	10/4/2006	R	<2	MFCOL	FP		CL	E	P
WZ035.00	1/31/2007	R	<2	MFCOL	FP		SW	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ035.00	3/27/2007	R	<2	MFCOL	FP		N	E	P
WZ035.00	5/21/2007	R	<2	MFCOL	EXT		CL	F	P
WZ035.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	P
WZ035.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	HE	P
WZ035.00	11/14/2007	R	<2	MFCOL	EXT		SW	HF	P
WZ035.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	P
WZ035.00	5/19/2008	R	<2	MFCOL	LL		W	F	P
WZ035.00	6/18/2008	R	<2	MFCOL	EXT		CL	HF	P
WZ035.00	7/21/2008	R	8	MFCOL	FP	P	CL	HF	P
WZ035.00	9/3/2008	R	<2	MFCOL	FP		E	F	P
WZ035.00	11/3/2008	R	2	MFCOL	EXT		SW	F	P
WZ035.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	P
WZ035.00	5/12/2009	R	<2	MFCOL	FP		NE	F	P
WZ035.00	5/26/2009	R	<2	MFCOL	MLP		SW	HF	P
WZ035.00	7/20/2009	R	2	MFCOL	EXT		SW	LE	P
WZ035.00	8/5/2009	R	4	MFCOL	MLP		SW	HE	P
WZ035.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	P
WZ035.00	4/26/2010	R	<2	MFCOL	HG		SW	LE	P
WZ035.00	6/14/2010	R	114	MFCOL	HG		S	HE	P
WZ035.00	7/28/2010	R	4	MFCOL	FP		S	HF	P
WZ035.00	8/25/2010	R	<2	MFCOL	ESK	P	SE	HE	P
WZ035.00	10/6/2010	R	<2	MFCOL	LSM		NE	E	P
WZ035.00	10/26/2010	R	<2	MFCOL	ESK		CL	F	P
WZ035.00	12/7/2010	E	7.3	MFCOL	HG		W	E	P
WZ035.00	1/5/2011	R	<2	MFCOL	FP		W	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ035.00	4/4/2011	R	<2	MFCOL	EXT		S	H	P
WZ035.00	5/3/2011	R	<2	MFCOL	ESK		SW	H	P
WZ035.00	7/13/2011	R	<2	MFCOL	HG		S	LE	P
WZ035.00	8/2/2011	R	<2	MFCOL	ESK		E	F	P
WZ035.00	9/12/2011	R	<2	MFCOL	EXT		SW	H	P
WZ035.50	5/30/2006	R	<3	A1COL	JB		CL	HF	A
WZ035.50	6/27/2006	R	15	A1COL	LL		SW	HF	A
WZ035.50	7/26/2006	R	3.6	A1COL	JXK		SW	H	A
WZ035.50	8/15/2006	R	<3	A1COL	FP	P	S	F	A
WZ035.50	9/20/2006	R	2	MFCOL	JXK		CL	E	A
WZ035.50	10/4/2006	R	11	MFCOL	FP		CL	LE	A
WZ035.50	1/31/2007	R	<2	MFCOL	FP		SW	E	A
WZ035.50	3/27/2007	R	<2	MFCOL	FP		N	LE	A
WZ035.50	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ035.50	7/18/2007	R	2	MFCOL	MHE	P	CL	F	A
WZ035.50	9/10/2007	R	2	MFCOL	MHE	P	CL	HE	A
WZ035.50	11/14/2007	R	<2	MFCOL	EXT		SW	HF	A
WZ035.50	3/26/2008	R	<2	MFCOL	EXT	P	CL	F	A
WZ035.50	5/19/2008	R	<2	MFCOL	LL		W	HF	A
WZ035.50	6/18/2008	R	2	MFCOL	EXT		CL	H	A
WZ035.50	7/21/2008	R	<2	MFCOL	FP	P	CL	HF	A
WZ035.50	9/3/2008	R	<2	MFCOL	FP		CL	F	A
WZ035.50	11/3/2008	R	2	MFCOL	EXT		SW	F	A
WZ035.50	5/12/2009	R	<2	MFCOL	FP		CL	HF	A
WZ035.50	5/26/2009	R	4	MFCOL	MLP		SW	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ035.50	7/20/2009	R	11	MFCOL	EXT		SW	LE	A
WZ035.50	8/5/2009	R	2	MFCOL	MLP		SW	HE	A
WZ035.50	9/22/2009	R	3.6	MFCOL	LSM		SW	F	A
WZ035.50	10/19/2009	R	6	MFCOL	EXT		NE	H	A
WZ035.50	4/26/2010	R	42	MFCOL	HG		SW	LE	A
WZ035.50	6/14/2010	R	2	MFCOL	HG		S	E	A
WZ035.50	7/28/2010	R	2	MFCOL	FP		S	HF	A
WZ035.50	8/25/2010	R	2	MFCOL	ESK	P	SE	E	A
WZ035.50	10/6/2010	R	15	MFCOL	LSM		NE	E	A
WZ035.50	10/26/2010	R	<2	MFCOL	ESK		CL	HF	A
WZ035.50	12/7/2010	E	2	MFCOL	HG		W	E	A
WZ035.50	1/5/2011	R	<2	MFCOL	FP		W	E	A
WZ035.50	4/4/2011	R	<2	MFCOL	EXT		S	H	A
WZ035.50	5/3/2011	R	<2	MFCOL	ESK		SW	H	A
WZ035.50	7/13/2011	R	<2	MFCOL	HG		S	LE	A
WZ035.50	8/2/2011	R	<2	MFCOL	ESK		N	HF	A
WZ035.50	9/12/2011	R	2	MFCOL	EXT		SW	HE	A
WZ036.00	5/30/2006	R	1100	A1COL	JB	N	CL	HF	A
WZ036.00	6/27/2006	R	23	A1COL	LL		SW	HF	A
WZ036.00	7/26/2006	R	43	A1COL	JXK		CL	HE	A
WZ036.00	8/15/2006	R	<3	A1COL	FP	PN	S	F	A
WZ036.00	9/20/2006	R	160	MFCOL	JXK		NW	E	A
WZ036.00	10/4/2006	R	24	MFCOL	FP		CL	LE	A
WZ036.00	1/31/2007	R	2	MFCOL	FP		CL	E	A
WZ036.00	3/27/2007	R	<2	MFCOL	FP	N	CL	LE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ036.00	5/21/2007	R	2	MFCOL	EXT		CL	F	A
WZ036.00	7/18/2007	R	2	MFCOL	MHE	P	CL	F	P
WZ036.00	9/10/2007	R	40	MFCOL	MHE	P	CL	HE	P
WZ036.00	11/14/2007	R	2	MFCOL	EXT		CL	H	P
WZ036.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	P
WZ036.00	5/19/2008	R	4	MFCOL	LL		W	HF	P
WZ036.00	6/18/2008	R	2	MFCOL	EXT		CL	H	P
WZ036.00	7/21/2008	R	<2	MFCOL	FP	PB	CL	HF	P
WZ036.00	9/3/2008	R	<2	MFCOL	FP		CL	F	P
WZ036.00	11/3/2008	R	2	MFCOL	EXT		CL	F	P
WZ036.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	P
WZ036.00	5/12/2009	R	<2	MFCOL	FP		N	HF	P
WZ036.00	5/26/2009	R	2	MFCOL	MLP		SW	H	P
WZ036.00	7/20/2009	R	<2	MFCOL	EXT		CL	LE	P
WZ036.00	8/5/2009	R	28	MFCOL	MLP		SW	HE	P
WZ036.00	9/22/2009	R	<2	MFCOL	LSM		CL	HF	P
WZ036.00	4/26/2010	R	<2	MFCOL	HG		SW	LE	P
WZ036.00	6/14/2010	R	<2	MFCOL	HG		S	E	P
WZ036.00	7/28/2010	R	8	MFCOL	FP		S	HF	P
WZ036.00	8/25/2010	R	3.6	MFCOL	ESK	P	CL	E	P
WZ036.00	10/6/2010	R	6	MFCOL	LSM		NE	E	P
WZ036.00	10/26/2010	R	22	MFCOL	ESK		N	HF	P
WZ036.00	12/7/2010	E	2	MFCOL	HG		W	E	P
WZ036.00	1/5/2011	R	<2	MFCOL	FP		W	E	P
WZ036.00	4/4/2011	R	<2	MFCOL	EXT		S	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ036.00	5/3/2011	R	<2	MFCOL	ESK		CL	H	P
WZ036.00	7/13/2011	R	<2	MFCOL	HG		SW	LE	P
WZ036.00	8/2/2011	R	6	MFCOL	ESK		NE	HF	P
WZ036.00	9/12/2011	R	<2	MFCOL	EXT		CL	HE	P
WZ038.80	5/30/2006	R	7.3	A1COL	JB		E	HF	P
WZ038.80	6/27/2006	R	43	A1COL	LL		SW	H	P
WZ038.80	7/26/2006	R	43	A1COL	JXK		W	HE	P
WZ038.80	8/9/2006	R	93	A1COL	FP		CL	H	P
WZ038.80	8/15/2006	R	3.6	A1COL	FP	P	S	F	P
WZ038.80	9/20/2006	R	102	MFCOL	JXK		NE	E	P
WZ038.80	1/31/2007	R	<2	MFCOL	FP		CL	E	P
WZ038.80	3/27/2007	R	<2	MFCOL	FP		CL	LE	P
WZ038.80	5/21/2007	R	6	MFCOL	EXT		CL	F	P
WZ038.80	7/18/2007	R	2	MFCOL	MHE	P	CL	F	P
WZ038.80	9/10/2007	R	11	MFCOL	MHE	P	CL	E	P
WZ038.80	9/25/2007	E	40	MFCOL	MCP		CL	HE	P
WZ038.80	10/9/2007	E	25	MFCOL	FP	PW	N	H	P
WZ038.80	10/23/2007	E	20	MFCOL	MCP	W	SW	F	P
WZ038.80	11/14/2007	R	14	MFCOL	EXT		SW	H	P
WZ038.80	11/26/2007	E	13	MFCOL	EXT		SW	H	P
WZ038.80	12/11/2007	E	<2	MFCOL	MCP		CL	H	P
WZ038.80	1/16/2008	E	2	MFCOL	MCP	P	CL	E	P
WZ038.80	1/30/2008	R	<2	MFCOL	EXT		NE	L	P
WZ038.80	2/27/2008	E	<2	MFCOL	MCP	PT	CL	E	P
WZ038.80	3/12/2008	R	2	MFCOL	MCP		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ038.80	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	P
WZ038.80	4/9/2008	E	<2	MFCOL	MCP	T	W	F	P
WZ038.80	5/19/2008	R	<2	MFCOL	LL		W	HF	P
WZ038.80	6/11/2008	R	8	MFCOL	ACA	PW	CL	HE	P
WZ038.80	7/21/2008	R	8	MFCOL	FP	P	CL	HF	P
WZ038.80	8/6/2008	E	<2	MFCOL	MCP	P	S	F	P
WZ038.80	9/3/2008	R	2	MFCOL	FP		CL	F	P
WZ038.80	10/8/2008	E	14	MFCOL	MCP		CL	HE	P
WZ038.80	11/3/2008	R	2	MFCOL	EXT		SW	F	P
WZ038.80	11/17/2008	E	92	MFCOL	FP		SW	H	P
WZ038.80	12/1/2008	E	72	MFCOL	EXT	P	CL	F	P
WZ038.80	3/9/2009	R	<2	MFCOL	EXT		CL	E	P
WZ038.80	5/12/2009	R	<2	MFCOL	FP		N	HF	P
WZ038.80	5/26/2009	R	<2	MFCOL	MLP		W	H	P
WZ038.80	7/20/2009	R	4	MFCOL	EXT		CL	E	P
WZ038.80	8/5/2009	R	54	MFCOL	MLP		SW	HE	P
WZ038.80	9/22/2009	R	16	MFCOL	LSM		SW	HF	P
WZ038.80	4/26/2010	R	4	MFCOL	HG		CL	E	P
WZ038.80	6/14/2010	R	3.6	MFCOL	HG		CL	HF	P
WZ038.80	7/28/2010	R	4	MFCOL	FP		S	HF	P
WZ038.80	8/25/2010	R	8	MFCOL	ESK	P	CL	H	P
WZ038.80	10/6/2010	R	1420	MFCOL	LSM	P	NE	E	CA
WZ038.80	10/26/2010	R	58	MFCOL	ESK		N	HF	CA
WZ038.80	12/7/2010	R	15	MFCOL	HG		W	E	CA
WZ038.80	1/5/2011	R	<2	MFCOL	FP		W	E	CA

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ038.80	4/4/2011	R	<2	MFCOL	EXT		SW	HE	CA
WZ038.80	5/3/2011	R	<2	MFCOL	ESK		S	HE	CA
WZ038.80	5/17/2011	R	31	MFCOL	ESK		NE	H	CA
WZ038.80	7/13/2011	R	6	MFCOL	HG		NE	E	CA
WZ038.80	8/2/2011	R	5.5	MFCOL	ESK		NE	HF	CA
WZ038.80	9/12/2011	R	6	MFCOL	EXT		W	HE	CA
WZ038.80	12/7/2011	R	10	MFCOL	HG	P	CL	E	CA
WZ038.80	12/21/2011	R	2	MFCOL	EXT		CL	E	CA
WZ038.90	5/30/2006	R	<3	A1COL	JB		E	HF	R
WZ038.90	6/27/2006	R	93	A1COL	LL		SW	H	R
WZ038.90	7/26/2006	R	43	A1COL	JXK		W	HE	R
WZ038.90	8/9/2006	R	<3	A1COL	FP		CL	H	R
WZ038.90	8/15/2006	R	9.1	A1COL	FP	P	S	F	R
WZ038.90	9/20/2006	R	15	MFCOL	JXK		NE	E	R
WZ038.90	10/4/2006	R	9.1	MFCOL	FP		CL	LE	R
WZ038.90	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ038.90	3/27/2007	R	<2	MFCOL	FP		CL	LE	A
WZ038.90	5/21/2007	R	24	MFCOL	EXT		CL	F	A
WZ038.90	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	A
WZ038.90	9/10/2007	R	4	MFCOL	MHE	P	CL	E	R
WZ038.90	9/25/2007	E	4	MFCOL	MCP		CL	HE	A
WZ038.90	10/9/2007	E	20	MFCOL	FP	PW	N	H	R
WZ038.90	10/23/2007	E	2	MFCOL	MCP	W	SW	F	R
WZ038.90	11/14/2007	R	3.6	MFCOL	EXT		SW	H	R
WZ038.90	11/26/2007	E	15	MFCOL	EXT		SW	H	R

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ038.90	12/11/2007	E	<2	MFCOL	MCP		CL	H	R
WZ038.90	1/16/2008	E	6	MFCOL	MCP	P	CL	E	A
WZ038.90	1/30/2008	R	<2	MFCOL	EXT		NE	L	A
WZ038.90	2/27/2008	E	2	MFCOL	MCP	PT	CL	E	A
WZ038.90	3/12/2008	R	<2	MFCOL	MCP	T	CL	E	A
WZ038.90	3/26/2008	R	<2	MFCOL	EXT	P	CL	F	A
WZ038.90	4/9/2008	E	<2	MFCOL	MCP	T	W	F	A
WZ038.90	4/23/2008	E	6	MFCOL	MCP		CL	L	A
WZ038.90	5/7/2008	E	13	MFCOL	ACA		CL	LF	A
WZ038.90	5/19/2008	R	6	MFCOL	LL		W	HF	A
WZ038.90	6/11/2008	R	2	MFCOL	ACA	P	CL	HE	A
WZ038.90	7/21/2008	R	<2	MFCOL	FP	P	CL	HF	A
WZ038.90	8/6/2008	E	<2	MFCOL	MCP	P	S	F	A
WZ038.90	8/20/2008	R	<2	MFCOL	ACA	P	NW	L	A
WZ038.90	9/3/2008	R	2	MFCOL	FP		CL	F	A
WZ038.90	9/23/2008	E	3.6	MFCOL	ACA			LE	A
WZ038.90	10/8/2008	E	2	MFCOL	MCP	W	CL	HE	A
WZ038.90	11/3/2008	R	2	MFCOL	EXT		CL	HF	A
WZ038.90	11/17/2008	E	160	MFCOL	FP		SW	H	A
WZ038.90	12/1/2008	E	74	MFCOL	EXT	P	CL	F	A
WZ038.90	3/9/2009	R	2	MFCOL	EXT		CL	E	A
WZ038.90	5/12/2009	R	6	MFCOL	FP		N	HF	A
WZ038.90	5/26/2009	R	<2	MFCOL	MLP		W	H	A
WZ038.90	8/3/2009	E	20	MFCOL	MCP	P	CL	E	A
WZ038.90	8/5/2009	R	2	MFCOL	MLP		SW	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ038.90	9/22/2009	R	3.6	MFCOL	LSM		SW	HF	A
WZ038.90	10/19/2009	R	14	MFCOL	EXT		CL	H	A
WZ038.90	4/26/2010	R	2	MFCOL	HG		SW	E	A
WZ038.90	6/14/2010	R	13	MFCOL	HG		CL	HF	A
WZ038.90	7/28/2010	R	4	MFCOL	FP		S	HF	A
WZ038.90	8/25/2010	R	7.3	MFCOL	ESK	P	CL	H	A
WZ038.90	10/6/2010	R	24	MFCOL	LSM	P	NE	E	A
WZ038.90	10/26/2010	R	80	MFCOL	ESK	W	N	HF	A
WZ038.90	12/7/2010	E	11	MFCOL	HG		W	E	A
WZ038.90	1/5/2011	R	<2	MFCOL	FP		W	E	A
WZ038.90	4/4/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ038.90	5/3/2011	R	6	MFCOL	ESK		S	HE	A
WZ038.90	7/13/2011	R	2	MFCOL	HG		NE	E	A
WZ038.90	8/2/2011	R	<2	MFCOL	ESK		NE	HF	A
WZ038.90	9/12/2011	R	5.5	MFCOL	EXT		CL	HE	A
WZ038.90	12/21/2011	E	<2	MFCOL	EXT		CL	E	A
WZ038.95	1/5/2011	R	<2	MFCOL	FP		CL	E	A
WZ038.95	4/4/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ038.95	5/3/2011	R	<2	MFCOL	ESK		CL	HE	A
WZ038.95	5/17/2011	R	46	MFCOL	ESK		NE	H	A
WZ038.95	7/13/2011	R	14	MFCOL	HG		NE	E	A
WZ038.95	8/2/2011	R	4	MFCOL	ESK		NE	HF	A
WZ038.95	9/12/2011	R	2	MFCOL	EXT		CL	HE	A
WZ038.95	10/26/2011	E	33	MFCOL	FP		NW	HE	A
WZ038.95	12/21/2011	E	2	MFCOL	EXT		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ039.00	5/30/2006	R	<3	A1COL	JB		SE	H	P
WZ039.00	6/27/2006	R	9.1	A1COL	LL		SW	H	P
WZ039.00	7/26/2006	R	3.6	A1COL	JXK		SW	HE	P
WZ039.00	8/15/2006	R	9.1	A1COL	FP	P	S	F	P
WZ039.00	9/20/2006	R	18	MFCOL	JXK		CL	E	P
WZ039.00	10/4/2006	R	4	MFCOL	FP		S	LE	P
WZ039.00	1/31/2007	R	<2	MFCOL	FP		SW	E	P
WZ039.00	3/27/2007	R	4	MFCOL	FP		CL	LE	P
WZ039.00	5/21/2007	R	2	MFCOL	EXT		CL	F	P
WZ039.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	F	P
WZ039.00	9/10/2007	R	10	MFCOL	MHE	P	CL	E	P
WZ039.00	11/14/2007	R	<2	MFCOL	EXT		SW	H	P
WZ039.00	1/30/2008	R	<2	MFCOL	EXT		SW	HF	P
WZ039.00	3/26/2008	R	<2	MFCOL	EXT	P	W	F	P
WZ039.00	5/19/2008	R	<2	MFCOL	LL		W	HF	P
WZ039.00	7/21/2008	R	7.3	MFCOL	FP	P	CL	HF	P
WZ039.00	9/3/2008	R	<2	MFCOL	FP		CL	F	P
WZ039.00	11/3/2008	R	<2	MFCOL	EXT		SW	HF	P
WZ039.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	P
WZ039.00	5/12/2009	R	<2	MFCOL	FP		CL	HF	P
WZ039.00	5/26/2009	R	2	MFCOL	MLP		W	H	P
WZ039.00	7/20/2009	R	<2	MFCOL	EXT		SW	E	P
WZ039.00	8/5/2009	R	2	MFCOL	MLP		SW	HE	P
WZ039.00	9/22/2009	R	<2	MFCOL	LSM	O	SW	HF	P
WZ039.00	4/26/2010	R	<2	MFCOL	HG		E	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ039.00	6/14/2010	R	6	MFCOL	HG		SW	HF	P
WZ039.00	7/28/2010	R	<2	MFCOL	FP		S	H	P
WZ039.00	8/25/2010	R	2	MFCOL	ESK	P	CL	H	P
WZ039.00	10/6/2010	R	6	MFCOL	LSM	P		E	P
WZ039.00	10/26/2010	R	6	MFCOL	ESK		NW	HF	P
WZ039.00	12/7/2010	E	4	MFCOL	HG		W	E	P
WZ039.00	1/5/2011	R	<2	MFCOL	FP		W	E	P
WZ039.00	4/4/2011	R	<2	MFCOL	EXT		SW	HE	P
WZ039.00	5/3/2011	R	<2	MFCOL	ESK		S	HE	P
WZ039.00	7/13/2011	R	<2	MFCOL	HG		E	E	P
WZ039.00	8/2/2011	R	<2	MFCOL	ESK		CL	HF	P
WZ039.00	9/12/2011	R	<2	MFCOL	EXT		SW	HE	P
WZ039.00	12/21/2011	E	4	MFCOL	EXT		SW	E	P
WZ040.00	5/30/2006	R	<3	A1COL	JB		E	H	P
WZ040.00	6/27/2006	R	9.1	A1COL	LL		SW	H	P
WZ040.00	7/26/2006	R	<3	A1COL	JXK		SW	HE	P
WZ040.00	8/15/2006	R	9.1	A1COL	FP	P	S	F	P
WZ040.00	9/20/2006	R	36	MFCOL	JXK		CL	E	P
WZ040.00	10/4/2006	R	6	MFCOL	FP		S	LE	P
WZ040.00	1/31/2007	R	<2	MFCOL	FP	N	SW	E	P
WZ040.00	3/27/2007	R	<2	MFCOL	FP		CL	L	P
WZ040.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	P
WZ040.00	7/18/2007	R	28	MFCOL	MHE	P	CL	F	P
WZ040.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	E	P
WZ040.00	11/14/2007	R	<2	MFCOL	EXT		SW	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ040.00	3/26/2008	R	<2	MFCOL	EXT	P	W	F	P
WZ040.00	5/19/2008	R	<2	MFCOL	LL		W	HF	P
WZ040.00	6/18/2008	R	<2	MFCOL	EXT		CL	H	P
WZ040.00	7/21/2008	R	<2	MFCOL	FP	P	CL	HF	P
WZ040.00	9/3/2008	R	<2	MFCOL	FP		CL	HF	P
WZ040.00	11/3/2008	R	2	MFCOL	EXT		SW	HF	P
WZ040.00	3/9/2009	R	<2	MFCOL	EXT		NE	E	P
WZ040.00	5/12/2009	R	<2	MFCOL	FP		N	HF	P
WZ040.00	5/26/2009	R	4	MFCOL	MLP		W	H	P
WZ040.00	7/20/2009	R	<2	MFCOL	EXT		SW	E	P
WZ040.00	8/5/2009	R	2	MFCOL	MLP		SW	HE	P
WZ040.00	9/22/2009	R	9.1	MFCOL	LSM		SW	HF	P
WZ040.00	4/26/2010	R	<2	MFCOL	HG		SW	E	P
WZ040.00	6/14/2010	R	3.6	MFCOL	HG		SW	HF	P
WZ040.00	7/28/2010	R	2	MFCOL	FP		S	H	P
WZ040.00	8/25/2010	R	<2	MFCOL	ESK	P	E	HE	P
WZ040.00	10/6/2010	R	16	MFCOL	LSM	P	NE	E	P
WZ040.00	10/26/2010	R	4	MFCOL	ESK		N	HF	P
WZ040.00	12/7/2010	E	36	MFCOL	HG		W	E	P
WZ040.00	4/4/2011	R	<2	MFCOL	EXT		S	H	P
WZ040.00	5/3/2011	R	<2	MFCOL	ESK		SE	E	P
WZ040.00	5/17/2011	R	13	MFCOL	ESK		NE	H	P
WZ040.00	7/13/2011	R	2	MFCOL	HG		E	E	P
WZ040.00	8/2/2011	R	2	MFCOL	ESK		W	HF	P
WZ040.00	9/12/2011	R	<2	MFCOL	EXT		SW	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ040.50	5/30/2006	R	9.1	A1COL	JB		NE	H	P
WZ040.50	6/27/2006	R	23	A1COL	LL		SW	H	P
WZ040.50	7/26/2006	R	3.6	A1COL	JXK		W	E	P
WZ040.50	8/15/2006	R	3.6	A1COL	FP	P	S	F	P
WZ040.50	9/20/2006	R	<2	MFCOL	JXK		NW	E	P
WZ040.50	10/4/2006	R	2	MFCOL	FP		CL	LE	P
WZ040.50	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ040.50	3/27/2007	R	<2	MFCOL	FP		CL	L	A
WZ040.50	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ040.50	9/25/2007	R	<2	MFCOL	FP		CL	E	A
WZ040.50	10/9/2007	R	<2	MFCOL	FP	P	N	HE	A
WZ040.50	11/14/2007	R	<2	MFCOL	EXT		SW	H	A
WZ040.50	3/26/2008	R	<2	MFCOL	EXT	P	W	F	A
WZ040.50	5/19/2008	R	<2	MFCOL	LL		W	HF	A
WZ040.50	6/18/2008	R	<2	MFCOL	EXT		CL	H	A
WZ040.50	7/21/2008	R	<2	MFCOL	FP	P	CL	H	A
WZ040.50	9/3/2008	R	<2	MFCOL	FP		CL	HF	A
WZ040.50	11/3/2008	R	<2	MFCOL	EXT		SW	HF	A
WZ040.50	3/9/2009	R	<2	MFCOL	EXT		NE	E	A
WZ040.50	5/12/2009	R	<2	MFCOL	FP		CL	HF	A
WZ040.50	5/26/2009	R	<2	MFCOL	MLP		W	H	A
WZ040.50	7/20/2009	R	<2	MFCOL	EXT		CL	E	A
WZ040.50	8/5/2009	R	<2	MFCOL	MLP		SW	E	A
WZ040.50	9/22/2009	R	2	MFCOL	LSM		SW	HF	A
WZ040.50	4/26/2010	R	4	MFCOL	HG		CL	E	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ040.50	6/14/2010	R	<2	MFCOL	HG		SW	HF	A
WZ040.50	7/28/2010	R	<2	MFCOL	FP		SW	H	A
WZ040.50	8/25/2010	R	14	MFCOL	ESK	P	S	E	A
WZ040.50	10/6/2010	R	14	MFCOL	FP		NE	E	A
WZ040.50	10/26/2010	R	<2	MFCOL	ESK		CL	H	A
WZ040.50	12/7/2010	E	6	MFCOL	HG		W	E	A
WZ040.50	1/5/2011	R	<2	MFCOL	FP		W	E	A
WZ040.50	4/4/2011	R	<2	MFCOL	EXT		CL	HE	A
WZ040.50	5/3/2011	R	<2	MFCOL	ESK		S	HE	A
WZ040.50	7/13/2011	R	<2	MFCOL	HG		N	E	A
WZ040.50	8/2/2011	R	<2	MFCOL	ESK		CL	HF	A
WZ040.50	9/12/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ041.00	5/30/2006	R	<3	A1COL	JB		CL	H	A
WZ041.00	6/27/2006	R	210	A1COL	LL		SW	E	A
WZ041.00	7/26/2006	R	9.1	A1COL	JXK		SW	E	A
WZ041.00	8/15/2006	R	9.1	A1COL	FP	P	S	F	A
WZ041.00	9/20/2006	R	4	MFCOL	JXK		CL	E	A
WZ041.00	10/4/2006	R	<2	MFCOL	FP		S	L	A
WZ041.00	1/31/2007	R	<2	MFCOL	FP		SW	E	A
WZ041.00	3/27/2007	R	<2	MFCOL	FP		CL	L	A
WZ041.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	A
WZ041.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	HF	A
WZ041.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	E	A
WZ041.00	11/14/2007	R	4	MFCOL	EXT		SW	HE	A
WZ041.00	3/26/2008	R	<2	MFCOL	EXT	P	W	F	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ041.00	5/19/2008	R	<2	MFCOL	LL		W	H	A
WZ041.00	6/18/2008	R	<2	MFCOL	EXT		CL	H	A
WZ041.00	7/21/2008	R	<2	MFCOL	FP	P	CL	H	A
WZ041.00	9/3/2008	R	<2	MFCOL	FP		SE	HF	A
WZ041.00	11/3/2008	R	<2	MFCOL	EXT		SW	HF	A
WZ041.00	3/9/2009	R	<2	MFCOL	EXT		NE	E	A
WZ041.00	5/12/2009	R	<2	MFCOL	FP		CL	HF	A
WZ041.00	5/26/2009	R	<2	MFCOL	MLP		SW	H	A
WZ041.00	7/20/2009	R	<2	MFCOL	EXT		CL	E	A
WZ041.00	8/5/2009	R	34	MFCOL	MLP		SW	E	A
WZ041.00	9/22/2009	R	5.5	MFCOL	LSM		SW	HF	A
WZ041.00	4/26/2010	R	<2	MFCOL	HG		CL	E	A
WZ041.00	6/14/2010	R	11	MFCOL	HG		CL	HF	A
WZ041.00	7/28/2010	R	<2	MFCOL	FP	W	SW	H	A
WZ041.00	8/25/2010	R	54	MFCOL	ESK	P	S	E	A
WZ041.00	10/6/2010	R	6	MFCOL	FP		NE	E	A
WZ041.00	10/26/2010	R	4	MFCOL	ESK		N	H	A
WZ041.00	12/7/2010	E	2	MFCOL	HG		W	E	A
WZ041.00	1/5/2011	R	<2	MFCOL	FP		W	E	A
WZ041.00	4/4/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ041.00	5/3/2011	R	<2	MFCOL	ESK		S	HE	A
WZ041.00	7/13/2011	R	<2	MFCOL	HG		N	E	A
WZ041.00	8/2/2011	R	40	MFCOL	ESK		NE	HF	A
WZ041.00	9/12/2011	R	2	MFCOL	EXT		SW	E	A
WZ042.00	5/30/2006	R	<3	A1COL	JB		CL	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ042.00	6/27/2006	R	<3	A1COL	LL		SW	E	A
WZ042.00	7/26/2006	R	<3	A1COL	JXK		SW	E	A
WZ042.00	8/15/2006	R	<3	A1COL	FP	P	S	F	A
WZ042.00	9/20/2006	R	134	MFCOL	JXK		SE	E	A
WZ042.00	10/4/2006	R	<2	MFCOL	FP		CL	L	A
WZ042.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ042.00	3/27/2007	R	<2	MFCOL	FP		CL	L	A
WZ042.00	5/21/2007	R	2	MFCOL	EXT		CL	F	A
WZ042.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	HF	A
WZ042.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	E	A
WZ042.00	11/14/2007	R	<2	MFCOL	EXT		SW	HE	A
WZ042.00	3/26/2008	R	<2	MFCOL	EXT	P	W	HF	A
WZ042.00	5/19/2008	R	<2	MFCOL	LL		W	H	A
WZ042.00	6/18/2008	R	<2	MFCOL	EXT		CL	HE	A
WZ042.00	7/21/2008	R	<2	MFCOL	FP	P	CL	H	A
WZ042.00	9/3/2008	R	<2	MFCOL	FP		SE	HF	A
WZ042.00	11/3/2008	R	<2	MFCOL	EXT		CL	HF	A
WZ042.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	A
WZ042.00	5/12/2009	R	<2	MFCOL	FP		CL	HF	A
WZ042.00	5/26/2009	R	<2	MFCOL	MLP		SW	HE	A
WZ042.00	7/20/2009	R	<2	MFCOL	EXT		S	E	A
WZ042.00	8/5/2009	R	<2	MFCOL	MLP		SW	E	A
WZ042.00	9/22/2009	R	12	MFCOL	LSM		SW	H	A
WZ042.00	4/26/2010	R	<2	MFCOL	HG		CL	E	A
WZ042.00	6/14/2010	R	6	MFCOL	HG		SW	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ042.00	7/28/2010	R	<2	MFCOL	FP		S	H	A
WZ042.00	8/25/2010	R	2	MFCOL	ESK	P	S	E	A
WZ042.00	10/6/2010	R	260	MFCOL	FP		NE	E	A
WZ042.00	10/26/2010	R	<2	MFCOL	ESK		CL	H	A
WZ042.00	12/7/2010	E	2	MFCOL	HG		W	E	A
WZ042.00	1/5/2011	R	4	MFCOL	FP		CL	E	A
WZ042.00	4/4/2011	R	<2	MFCOL	EXT		SW	HE	A
WZ042.00	5/3/2011	R	<2	MFCOL	ESK		S	HE	A
WZ042.00	7/13/2011	R	<2	MFCOL	HG		SE	E	A
WZ042.00	8/2/2011	R	<2	MFCOL	ESK		CL	H	A
WZ042.00	9/12/2011	R	<2	MFCOL	EXT		SW	E	A
WZ043.00	5/30/2006	R	<3	A1COL	JB		S	HE	A
WZ043.00	6/27/2006	R	15	A1COL	LL		SW	HE	A
WZ043.00	8/9/2006	R	93	A1COL	FP		CL	HE	A
WZ043.00	8/15/2006	R	3.6	A1COL	FP	P	S	F	A
WZ043.00	9/20/2006	R	<2	MFCOL	JXK		NE	E	A
WZ043.00	10/4/2006	R	<2	MFCOL	FP		CL	L	A
WZ043.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ043.00	5/21/2007	R	<2	MFCOL	EXT		NW	HF	A
WZ043.00	6/20/2007	R	<2	MFCOL	MHE		CL	F	A
WZ043.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	H	A
WZ043.00	9/10/2007	R	740	MFCOL	MHE	P	CL	E	A
WZ043.00	11/14/2007	R	<2	MFCOL	EXT		S	HE	A
WZ043.00	5/19/2008	R	<2	MFCOL	LL		CL	H	A
WZ043.00	6/18/2008	R	<2	MFCOL	EXT		CL	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ043.00	7/21/2008	R	<2	MFCOL	FP	P		HE	A
WZ043.00	9/3/2008	R	<2	MFCOL	FP		CL	HF	A
WZ043.00	11/3/2008	R	<2	MFCOL	EXT		CL	HF	A
WZ043.00	11/17/2008	R	60	MFCOL	FP		CL	F	A
WZ043.00	5/12/2009	R	<2	MFCOL	FP	W	CL	H	A
WZ043.00	5/26/2009	R	<2	MFCOL	MLP		SW	HE	A
WZ043.00	7/20/2009	R	<2	MFCOL	EXT		CL	E	A
WZ043.00	8/5/2009	R	<2	MFCOL	MLP	W	SW	E	A
WZ043.00	9/22/2009	R	<2	MFCOL	LSM		SW	H	A
WZ043.00	10/19/2009	R	<2	MFCOL	EXT		NE	HF	A
WZ043.00	4/26/2010	R	<2	MFCOL	HG		S	E	A
WZ043.00	6/14/2010	R	<2	MFCOL	HG		CL	H	A
WZ043.00	7/28/2010	R	<2	MFCOL	FP		S	H	A
WZ043.00	8/25/2010	R	5.5	MFCOL	ESK	P	SE	H	A
WZ043.00	10/6/2010	R	10	MFCOL	FP		NE	E	A
WZ043.00	10/26/2010	R	6	MFCOL	ESK		CL	H	A
WZ043.00	12/7/2010	E	2	MFCOL	HG		W	HE	A
WZ043.00	1/5/2011	R	2	MFCOL	FP		NW	E	A
WZ043.00	5/3/2011	R	<2	MFCOL	ESK		S	HE	A
WZ043.00	5/17/2011	R	10	MFCOL	ESK		NE	H	A
WZ043.00	7/13/2011	R	<2	MFCOL	HG		CL	E	A
WZ043.00	8/2/2011	R	<2	MFCOL	ESK		CL	H	A
WZ043.00	9/12/2011	R	<2	MFCOL	EXT		CL	E	A
WZ044.00	5/30/2006	R	<3	A1COL	JB		CL	HE	A
WZ044.00	6/27/2006	R	240	A1COL	LL		SW	HE	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ044.00	8/9/2006	R	<3	A1COL	FP		CL	HE	A
WZ044.00	8/15/2006	R	<3	A1COL	FP	P	S	F	A
WZ044.00	9/20/2006	R	2	MFCOL	JXK		E	E	A
WZ044.00	10/4/2006	R	4	MFCOL	FP		CL	L	A
WZ044.00	1/31/2007	R	<2	MFCOL	FP		CL	E	A
WZ044.00	5/21/2007	R	2	MFCOL	EXT		CL	HF	A
WZ044.00	6/20/2007	R	2	MFCOL	MHE		CL	F	A
WZ044.00	7/18/2007	R	2	MFCOL	MHE	P	CL	H	A
WZ044.00	9/10/2007	R	10	MFCOL	MHE	P	CL	E	A
WZ044.00	11/14/2007	R	4	MFCOL	EXT		SW	HE	A
WZ044.00	5/19/2008	R	<2	MFCOL	LL		CL	H	A
WZ044.00	6/18/2008	R	6	MFCOL	EXT		CL	HE	A
WZ044.00	7/21/2008	R	2	MFCOL	FP	P		H	A
WZ044.00	11/3/2008	R	<2	MFCOL	EXT		CL	H	A
WZ044.00	11/17/2008	R	8	MFCOL	FP		CL	F	A
WZ044.00	12/1/2008	R	20	MFCOL	EXT	P	CL	F	A
WZ044.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	A
WZ044.00	5/12/2009	R	<2	MFCOL	FP		CL	H	A
WZ044.00	5/26/2009	R	<2	MFCOL	MLP		SW	HE	A
WZ044.00	7/20/2009	R	<2	MFCOL	EXT		CL	E	A
WZ044.00	8/5/2009	R	<2	MFCOL	MLP		SW	E	A
WZ044.00	9/22/2009	R	2	MFCOL	LSM		SW	H	A
WZ044.00	4/26/2010	R	<2	MFCOL	HG		S	E	A
WZ044.00	6/14/2010	R	<2	MFCOL	HG		CL	H	A
WZ044.00	7/28/2010	R	6	MFCOL	FP		SW	H	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ044.00	8/25/2010	R	2	MFCOL	ESK	P	SE	H	A
WZ044.00	10/6/2010	R	860	MFCOL	FP		NE	E	A
WZ044.00	10/26/2010	R	56	MFCOL	ESK		CL	H	A
WZ044.00	12/7/2010	E	<2	MFCOL	HG		CL	HE	A
WZ044.00	5/3/2011	R	2	MFCOL	ESK		S	E	A
WZ044.00	5/17/2011	R	4	MFCOL	ESK		E	H	A
WZ044.00	7/13/2011	R	2	MFCOL	HG		E	E	A
WZ044.00	8/2/2011	R	20	MFCOL	ESK		NE	H	A
WZ044.00	9/12/2011	R	2	MFCOL	EXT		CL	E	A
WZ044.00	12/7/2011	R	<2	MFCOL	HG	P	NE	E	A
WZ045.00	5/30/2006	R	<3	A1COL	JB		CL	HE	P
WZ045.00	6/27/2006	R	43	A1COL	LL		SW	HE	P
WZ045.00	8/9/2006	R	9.1	A1COL	FP		CL	E	P
WZ045.00	8/15/2006	R	<3	A1COL	FP	P	S	F	P
WZ045.00	9/20/2006	R	27	MFCOL	JXK		CL	E	P
WZ045.00	10/4/2006	R	18	MFCOL	FP	N	CL	E	P
WZ045.00	1/31/2007	R	<2	MFCOL	FP	W	CL	E	P
WZ045.00	5/21/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ045.00	6/20/2007	R	4	MFCOL	MHE		CL	F	P
WZ045.00	7/18/2007	R	<2	MFCOL	MHE	P	CL	H	P
WZ045.00	9/10/2007	R	2	MFCOL	MHE	P	CL	E	P
WZ045.00	11/14/2007	R	<2	MFCOL	EXT		SW	HE	P
WZ045.00	3/26/2008	R	<2	MFCOL	EXT	P	CL	HF	P
WZ045.00	5/19/2008	R	<2	MFCOL	LL		W	H	P
WZ045.00	6/18/2008	R	4	MFCOL	EXT		CL	HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ045.00	7/21/2008	R	<2	MFCOL	FP	P		H	P
WZ045.00	9/3/2008	R	7.3	MFCOL	FP		SE	HF	P
WZ045.00	11/3/2008	R	2	MFCOL	EXT		SW	H	P
WZ045.00	5/12/2009	R	13	MFCOL	FP		SE	H	P
WZ045.00	5/26/2009	R	5.5	MFCOL	MLP		SW	HE	P
WZ045.00	7/20/2009	R	62	MFCOL	EXT		CL	E	P
WZ045.00	8/5/2009	R	98	MFCOL	MLP		SW	E	P
WZ045.00	10/19/2009	R	36	MFCOL	EXT		CL	HF	P
WZ045.00	11/3/2009	R	<2	MFCOL	FP	P	E	H	P
WZ045.00	4/26/2010	R	58	MFCOL	HG		S	E	P
WZ045.00	6/14/2010	R	<2	MFCOL	HG		CL	H	P
WZ045.00	7/28/2010	R	22	MFCOL	FP		SW	HE	P
WZ045.00	8/25/2010	R	25	MFCOL	ESK	P	SE	H	P
WZ045.00	10/6/2010	R	780	MFCOL	FP		NE	E	P
WZ045.00	10/26/2010	R	46	MFCOL	ESK		NE	H	P
WZ045.00	12/7/2010	E	<2	MFCOL	HG		CL	HE	P
WZ045.00	4/4/2011	R	<2	MFCOL	EXT		SW	E	P
WZ045.00	5/3/2011	R	2	MFCOL	ESK		S	E	P
WZ045.00	5/17/2011	R	2	MFCOL	ESK		NE	HE	P
WZ045.00	7/13/2011	R	12	MFCOL	HG		E	E	P
WZ045.00	8/2/2011	R	>1600	MFCOL	ESK		E	H	P
WZ045.00	9/12/2011	R	11	MFCOL	EXT		CL	E	P
WZ046.00	6/27/2006	R	93	A1COL	LL		SW	HE	P
WZ046.00	8/9/2006	R	43	A1COL	FP	N	CL	E	P
WZ046.00	8/15/2006	R	3	A1COL	FP	PN	S	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ046.00	8/29/2006	R	<2	MFCOL	FP	NW	CL	F	P
WZ046.00	9/20/2006	R	140	MFCOL	JXK		CL	E	P
WZ046.00	10/4/2006	R	140	MFCOL	FP	N	CL	E	P
WZ046.00	1/31/2007	R	<2	MFCOL	FP	N	CL	E	P
WZ046.00	5/21/2007	R	10	MFCOL	EXT		CL	HF	P
WZ046.00	6/20/2007	R	<2	MFCOL	MHE		CL	F	P
WZ046.00	7/18/2007	R	360	MFCOL	MHE	P	CL	H	P
WZ046.00	9/25/2007	R	10	MFCOL	FP		CL	E	P
WZ046.00	11/14/2007	R	36	MFCOL	EXT		SW	HE	P
WZ046.00	3/26/2008	R	<2	MFCOL	EXT	P	W	HF	P
WZ046.00	5/19/2008	R	20	MFCOL	LL		W	H	P
WZ046.00	6/18/2008	R	29	MFCOL	EXT		CL	HE	P
WZ046.00	7/21/2008	R	<2	MFCOL	FP	P		HE	P
WZ046.00	9/3/2008	R	22	MFCOL	FP		CL	HF	P
WZ046.00	11/3/2008	R	10	MFCOL	EXT		SW	H	P
WZ046.00	5/12/2009	R	<2	MFCOL	FP		CL	H	P
WZ046.00	5/26/2009	R	<2	MFCOL	MLP		SW	H	P
WZ046.00	7/20/2009	R	28	MFCOL	EXT		CL	E	P
WZ046.00	8/5/2009	R	72	MFCOL	MLP		SW	E	P
WZ046.00	10/19/2009	R	13	MFCOL	EXT		CL	H	P
WZ046.00	11/3/2009	R	2	MFCOL	FP	P	CL	H	P
WZ046.00	4/26/2010	R	<2	MFCOL	HG		S	E	P
WZ046.00	6/14/2010	R	16	MFCOL	HG		SW	H	P
WZ046.00	7/28/2010	R	33	MFCOL	FP		SW	HE	P
WZ046.00	8/25/2010	R	4	MFCOL	ESK	P	CL	H	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ046.00	10/6/2010	R	>1600	MFCOL	FP		NE	E	P
WZ046.00	10/26/2010	R	13	MFCOL	ESK		E	H	P
WZ046.00	12/7/2010	E	2	MFCOL	HG		W	HE	P
WZ046.00	1/5/2011	R	<2	MFCOL	FP		W	H	P
WZ046.00	4/4/2011	R	<2	MFCOL	EXT		SW	E	P
WZ046.00	5/3/2011	R	<2	MFCOL	ESK		S	E	P
WZ046.00	7/13/2011	R	<2	MFCOL	HG		N	E	P
WZ046.00	8/2/2011	R	40	MFCOL	ESK		E	H	P
WZ046.00	9/12/2011	R	13	MFCOL	EXT		SW	E	P
WZ047.00	6/27/2006	R	15	A1COL	LL		SW	HE	P
WZ047.00	8/9/2006	R	43	A1COL	FP		CL	E	P
WZ047.00	8/15/2006	R	9.1	A1COL	FP	P	S	F	P
WZ047.00	8/29/2006	R	2	MFCOL	FP		CL	F	P
WZ047.00	9/20/2006	R	50	MFCOL	JXK		CL	E	P
WZ047.00	10/4/2006	R	6	MFCOL	FP	N	CL	E	P
WZ047.00	1/31/2007	R	<2	MFCOL	FP		CL	E	P
WZ047.00	3/27/2007	R	<2	MFCOL	FP		CL	LF	P
WZ047.00	5/21/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ047.00	7/18/2007	R	10	MFCOL	MHE	P	CL	H	P
WZ047.00	9/10/2007	R	10	MFCOL	MHE	P	CL	E	P
WZ047.00	11/14/2007	R	4	MFCOL	EXT		SW	E	P
WZ047.00	3/26/2008	R	<2	MFCOL	EXT	P	CL	HF	P
WZ047.00	5/19/2008	R	7.3	MFCOL	LL		W	H	P
WZ047.00	6/18/2008	R	6	MFCOL	EXT		CL	HE	P
WZ047.00	7/21/2008	R	<2	MFCOL	FP	P		HE	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ047.00	9/3/2008	R	2	MFCOL	FP		SE	H	P
WZ047.00	11/3/2008	R	2	MFCOL	EXT		SW	H	P
WZ047.00	3/9/2009	R	<2	MFCOL	EXT		CL	E	P
WZ047.00	5/12/2009	R	<2	MFCOL	FP		SE	H	P
WZ047.00	5/26/2009	R	<2	MFCOL	MLP		SW	HE	P
WZ047.00	7/20/2009	R	<2	MFCOL	EXT		CL	E	P
WZ047.00	8/5/2009	R	33	MFCOL	MLP		SW	E	P
WZ047.00	10/19/2009	R	12	MFCOL	EXT		NE	HF	P
WZ047.00	4/26/2010	R	<2	MFCOL	HG		S	E	P
WZ047.00	6/14/2010	R	16	MFCOL	HG		CL	H	P
WZ047.00	7/28/2010	R	20	MFCOL	FP		SW	HE	P
WZ047.00	8/25/2010	R	62	MFCOL	ESK	P	SE	H	P
WZ047.00	10/6/2010	R	128	MFCOL	FP		NE	E	P
WZ047.00	10/26/2010	R	22	MFCOL	ESK		E	H	P
WZ047.00	12/7/2010	E	<2	MFCOL	HG		W	HE	P
WZ047.00	1/5/2011	R	<2	MFCOL	FP		NW	H	P
WZ047.00	4/4/2011	R	<2	MFCOL	EXT		SW	E	P
WZ047.00	5/3/2011	R	2	MFCOL	ESK		SE	E	P
WZ047.00	7/13/2011	R	<2	MFCOL	HG		E	E	P
WZ047.00	8/2/2011	R	15	MFCOL	ESK		E	H	P
WZ047.00	9/12/2011	R	130	MFCOL	EXT		SW	E	P
WZ048.00	6/27/2006	R	7.3	A1COL	LL		SW	HE	P
WZ048.00	8/9/2006	R	<3	A1COL	FP		CL	E	P
WZ048.00	8/15/2006	R	<3	A1COL	FP	P	S	F	P
WZ048.00	8/29/2006	R	2	MFCOL	FP		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ048.00	9/20/2006	R	150	MFCOL	JXK		CL	E	P
WZ048.00	10/4/2006	R	50	MFCOL	FP		CL	E	P
WZ048.00	1/31/2007	R	<2	MFCOL	FP		CL	E	P
WZ048.00	3/27/2007	R	<2	MFCOL	FP		CL	LF	P
WZ048.00	5/21/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ048.00	7/18/2007	R	10	MFCOL	MHE	P	CL	H	P
WZ048.00	9/10/2007	R	90	MFCOL	MHE	P	CL	E	P
WZ048.00	11/26/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ048.00	3/26/2008	R	<2	MFCOL	EXT	P	CL	HF	P
WZ048.00	5/19/2008	R	2	MFCOL	LL		W	H	P
WZ048.00	6/18/2008	R	4	MFCOL	EXT		SE	HE	P
WZ048.00	7/21/2008	R	4	MFCOL	FP	P		HE	P
WZ048.00	9/3/2008	R	20	MFCOL	FP		SE	H	P
WZ048.00	11/3/2008	R	<2	MFCOL	EXT		CL	H	P
WZ048.00	5/12/2009	R	<2	MFCOL	FP		SE	H	P
WZ048.00	5/26/2009	R	2	MFCOL	MLP		SW	HE	P
WZ048.00	7/20/2009	R	2	MFCOL	EXT		CL	E	P
WZ048.00	8/5/2009	R	100	MFCOL	MLP		SW	E	P
WZ048.00	10/19/2009	R	50	MFCOL	EXT		NE	HF	P
WZ048.00	11/3/2009	R	10	MFCOL	FP	P	CL	HE	P
WZ048.00	4/26/2010	R	<2	MFCOL	HG		E	E	P
WZ048.00	6/14/2010	R	10	MFCOL	HG		CL	H	P
WZ048.00	7/28/2010	R	22	MFCOL	FP		CL	HE	P
WZ048.00	8/25/2010	R	76	MFCOL	ESK	P	E	HF	P
WZ048.00	11/3/2010	R	<2	MFCOL	FP		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ048.00	12/7/2010	R	2	MFCOL	HG		CL	HE	P
WZ048.00	1/5/2011	R	<2	MFCOL	FP		CL	H	P
WZ048.00	4/4/2011	R	<2	MFCOL	EXT		SW	E	P
WZ048.00	5/3/2011	R	2	MFCOL	ESK		SE	E	P
WZ048.00	7/13/2011	R	<2	MFCOL	HG		E	E	P
WZ048.00	8/2/2011	R	8	MFCOL	ESK		E	H	P
WZ048.00	9/12/2011	R	8	MFCOL	EXT		CL	E	P
WZ048.50	8/9/2006	R	<3	A1COL	FP		S	E	P
WZ048.50	8/15/2006	R	<3	A1COL	FP	P	S	F	P
WZ048.50	8/29/2006	R	<2	MFCOL	FP		CL	F	P
WZ048.50	9/20/2006	R	20	MFCOL	JXK		NW	E	P
WZ048.50	10/4/2006	R	2	MFCOL	FP		SW	E	P
WZ048.50	1/31/2007	R	<2	MFCOL	FP		CL	E	P
WZ048.50	3/27/2007	R	<2	MFCOL	FP		CL	LF	P
WZ048.50	5/21/2007	R	<2	MFCOL	EXT		CL	HF	P
WZ048.50	7/18/2007	R	24	MFCOL	MHE	P	CL	H	P
WZ048.50	9/10/2007	R	68	MFCOL	MHE	P	CL	E	P
WZ048.50	11/26/2007	R	6	MFCOL	EXT		SW	HF	P
WZ048.50	3/26/2008	R	<2	MFCOL	EXT	P	S	HF	P
WZ048.50	6/18/2008	R	<2	MFCOL	EXT		SE	E	P
WZ048.50	7/21/2008	R	4	MFCOL	FP	P		HE	P
WZ048.50	9/3/2008	R	<2	MFCOL	FP		CL	H	P
WZ048.50	11/3/2008	R	<2	MFCOL	EXT		CL	H	P
WZ048.50	11/17/2008	R	2.6	MFCOL	FP		SW	HF	P
WZ048.50	3/9/2009	R	<2	MFCOL	EXT		CL	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ048.50	5/12/2009	R	<2	MFCOL	FP		SE	H	P
WZ048.50	5/26/2009	R	<2	MFCOL	MLP		SW	E	P
WZ048.50	7/20/2009	R	<2	MFCOL	EXT		CL	E	P
WZ048.50	8/5/2009	R	<2	MFCOL	MLP		SW	E	P
WZ048.50	10/19/2009	R	<2	MFCOL	EXT		NE	HF	P
WZ048.50	4/26/2010	R	10	MFCOL	HG		E	E	P
WZ048.50	6/14/2010	R	<2	MFCOL	HG		CL	HE	P
WZ048.50	7/28/2010	R	<2	MFCOL	FP		SW	HE	P
WZ048.50	8/25/2010	R	200	MFCOL	ESK	P	SE	HF	P
WZ048.50	11/3/2010	R	<2	MFCOL	FP		CL	E	P
WZ048.50	12/7/2010	R	2	MFCOL	HG		W	H	P
WZ048.50	1/5/2011	R	<2	MFCOL	FP		W	HE	P
WZ048.50	4/4/2011	R	<2	MFCOL	EXT		SW	E	P
WZ048.50	5/3/2011	R	22	MFCOL	ESK		SE	E	P
WZ048.50	7/13/2011	R	<2	MFCOL	HG		E	E	P
WZ048.50	8/2/2011	R	2	MFCOL	ESK		E	H	P
WZ048.50	9/12/2011	R	<2	MFCOL	EXT		SW	E	P
WZ049.00	6/27/2006	R	93	A1COL	LL		SW	H	P
WZ049.00	8/9/2006	R	23	A1COL	FP		S	E	P
WZ049.00	8/15/2006	R	23	A1COL	FP	P	S	F	P
WZ049.00	8/29/2006	R	7.3	MFCOL	FP		CL	F	P
WZ049.00	9/20/2006	R	35	MFCOL	JXK		CL	E	P
WZ049.00	10/4/2006	R	25	MFCOL	FP		CL	E	P
WZ049.00	1/31/2007	R	<2	MFCOL	FP		CL	E	P
WZ049.00	5/21/2007	R	<2	MFCOL	EXT		CL	HF	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ049.00	6/20/2007	R	<2	MFCOL	MHE		CL	F	P
WZ049.00	9/10/2007	R	6	MFCOL	MHE	P	CL	E	P
WZ049.00	9/25/2007	R	2	MFCOL	FP		CL	E	P
WZ049.00	11/14/2007	R	140	MFCOL	EXT		S	E	P
WZ049.00	3/26/2008	R	<2	MFCOL	EXT	P	S	H	P
WZ049.00	5/19/2008	R	5.5	MFCOL	LL		W	HE	P
WZ049.00	6/18/2008	R	<2	MFCOL	EXT		CL	E	P
WZ049.00	7/21/2008	R	<2	MFCOL	FP	P		HE	P
WZ049.00	9/3/2008	R	6	MFCOL	FP		CL	H	P
WZ049.00	11/3/2008	R	2	MFCOL	EXT		CL	H	P
WZ049.00	5/12/2009	R	<2	MFCOL	FP		CL	H	P
WZ049.00	5/26/2009	R	<2	MFCOL	MLP		SW	E	P
WZ049.00	7/20/2009	R	<2	MFCOL	EXT		CL	E	P
WZ049.00	8/5/2009	R	96	MFCOL	MLP		SW	E	P
WZ049.00	10/19/2009	R	2.8	MFCOL	EXT		NE	HF	P
WZ049.00	11/3/2009	R	<2	MFCOL	FP	P	CL	HE	P
WZ049.00	4/26/2010	R	<2	MFCOL	HG		SE	E	P
WZ049.00	6/14/2010	R	2	MFCOL	HG		SW	H	P
WZ049.00	7/28/2010	R	2	MFCOL	FP		SW	HE	P
WZ049.00	8/25/2010	R	4	MFCOL	ESK	P	CL	HF	P
WZ049.00	10/6/2010	R	1060	MFCOL	FP		CL	E	P
WZ049.00	10/26/2010	R	6	MFCOL	ESK		CL	HE	P
WZ049.00	12/7/2010	E	16	MFCOL	HG		CL	H	P
WZ049.00	1/5/2011	R	<2	MFCOL	FP		W	HE	P
WZ049.00	4/4/2011	R	<2	MFCOL	EXT		SW	E	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ049.00	5/3/2011	R	<2	MFCOL	ESK		SE	E	P
WZ049.00	7/13/2011	R	<2	MFCOL	HG		N	E	P
WZ049.00	8/2/2011	R	24	MFCOL	ESK		E	H	P
WZ049.00	9/12/2011	R	18	MFCOL	EXT		SW	E	P
WZ054.00	5/30/2006	R	<3	A1COL	JB		E	F	P
WZ054.00	8/9/2006	R	3.6	A1COL	FP		CL	HF	P
WZ054.00	8/15/2006	R	43	A1COL	FP	P	S	L	P
WZ054.00	8/29/2006	R	<2	MFCOL	FP		CL	F	P
WZ054.00	9/20/2006	R	680	MFCOL	JXK		CL	H	P
WZ054.00	10/4/2006	R	40	MFCOL	FP		N	E	P
WZ054.00	1/31/2007	R	<2	MFCOL	FP		CL	HE	P
WZ054.00	3/27/2007	R	<2	MFCOL	FP		CL	E	P
WZ054.00	5/21/2007	R	<2	MFCOL	EXT		NW	F	P
WZ054.00	9/10/2007	R	112	MFCOL	MHE	P	CL	E	P
WZ054.00	9/25/2007	R	31	MFCOL	FP		S	E	P
WZ054.00	11/14/2007	R	<2	MFCOL	EXT		SE	F	P
WZ054.00	1/30/2008	R	9.1	MFCOL	EXT		SW	F	P
WZ054.00	3/26/2008	R	2	MFCOL	EXT	P	SW	F	P
WZ054.00	5/19/2008	R	<2	MFCOL	LL		W	F	P
WZ054.00	7/21/2008	R	11	MFCOL	FP	P	CL	F	P
WZ054.00	9/3/2008	R	<2	MFCOL	FP		CL	F	P
WZ054.00	11/3/2008	R	<2	MFCOL	EXT		SW	F	P
WZ054.00	3/9/2009	R	<2	MFCOL	EXT		CL	HE	P
WZ054.00	5/12/2009	R	<2	MFCOL	FP		CL	F	P
WZ054.00	5/26/2009	R	<2	MFCOL	MLP		CL	F	P

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ054.00	7/20/2009	R	8	MFCOL	EXT		CL	HE	P
WZ054.00	8/5/2009	R	12	MFCOL	MLP		SW	HF	P
WZ054.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	P
WZ054.00	4/26/2010	R	<2	MFCOL	HG		SW	E	P
WZ054.00	6/14/2010	R	8	MFCOL	HG		SW	F	P
WZ054.00	7/28/2010	R	<2	MFCOL	FP		SW	F	P
WZ054.00	8/25/2010	R	<2	MFCOL	ESK	P	E	HF	P
WZ054.00	10/6/2010	R	2	MFCOL	LSM		NE	HE	P
WZ054.00	10/26/2010	R	6	MFCOL	ESK		CL	F	P
WZ054.00	12/7/2010	E	4	MFCOL	HG		CL	HF	P
WZ054.00	1/5/2011	R	<2	MFCOL	FP		SW	HF	P
WZ054.00	4/4/2011	R	<2	MFCOL	EXT		SE	HF	P
WZ054.00	5/3/2011	R	<2	MFCOL	ESK		SE	HF	P
WZ054.00	7/13/2011	R	46	MFCOL	HG		CL	HE	P
WZ054.00	8/2/2011	R	2	MFCOL	ESK		CL	F	P
WZ054.00	9/12/2011	R	<2	MFCOL	EXT		CL	HF	P
WZ055.00	5/30/2006	R	<3	A1COL	JB		E	F	P
WZ055.00	6/27/2006	R	3.2	A1COL	LL		SW	E	P
WZ055.00	8/9/2006	R	<3	A1COL	FP		CL	H	P
WZ055.00	8/15/2006	R	3.6	A1COL	FP	P	S	LF	P
WZ055.00	9/20/2006	R	8	MFCOL	JXK		CL	H	P
WZ055.00	10/4/2006	R	<2	MFCOL	FP		N	E	P
WZ055.00	1/31/2007	R	<2	MFCOL	FP		CL	HE	A
WZ055.00	3/27/2007	R	<2	MFCOL	FP		CL	E	A
WZ055.00	5/21/2007	R	<2	MFCOL	EXT		NW	LF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ055.00	9/10/2007	R	<2	MFCOL	MHE	P	CL	E	A
WZ055.00	9/25/2007	R	6	MFCOL	FP		S	E	A
WZ055.00	11/14/2007	R	18	MFCOL	EXT		SE	F	A
WZ055.00	1/30/2008	R	<2	MFCOL	EXT	P	NE	LF	A
WZ055.00	3/26/2008	R	<2	MFCOL	EXT	P	SW	F	A
WZ055.00	5/19/2008	R	<2	MFCOL	LL		W	F	A
WZ055.00	7/21/2008	R	2	MFCOL	FP	P	CL	F	A
WZ055.00	9/3/2008	R	<2	MFCOL	FP		CL	F	A
WZ055.00	11/3/2008	R	<2	MFCOL	EXT		SW	F	A
WZ055.00	3/9/2009	R	<2	MFCOL	EXT		CL	HE	A
WZ055.00	5/12/2009	R	<2	MFCOL	FP		NE	F	A
WZ055.00	5/26/2009	R	<2	MFCOL	MLP		CL	F	A
WZ055.00	7/20/2009	R	16	MFCOL	EXT		CL	HE	A
WZ055.00	8/5/2009	R	<2	MFCOL	MLP		SW	HF	A
WZ055.00	9/22/2009	R	<2	MFCOL	LSM		SW	F	A
WZ055.00	4/26/2010	R	<2	MFCOL	HG		W	E	A
WZ055.00	6/14/2010	R	<2	MFCOL	HG		SW	F	A
WZ055.00	7/28/2010	R	<2	MFCOL	FP		S	F	A
WZ055.00	8/25/2010	R	<2	MFCOL	ESK	P	E	HF	A
WZ055.00	10/6/2010	R	940	MFCOL	LSM		NE	HE	A
WZ055.00	10/26/2010	R	2	MFCOL	ESK		CL	F	A
WZ055.00	12/7/2010	E	<2	MFCOL	HG		W	H	A
WZ055.00	1/5/2011	R	<2	MFCOL	FP		W	H	A
WZ055.00	4/4/2011	R	<2	MFCOL	EXT		SE	HF	A
WZ055.00	5/3/2011	R	<2	MFCOL	ESK		SE	HF	A

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.

STATION	DATE	STRATEGY	SCORE	METHOD	COLLECTOR	ADVERSITY	WIND	TIDE	CLASS
WZ055.00	7/13/2011	R	6	MFCOL	HG		CL	HE	A
WZ055.00	8/2/2011	R	2	MFCOL	ESK		E	F	A
WZ055.00	9/12/2011	R	<2	MFCOL	EXT		SW	HF	A

---

This report does not distinguish open or closed status for water sample stations, please contact DMR PHD staff for further information.