



## APPENDIX D


**Appendix D. Figure 1A. Balsam fir, all live volume by 2" DBH Class on timberland, by inventory year, Eastern megaregion**




**Appendix D. Figure 1B. Balsam fir, all live volume by 2" DBH Class on timberland, by inventory year, Northern megaregion**




**Appendix D. Figure 1C. Balsam fir, all live volume by 2" DBH Class on timberland, by inventory year, Southern megaregion**




**Appendix D. Figure 1D. Balsam fir, all live volume by 2" DBH Class on timberland, by inventory year, Western megaregion**




**Appendix D. Figure 1. Balsam fir, all live volume by 2" DBH Class on timberland, by inventory year, statewide**




**Appendix D. Figure 2A. Red maple, all live volume by 2" DBH Class on timberland, by inventory year, Eastern megaregion**




**Appendix D. Figure 2B. Red maple, all live volume by 2" DBH Class on timberland, by inventory year, Northern megaregion**




**Appendix D. Figure 2C. Red maple, all live volume by 2" DBH Class on timberland, by inventory year, Southern megaregion**




**Appendix D. Figure 2D. Red Maple, all live volume by 2" DBH Class on timberland, by inventory year, Western megaregion**




**Appendix D. Figure 2. Red maple, all live volume by 2" DBH Class on timberland, by inventory year, statewide**




**Appendix D. Figure 3A. American beech, all live volume by 2" DBH Class on timberland, by inventory year, Eastern megaregion**




**Appendix D. Figure 3B. American beech, all live volume by 2" DBH Class on timberland, by inventory year, Northern megaregion**




**Appendix D. Figure 3C. American beech, all live volume by 2" DBH Class on timberland, by inventory year, Southern megaregion**




**Appendix D. Figure 3D. American beech, all live volume by 2" DBH Class on timberland, by inventory year, Western megaregion**




**Appendix D. Figure 3. American beech, all live volume by 2" DBH Class on timberland, by inventory year, statewide**




**Appendix D. Figure 4A. Intolerant hardwoods (paper birch and aspen),  
all live volume by 2" DBH Class on timberland, by inventory year, Eastern megaregion**




**Appendix D. Figure 4B. Intolerant hardwoods (paper birch and aspen), all live volume by 2" DBH Class on timberland, by inventory year, Northern megaregion**



**Appendix D. Figure 4C. Intolerant hardwoods (paper birch and aspen), all live volume by 2" DBH Class on timberland, by inventory year, Southern megaregion**



**Appendix D. Figure 4D. Intolerant hardwoods (paper birch and aspen),  
all live volume by 2" DBH Class on timberland, by inventory year, Western megaregion**



**Appendix D. Figure 4. Intolerant hardwoods (paper birch and aspen), all live volume by 2" DBH Class on timberland, by inventory year, statewide**

