

Table 1. Wetland Habitat Impacts					
Wetland Number	Type	E3E(1)	E3E(2)	E3E(3)	Notes
B16	Emergent	0.61	0.36	0.00	
B21	Emergent	0.18	0.18	0.06	
B25	Emergent	0.59	0.38	0.68	
B4	Emergent	0.41	0.00	0.00	
E12	Emergent	0.11	0.13	0.14	
E13	Emergent	0.08	0.04	0.07	
E9	Emergent	0.34	0.39	0.60	
EE13	Emergent	0.20	0.24	0.05	
EE9	Emergent	0.00	0.00	0.05	
B11	Scrub-shrub	0.33	0.00	0.00	
B19 (2)	Scrub-shrub	0.18	0.18	0.40	Adjacent to Cold Brook (perennial stream).
B23	Scrub-shrub	0.09	0.09	0.04	
E15	Scrub-shrub	0.44	0.46	0.40	Adjacent to Currier Brook (perennial stream).
E2	Scrub-shrub	0.35	0.39	0.21	
E5	Scrub-shrub	0.00	0.04	0.01	Edge of Deer Wintering Area.
EE12	Scrub-shrub	0.00	0.00	0.16	
EE3 (2)	Scrub-shrub	0.00	0.00	0.61	Two swales drain to S3 Community.
EE4	Scrub-shrub	0.00	0.00	0.60	Swale drains to S3 Community.
EE5-VP (6)	Scrub-shrub	0.00	0.00	0.37	2 of 6 vernal pools impacted.
B1 (2)	Forested	0.52	0.87	0.72	Possible S3 Community.
B10	Forested	0.40	0.00	0.00	
B12	Forested	1.74	2.12	0.57	Includes perennial stream.
B2	Forested	0.00	0.11	0.09	
B20	Forested	2.22	2.22	2.82	Adjacent to Cold Brook (perennial stream).
B24	Forested	0.88	0.88	0.49	
B3 (2)	Forested	0.39	0.00	0.00	
B6	Forested	0.08	0.00	0.00	
B7	Forested	0.00	0.00	0.07	May be part of S3 Community.
B8	Forested	0.00	0.47	0.61	May be part of S3 Community.
E16	Forested	0.95	0.93	0.80	Adjacent to Currier Brook (perennial stream).
E17	Forested	0.86	0.92	1.05	
E20	Forested	1.30	1.30	0.55	
E4	Forested	1.91	2.22	1.88	Deer wintering area.
EE14	Forested	0.30	0.30	0.15	Drains to Kennebec River.
EE7	Forested	0.00	0.00	0.94	
B18	Open water	0.07	0.07	0.00	
B26 (2)	Open water	0.05	0.00	0.02	
E18	Riverine	0.23	0.24	0.14	
Wetland Impact Subtotal:	Emergent	2.52	1.72	1.65	
	Scrub-shrub	1.39	1.16	2.80	
	Forested	11.55	12.34	10.74	
	Open water	0.12	0.07	0.02	
	Riverine	0.23	0.24	0.14	
Total Wetland Impact:		15.81	15.53	15.35	
No. Intermittent Stream Crossings:		2	2	8	
No. Perennial Stream Crossings:		2	2	3	