

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 4 Poor
BRIDGE NO.: 0076	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 100FT SE RT 202	YEAR BUILT: 1930	DECK CONDITION: 5 Fair
BRDGNAME: ROUNDS CROSSING	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: N Not Applicable
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: DANVILLE CR RD	STRUCTURE LENGTH IN FEET: 42	DATE OF INSPECTION: 1/3/2012
FEATURE UNDER: MCRR	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 56.6
ROAD INV NO: 0000110090	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 26 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: RAILROAD BRIDGE		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: <input type="text" value="Auburn"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="0046"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="E OF RTE4 OVER TURNER ST"/>	YEAR BUILT: <input type="text" value="1912"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="TURNER STREET"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="MAINE CENTRAL RAIL"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="98"/>	DATE OF INSPECTION: <input type="text" value="4/6/2012"/>
FEATURE UNDER: <input type="text" value="TURNER STREET"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-1"/>
ROAD INV NO.: <input type="text"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO.: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 8 Very Good
BRIDGE NO.: 0085	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 0.059 mi S of Witham	YEAR BUILT: 1956	DECK CONDITION: 8 Very Good
BRDGNAME: SOUTH MAIN STREET/MTPK	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 4	APPROACH CONDITION:
FEATURE ON: SOUTH MAIN STREET	STRUCTURE LENGTH IN FEET: 220	DATE OF INSPECTION: 5/16/2012
FEATURE UNDER: I-95	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 93
ROAD INV NO: 0000110368	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 30 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 0084	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.424 mi W of Main ST	YEAR BUILT: 1956	DECK CONDITION: 6 Satisfactory
BRDGNAME: HACKETT ROAD/MTPK	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 4	APPROACH CONDITION:
FEATURE ON: HACKETT ROAD	STRUCTURE LENGTH IN FEET: 201	DATE OF INSPECTION: 5/17/2012
FEATURE UNDER: I-95	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 73.7
ROAD INV NO: 0000110163	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 23 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: <input type="text" value="Auburn"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="0083"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.176 mi E of US 202"/>	YEAR BUILT: <input type="text" value="1996"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: DANVILLE CORNERS(BEECH)	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="4"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="DANVILLE CORNER RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="207"/>	DATE OF INSPECTION: <input type="text" value="5/17/2012"/>
FEATURE UNDER: <input type="text" value="I-95"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="70.4"/>
ROAD INV NO: <input type="text" value="0000110090"/>	POSTING TYPE: <input type="text" value="3 Underclearance Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="23"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 8 Very Good
BRIDGE NO.: 0082	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.084 mi N of Allied Rd	YEAR BUILT: 2012	DECK CONDITION: 8 Very Good
BRDGNAME: MTPK(NB) / RTE 202 & MCRR	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 8	APPROACH CONDITION:
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 640	DATE OF INSPECTION: 2/2/2013
FEATURE UNDER: WASHINGTON ST & MCR	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 64.9
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 38 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 0081	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.329 mi E of Kittyhawk	YEAR BUILT: 1956	DECK CONDITION: 7 Good
BRDGNAME: AUBURN INTERCHANGE	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION:
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 51	DATE OF INSPECTION: 2/20/2013
FEATURE UNDER: AUBURN INTERCHANGE	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 93.6
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 38 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 0080	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 0.136 mi E of Hotel Rd	YEAR BUILT: 1956	DECK CONDITION: 8 Very Good
BRDGNAME: MTPK(NB) / SLR	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION:
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 112	DATE OF INSPECTION: 2/20/2013
FEATURE UNDER: ST. LAWRENCE-ATLANT	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 79.1
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 32 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 0079	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 6 Satisfactory
LOCATION: 0.096 mi W of Old Hotel	YEAR BUILT: 1956	DECK CONDITION: 7 Good
BRDGNAME: RTE 122 / OLD HOTEL RD	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 6	APPROACH CONDITION:
FEATURE ON: POLAND SPRING ROAD	STRUCTURE LENGTH IN FEET: 326	DATE OF INSPECTION: 5/17/2012
FEATURE UNDER: I-95	POSTING STATUS: 3 Posted	FEDERAL SUFFICIENCY RATING: 70.8
ROAD INV NO: 000000122X	POSTING TYPE: 3 Underclearance Limit	
ROUTE NO: 00122		
ROAD WIDTH: 26 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1275	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.449 mi E of Hotel Rd	YEAR BUILT: 1985	DECK CONDITION: 7 Good
BRDGNAME: KITTYHAWK AVENUE	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 7 Good
FEATURE ON: KITTYHAWK AVE	STRUCTURE LENGTH IN FEET: 304	DATE OF INSPECTION: 2/20/2013
FEATURE UNDER: I-95	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 93.8
ROAD INV NO: 0000110766	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 39 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 0077	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.8 MI N RT 5 202 /100/4	YEAR BUILT: 2010	DECK CONDITION: N Not Applicable
BRDGNAME: ROYAL RIVER	SPAN MATERIAL: 9 Other	CHANNEL CONDITION: 9 Excellent
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 9 Excellent
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 9 Excellent
FEATURE ON: OLD DANVILLE RD	STRUCTURE LENGTH IN FEET: 34	DATE OF INSPECTION: 4/5/2012
FEATURE UNDER: ROYAL RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99.9
ROAD INV NO: 0000110290	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1492	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 0.130 mi E of Hotel Rd	YEAR BUILT: 1956	DECK CONDITION: 8 Very Good
BRDGNAME: MTPK(SB)/SLR	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION:
FEATURE ON: I-95	STRUCTURE LENGTH IN FEET: 112	DATE OF INSPECTION: 2/20/2013
FEATURE UNDER: ST. LAWRENCE-ATLANT	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 82.1
ROAD INV NO: 000000095S	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 32 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 2 Critical
BRIDGE NO.: 0074	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 3 Serious
LOCATION: 0.3MI E OLD DANVILLE RD	YEAR BUILT: 1940	DECK CONDITION: 5 Fair
BRDGNAME: HELM	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 3 Serious
OWNER: 4 Municipal	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 5 Fair
FEATURE ON: BROWNS CROSSING RO	STRUCTURE LENGTH IN FEET: 51	DATE OF INSPECTION: 12/22/2011
FEATURE UNDER: ROYAL RIVER	POSTING STATUS: 3 Posted	FEDERAL SUFFICIENCY RATING: 35
ROAD INV NO: 0000110051	POSTING TYPE: 1 Weight Limit	
ROUTE NO: 00000		
ROAD WIDTH: 22 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: LOW USE/REDUNDANT BRIDGE		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 9 Excellent
BRIDGE NO.: 0073	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 9 Excellent
LOCATION: 0.5 MI S.OF W.AUBURN RD	YEAR BUILT: 2009	DECK CONDITION: 9 Excellent
BRDGNAME: GARDINER	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: 8 Very Good
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: PERKINS RIDGE ROAD	STRUCTURE LENGTH IN FEET: 26	DATE OF INSPECTION: 1/3/2012
FEATURE UNDER: LAPHAM BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 89
ROAD INV NO: 0000110307	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 22 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 0072	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 0.4 MI W'LY OF HOTEL RD	YEAR BUILT: 1991	DECK CONDITION: 8 Very Good
BRDGNAME: LAPHAM	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: YOUNGS CORNER ROAD	STRUCTURE LENGTH IN FEET: 37	DATE OF INSPECTION: 4/21/2011
FEATURE UNDER: LAPHAM BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 97.9
ROAD INV NO: 0000110480	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 32 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 0071	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 200 FT E RT 4	YEAR BUILT: 1997	DECK CONDITION: N Not Applicable
BRDGNAME: GRIST MILL	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 8 Very Good
OWNER: 4 Municipal	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 6 Satisfactory
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: OAK HILL ROAD	STRUCTURE LENGTH IN FEET: 14	DATE OF INSPECTION: 1/3/2012
FEATURE UNDER: BOBBIN MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 100
ROAD INV NO: 0000110287	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 0070	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: 300 FT E RT 4	YEAR BUILT: 1925	DECK CONDITION: 6 Satisfactory
BRDGNAME: NORTH	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 4 Poor
FEATURE ON: MARTIN STREET	STRUCTURE LENGTH IN FEET: 24	DATE OF INSPECTION: 7/23/2012
FEATURE UNDER: BOBBIN MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 53
ROAD INV NO: 0000110118	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 21 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 0069	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 0.2 MILES EAST ROUTE 4	YEAR BUILT: 1993	DECK CONDITION: N Not Applicable
BRDGNAME: STETSON ROAD	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 4 Municipal	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 5 Fair
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: STETSON ROAD	STRUCTURE LENGTH IN FEET: 14	DATE OF INSPECTION: 1/4/2012
FEATURE UNDER: BOBBIN MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 88.8
ROAD INV NO: 0000110375	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 0062	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 200 FT E STEVENS MILL RD	YEAR BUILT: 1960	DECK CONDITION: 6 Satisfactory
BRDGNAME: STEVENS MILLS ROAD	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 4 Municipal	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: STEVENS MILL RD EX	STRUCTURE LENGTH IN FEET: 21	DATE OF INSPECTION: 7/31/2012
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 62.2
ROAD INV NO: 0000110517	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 13 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 0058	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .8 MI. WEST RT. 4 ON RT11	YEAR BUILT: 1980	DECK CONDITION: N Not Applicable
BRDGNAME: TAYLOR BROOK	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 5 Fair
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 4 Poor
FEATURE ON: POLAND ROAD	STRUCTURE LENGTH IN FEET: 14	DATE OF INSPECTION: 2/4/2013
FEATURE UNDER: TAYLOR BRK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 89.5
ROAD INV NO: 0000110317	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 0057	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: .1 MI W TOWNLINE	YEAR BUILT: 1975	DECK CONDITION: 5 Fair
BRDGNAME: MAIN STREET	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: N Not Applicable
OWNER: 6 Railroad	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 6 Railroad	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: 136	STRUCTURE LENGTH IN FEET: 27	DATE OF INSPECTION: 4/6/2012
FEATURE UNDER: PEDESTRIAN WALKWAY	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 76.8
ROAD INV NO: 000000136X	POSTING TYPE: 0 None needed	
ROUTE NO: 00136		
ROAD WIDTH: 49 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: RAILROAD BRIDGE		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 0078	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 2.0 MI W RT 136	YEAR BUILT: 1948	DECK CONDITION: 5 Fair
BRDGNAME: SOPERS MILL	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 4 Municipal	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: SOPERS MILL ROAD	STRUCTURE LENGTH IN FEET: 15	DATE OF INSPECTION: 12/22/2011
FEATURE UNDER: SOPER BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 76
ROAD INV NO: 0000111438	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 22 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 3338	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 1.5 MI S OF JCT RTE 11	YEAR BUILT: 1937	DECK CONDITION: 6 Satisfactory
BRDGNAME: LITTLEFIELDS	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 5 Truss	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: HOTEL ROAD	STRUCTURE LENGTH IN FEET: 115	DATE OF INSPECTION: 12/17/2012
FEATURE UNDER: LITTLE ANDROSCOGGIN	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 46
ROAD INV NO: 0000110190	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 22 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: Lewiston	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 6260	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 6 Satisfactory
LOCATION: 0.5 MI W JCT OF US 202	YEAR BUILT: 1973	DECK CONDITION: 6 Satisfactory
BRDGNAME: VIET NAM MEMORIAL, WEST	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 7 Good
FEATURE ON: VIETNAM VET CONNEC	STRUCTURE LENGTH IN FEET: 505	DATE OF INSPECTION: 7/19/2012
FEATURE UNDER: W CHAN ANDRO R & RIV	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 96.2
ROAD INV NO: 0000110484	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 72 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: <input type="text" value="Auburn"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="5952"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="1 MI N NEW GLOUCESTER"/>	YEAR BUILT: <input type="text" value="2009"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="C.N.RR CROSSING"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
FEATURE ON: <input type="text" value="ROUTE 4,100, US202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="137"/>	DATE OF INSPECTION: <input type="text" value="7/19/2012"/>
FEATURE UNDER: <input type="text" value="C.N.RR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="66.1"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="20"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 5863	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 50 FT N LAKE SHORE DR	YEAR BUILT: 1960	DECK CONDITION: 7 Good
BRDGNAME: BASIN OUTLET	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 9 Excellent
FEATURE ON: NORTH AUBURN RD	STRUCTURE LENGTH IN FEET: 23	DATE OF INSPECTION: 7/19/2012
FEATURE UNDER: WILSON STREAM	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 75.5
ROAD INV NO: 0000110361	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 28 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 5786	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 3 Serious
LOCATION: 2.3 MI SO 1121	YEAR BUILT: 1958	DECK CONDITION: 4 Poor
BRDGNAME: OAKDALE(RT 100,4,202) SB	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 4 Poor
FEATURE ON: WASHINGTON ST, RT 4	STRUCTURE LENGTH IN FEET: 229	DATE OF INSPECTION: 10/12/2012
FEATURE UNDER: LITTLE ANDROSCOGGIN	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 21
ROAD INV NO: 000000202S	POSTING TYPE: 0 None needed	
ROUTE NO: 00202		
ROAD WIDTH: 30 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 5548	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .25 MI NW RTE 1121	YEAR BUILT: 1994	DECK CONDITION: N Not Applicable
BRDGNAME: COURT ST/TAYLOR BROOK	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 8 Very Good
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 6 Satisfactory
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: COURT STREET	STRUCTURE LENGTH IN FEET: 15	DATE OF INSPECTION: 2/4/2013
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 95.8
ROAD INV NO: 0000110079	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 5454	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 6 Satisfactory
LOCATION: 2.6 MI W OF JCT RTE 4	YEAR BUILT: 1952	DECK CONDITION: 6 Satisfactory
BRDGNAME: AUBURN ROAD	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: LAKE SHORE DRIVE	STRUCTURE LENGTH IN FEET: 23	DATE OF INSPECTION: 7/23/2012
FEATURE UNDER: INLET TO LAKE AUBURN	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 74.4
ROAD INV NO: 0000110217	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 24 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 5321	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.5*MI*NO*TOWNLIN	YEAR BUILT: 1976	DECK CONDITION: N Not Applicable
BRDGNAME: WAGG	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 5 Fair
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: RIVERSIDE DR	STRUCTURE LENGTH IN FEET: 14	DATE OF INSPECTION: 2/1/2013
FEATURE UNDER: WAGG BRK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 86.5
ROAD INV NO: 000000136X	POSTING TYPE: 0 None needed	
ROUTE NO: 00136		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3999	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 400 FT N RTE #202-4	YEAR BUILT: 1928	DECK CONDITION: N Not Applicable
BRDGNAME: CRYSTAL SPRING	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 3 Serious
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: 5 Fair
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: BRICKYARD CIRCLE	STRUCTURE LENGTH IN FEET: 13	DATE OF INSPECTION: 1/4/2012
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 70.4
ROAD INV NO: 0000110456	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: Lewiston	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 0086	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.163 mi E of Vickery Rd	YEAR BUILT: 1956	DECK CONDITION: 7 Good
BRDGNAME: MTPK(NB)/ANDROSCOGGIN R	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 6	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 846	DATE OF INSPECTION: 7/26/2012
FEATURE UNDER: ANDROSCOGGIN RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 97.3
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 38 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 3339	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 1.5 MI from RTE 4	YEAR BUILT: 1936	DECK CONDITION: 5 Fair
BRDGNAME: BOBBIN MILL BROOK	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: NORTH RIVER RD	STRUCTURE LENGTH IN FEET: 29	DATE OF INSPECTION: 7/19/2012
FEATURE UNDER: BOBBIN MILL BROOK	POSTING STATUS: 3 Posted	FEDERAL SUFFICIENCY RATING: 67.7
ROAD INV NO: 0000110284	POSTING TYPE: 1 Weight Limit	
ROUTE NO: 00000		
ROAD WIDTH: 20 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 6385	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: JCT CENTER STREET	YEAR BUILT: 2001	DECK CONDITION: 7 Good
BRDGNAME: MOUNT AUBURN AVENUE	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: N Not Applicable
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: MT AUBURN AVENUE	STRUCTURE LENGTH IN FEET: 124	DATE OF INSPECTION: 5/9/2012
FEATURE UNDER: RTE 4	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99
ROAD INV NO: 0000110484	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 40 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: Lewiston	SUBSTRUCTURE CONDITION: 4 Poor
BRIDGE NO.: 3330	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: TOWNLINE	YEAR BUILT: 1936	DECK CONDITION: 7 Good
BRDGNAME: BERNARD LOWN PEACE	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 5 Truss	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: CEDAR STREET	STRUCTURE LENGTH IN FEET: 723	DATE OF INSPECTION: 6/4/2012
FEATURE UNDER: ANDROSCOGGIN RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 47.5
ROAD INV NO: 0000110047	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 41 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3225	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.3 MI N OF JCT RTE 11	YEAR BUILT: 1982	DECK CONDITION: N Not Applicable
BRDGNAME: TAYLOR BROOK	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 5 Fair
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: HOTEL ROAD	STRUCTURE LENGTH IN FEET: 28	DATE OF INSPECTION: 5/24/2012
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 88.4
ROAD INV NO: 0000110190	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: Lewiston	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 3076	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: LEWISTON-AUBURN TL	YEAR BUILT: 1983	DECK CONDITION: 6 Satisfactory
BRDGNAME: JAMES B. LONGLEY MEMORI	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 7	APPROACH CONDITION: 7 Good
FEATURE ON: ROUTE US 202, 100	STRUCTURE LENGTH IN FEET: 600	DATE OF INSPECTION: 12/17/2012
FEATURE UNDER: ANDROSCOGGIN RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 82
ROAD INV NO: 000000202X	POSTING TYPE: 0 None needed	
ROUTE NO: 00202		
ROAD WIDTH: 64 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 2875	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 3.3 MI N JCT US 202	YEAR BUILT: 1953	DECK CONDITION: 7 Good
BRDGNAME: TURNER STREET	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 7 Good
FEATURE ON: ROUTE 4	STRUCTURE LENGTH IN FEET: 24	DATE OF INSPECTION: 7/23/2012
FEATURE UNDER: LAKE AUBURN OUTLET	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 85.6
ROAD INV NO: 000000004X	POSTING TYPE: 0 None needed	
ROUTE NO: 00004		
ROAD WIDTH: 69 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 2648	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.9 MI W OF JCT RTE 4	YEAR BUILT: 1930	DECK CONDITION: 5 Fair
BRDGNAME: PARSONS MILL	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 4 Poor
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 4 Poor
FEATURE ON: ROUTES 11 & 121	STRUCTURE LENGTH IN FEET: 24	DATE OF INSPECTION: 5/9/2012
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 47.3
ROAD INV NO: 000000011X	POSTING TYPE: 0 None needed	
ROUTE NO: 00011		
ROAD WIDTH: 52 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 2625	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: 2.3 MI S 11,121	YEAR BUILT: 1931	DECK CONDITION: 5 Fair
BRDGNAME: OAKDALE NB/RT 100,4,202	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: OAKDALE NB,4,100	STRUCTURE LENGTH IN FEET: 166	DATE OF INSPECTION: 10/12/2012
FEATURE UNDER: LITTLE ANDROSCOGGIN	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 38.2
ROAD INV NO: 000000202X	POSTING TYPE: 0 None needed	
ROUTE NO: 00202		
ROAD WIDTH: 25 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 2209	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 4 MI NO TOWNLIN	YEAR BUILT: 1939	DECK CONDITION: N Not Applicable
BRDGNAME: CRYSTAL SPRING	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 7 Good
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 8 Very Good
FEATURE ON: ROUTES 4&202	STRUCTURE LENGTH IN FEET: 10	DATE OF INSPECTION: 2/1/2013
FEATURE UNDER: TAYLOR BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 89.3
ROAD INV NO: 000000202X	POSTING TYPE: 0 None needed	
ROUTE NO: 00202		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE HIGHWAY		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: <input type="text" value="Auburn"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1493"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.095 mi N of Allied Rd"/>	YEAR BUILT: <input type="text" value="2012"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="MTPK(SB)/RTE 202 & CRR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="8"/>	APPROACH CONDITION: <input type="text" value=""/> <input type="text" value=""/>
FEATURE ON: <input type="text" value="I-95 (SB)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="640"/>	DATE OF INSPECTION: <input type="text" value="2/20/2013"/>
FEATURE UNDER: <input type="text" value="WASHINGTON ST & MCR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="97.3"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="38"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Auburn

CONDITION RATINGS

TOWN1: Auburn	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 3895	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.4 MI S JCT OF RTE 202	YEAR BUILT: 1948	DECK CONDITION: 7 Good
BRDGNAME: IRON	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 2 Girder - floor beam	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: ROUTE 136	STRUCTURE LENGTH IN FEET: 95	DATE OF INSPECTION: 11/20/2012
FEATURE UNDER: LITTLE ANDROSCOGGIN	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 84.8
ROAD INV NO: 000000136X	POSTING TYPE: 0 None needed	
ROUTE NO: 00136		
ROAD WIDTH: 45 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Lewiston

CONDITION RATINGS

TOWN1: <input type="text" value="Lewiston"/>	TOWN2: <input type="text" value="Auburn"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1494"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.151 mi E of Vickery Rd"/>	YEAR BUILT: <input type="text" value="1995"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="MTPK(SB)/ANDROSCOGGIN R"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="6"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="I-95(SB)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="846"/>	DATE OF INSPECTION: <input type="text" value="7/26/2012"/>
FEATURE UNDER: <input type="text" value="ANDROSCOGGIN RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="95.3"/>
ROAD INV NO: <input type="text" value="00000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="38"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		