

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input style="width: 150px;" type="text" value="Easton"/>	<b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input style="width: 60px;" type="text" value="3532"/>	<b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input style="width: 130px;" type="text" value="3.2 MI E JCT 1A"/>	<b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1949"/>	<b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="FLEWELLING"/>	<b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
<b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="6 Arch"/>	<b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/>
<b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input style="width: 50px;" type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
<b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="LADNER ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 50px;" type="text" value="14"/>	<b>DATE OF INSPECTION:</b> <input style="width: 100px;" type="text" value="1/4/2012"/>
<b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="FLEWELLING STREAM"/>	<b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="100"/>
<b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0000300772"/>	<b>POSTING TYPE:</b> <input style="width: 100px;" type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input style="width: 60px;" type="text" value="0"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="N"/>	
<b>CLASS:</b> <input style="width: 100px;" type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input style="width: 150px;" type="text" value="Easton"/>	<b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="2687"/>	<b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
<b>LOCATION:</b> <input style="width: 130px;" type="text" value="2.2 MI W OF JCT US 1A"/>	<b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1940"/>	<b>DECK CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
<b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="PRESTILE BROOK"/>	<b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>
<b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="7 Rigid Frame"/>	<b>CULVERT CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
<b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="ROUTE 10"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="28"/>	<b>DATE OF INSPECTION:</b> <input style="width: 50px;" type="text" value="9/27/2012"/>
<b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="PRESTILE STREAM"/>	<b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="86.8"/>
<b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="000000010X"/>	<b>POSTING TYPE:</b> <input style="width: 80px;" type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00010"/>		
<b>ROAD WIDTH:</b> <input style="width: 40px;" type="text" value="40"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>	
<b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Easton"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="0139"/>	<b>BRIDGE REGION:</b> <input type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="0.5 MI N OF JCT MAHANY RD"/>	<b>YEAR BUILT:</b> <input type="text" value="2003"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="WOLVERTON"/>	<b>SPAN MATERIAL:</b> <input type="text" value="5 Aluminum"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="LADNER ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="29"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/27/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="RIVIERE DES CHUTES"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="100"/>
<b>ROAD INV NO:</b> <input type="text" value="0000300772"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input style="width: 150px;" type="text" value="Easton"/>	<b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="1"/> <input style="width: 100px;" type="text" value="Imminent Failure"/>
<b>BRIDGE NO.:</b> <input style="width: 60px;" type="text" value="0137"/>	<b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="1"/> <input style="width: 100px;" type="text" value="Imminent Failure"/>
<b>LOCATION:</b> <input style="width: 130px;" type="text" value="0.3 MI S RT10"/>	<b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1922"/>	<b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="1"/> <input style="width: 100px;" type="text" value="Imminent Failure"/>
<b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="PRESTILE BROOK"/>	<b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="1"/> <input style="width: 100px;" type="text" value="Imminent Failure"/>
<b>OWNER:</b> <input style="width: 90px;" type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="7 Rigid Frame"/>	<b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input style="width: 50px;" type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="3"/> <input style="width: 100px;" type="text" value="Serious"/>
<b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="T.W.(DISCONTINUED)"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 50px;" type="text" value="18"/>	<b>DATE OF INSPECTION:</b> <input style="width: 100px;" type="text" value="11/14/2012"/>
<b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="PRESTILE STREAM"/>	<b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="2 Closed"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="7.1"/>
<b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0000300758"/>	<b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input style="width: 60px;" type="text" value="12"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="N"/>	
<b>CLASS:</b> <input style="width: 100px;" type="text" value="MINOR SPAN ON TOWN WAY"/>		

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Easton"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>BRIDGE NO.:</b> <input type="text" value="0127"/>	<b>BRIDGE REGION:</b> <input type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value=".1 MI S STATION RD"/>	<b>YEAR BUILT:</b> <input type="text" value="1960"/>	<b>DECK CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRDGNAME:</b> <input type="text" value="PRESTILE BRK.# 2"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>FEATURE ON:</b> <input type="text" value="BRIDGE ST"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="20"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="11/14/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="PRESTILE STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="3 Posted"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="21.1"/>
<b>ROAD INV NO:</b> <input type="text" value="0000300593"/>	<b>POSTING TYPE:</b> <input type="text" value="1 Weight Limit"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="14"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

## Structures in the Municipality of Easton

### CONDITION RATINGS

<b>TOWN1:</b> <input style="width: 150px;" type="text" value="Easton"/>	<b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input style="width: 60px;" type="text" value="0125"/>	<b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Northern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input style="width: 130px;" type="text" value="1.2 MI N OFJCT RTE 10"/>	<b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="2010"/>	<b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="PRESTILE BROOK #1"/>	<b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="8"/> <input style="width: 100px;" type="text" value="Very Good"/>
<b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="9"/> <input style="width: 100px;" type="text" value="Excellent"/>
<b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input style="width: 50px;" type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="8"/> <input style="width: 100px;" type="text" value="Very Good"/>
<b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="RICHARDSON ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 50px;" type="text" value="14"/>	<b>DATE OF INSPECTION:</b> <input style="width: 100px;" type="text" value="11/14/2012"/>
<b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="PRESTILE STREAM"/>	<b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="100"/>
<b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0000300579"/>	<b>POSTING TYPE:</b> <input style="width: 100px;" type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input style="width: 60px;" type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="N"/>	
<b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		