

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3557"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".6 MI S TOWNLINE"/>	YEAR BUILT: <input type="text" value="1938"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="SHAD GULLY"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="114"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="12"/>	DATE OF INSPECTION: <input type="text" value="11/22/2011"/>
FEATURE UNDER: <input type="text" value="WEST BR LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="83.1"/>
ROAD INV NO: <input type="text" value="000000114X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00114"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="0230"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value=".3MI S RTE 25"/>	YEAR BUILT: <input type="text" value="2002"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="FILES"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="FILES ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="28"/>	DATE OF INSPECTION: <input type="text" value="12/19/2011"/>
FEATURE UNDER: <input type="text" value="BREAKHEART BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="79.8"/>
ROAD INV NO: <input type="text" value="0000500673"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="21"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="0235"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".1 MI S RTE 22"/>	YEAR BUILT: <input type="text" value="1996"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="BABB SCHOOL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="HODGDON RD., TW"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="11"/>	DATE OF INSPECTION: <input type="text" value="12/15/2011"/>
FEATURE UNDER: <input type="text" value="SO BR STROUDWATER R"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="96.9"/>
ROAD INV NO: <input type="text" value="0000500745"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="0236"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.5 MI N RTE 22"/>	YEAR BUILT: <input type="text" value="1992"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="DEERING ROAD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="DEERING ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="17"/>	DATE OF INSPECTION: <input type="text" value="12/15/2011"/>
FEATURE UNDER: <input type="text" value="STROUDWATER RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="98.7"/>
ROAD INV NO: <input type="text" value="0000500754"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Gorham"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
BRIDGE NO.: <input style="width: 60px;" type="text" value="0258"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
LOCATION: <input style="width: 140px;" type="text" value="0.5 MI NE RT 114"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1960"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
BRDGNAME: <input style="width: 100px;" type="text" value="WESCOTT"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
OWNER: <input style="width: 100px;" type="text" value="4 Municipal"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="4 Culvert"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="4"/> <input style="width: 100px;" type="text" value="Poor"/>
MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input style="width: 50px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 120px;" type="text" value="WESCOTT RD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="11"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="12/15/2011"/>
FEATURE UNDER: <input style="width: 120px;" type="text" value="N. BRANCH LITTLE RIVE"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 60px;" type="text" value="65.6"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0000500899"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 60px;" type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="N"/>	
CLASS: <input style="width: 100px;" type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Gorham"/>	TOWN2: <input style="width: 100px;" type="text" value="Windham"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="1009"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
LOCATION: <input style="width: 130px;" type="text" value="TOWNLINE"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1976"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRDGNAME: BABBS	SPAN MATERIAL: <input style="width: 100px;" type="text" value="3 Wood"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="5 Truss"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 80px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="HURRICANE ROAD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="68"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="7/9/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="36.6"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0000500686"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="5 Weight & Underclearance Limit"/>	
ROUTE NO: <input style="width: 50px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="14"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Gorham"/>	TOWN2: <input style="width: 100px;" type="text" value="Windham"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="1529"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="ON TOWNLINE"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1970"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>
BRDGNAME: <input style="width: 100px;" type="text" value="GREAT FALLS #2"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
FEATURE ON: <input style="width: 100px;" type="text" value="WINDHAM CENTER RD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="78"/>	DATE OF INSPECTION: <input style="width: 50px;" type="text" value="7/9/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="76.2"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0000500689"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 50px;" type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2219"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.6 MI W JCT RTE 4"/>	YEAR BUILT: <input type="text" value="1932"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="DAVIS MILL"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RTE 25"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="34"/>	DATE OF INSPECTION: <input type="text" value="4/12/2012"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="84"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="41"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="2308"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2 MI S TOWNLINE"/>	YEAR BUILT: <input type="text" value="1931"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="GETCHELL"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="114"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="20"/>	DATE OF INSPECTION: <input type="text" value="11/17/2011"/>
FEATURE UNDER: <input type="text" value="DOUGLAS BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="73.2"/>
ROAD INV NO: <input type="text" value="000000114X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00114"/>		
ROAD WIDTH: <input type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="2370"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.7 MI. S. TOWNLIN"/>	YEAR BUILT: <input type="text" value="1990"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: HIGGINS	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="RT25"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="11/14/2011"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="87.1"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3112"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="1.7 MI N OF JCT RTE 25"/>	YEAR BUILT: <input type="text" value="1952"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="LITTLE RIVER"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 237"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="106"/>	DATE OF INSPECTION: <input type="text" value="10/22/2012"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="63.8"/>
ROAD INV NO: <input type="text" value="000000237X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00237"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="0216"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.1 MI S JCT BURNHAM RD"/>	YEAR BUILT: <input type="text" value="1990"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: MITCHELL	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="MITCHELL HILL ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="34"/>	DATE OF INSPECTION: <input type="text" value="7/10/2012"/>
FEATURE UNDER: <input type="text" value="NONESUCH RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="88.8"/>
ROAD INV NO: <input type="text" value="0000500479"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3404"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.3 MI. E. BRACKETT RD."/>	YEAR BUILT: <input type="text" value="1930"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="LONGFELLOW BRIDGE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="LONGFELLOW RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="15"/>	DATE OF INSPECTION: <input type="text" value="12/19/2011"/>
FEATURE UNDER: <input type="text" value="INDIAN CAMP BK"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="65.8"/>
ROAD INV NO: <input type="text" value="0000550059"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="20"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="6445"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
LOCATION: <input type="text" value="0.8 MI W OF JCT RTE 114"/>	YEAR BUILT: <input type="text" value="2008"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="NEWT"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RTE 112 (BYPASS)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="12/15/2011"/>
FEATURE UNDER: <input type="text" value="TRIBUTARY OF GULLY B"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="97.4"/>
ROAD INV NO: <input type="text" value="000000112X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00112"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5737"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.2 MI E OF JCT RTE 114"/>	YEAR BUILT: <input type="text" value="1966"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="JOHNSON"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="HUSTON ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="32"/>	DATE OF INSPECTION: <input type="text" value="4/12/2012"/>
FEATURE UNDER: <input type="text" value="N BRANCH LITTLE RIVE"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="85.8"/>
ROAD INV NO: <input type="text" value="0000500724"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="6444"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
LOCATION: <input type="text" value="1.5 MI NW JCT RTE 114"/>	YEAR BUILT: <input type="text" value="2008"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="GULLY BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
FEATURE ON: <input type="text" value="ROUTE 112 (BYPASS)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="12/15/2011"/>
FEATURE UNDER: <input type="text" value="GULLY BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="97.4"/>
ROAD INV NO: <input type="text" value="000000112X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00112"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
BRIDGE NO.: <input type="text" value="6443"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
LOCATION: <input type="text" value=".2 mi W. of Cressey Road"/>	YEAR BUILT: <input type="text" value="2008"/>	DECK CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
BRDGNAME: <input type="text" value="FLAGGY MEADOW ROAD"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
FEATURE ON: <input type="text" value="Flaggy Meadow Road"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="136"/>	DATE OF INSPECTION: <input type="text" value="1/7/2013"/>
FEATURE UNDER: <input type="text" value="Gorham Bypass"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81"/>
ROAD INV NO: <input type="text" value="000000112X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00112"/>		
ROAD WIDTH: <input type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6368"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.4 MI S NEW PORTLAND RD"/>	YEAR BUILT: <input type="text" value="1992"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="INDIAN CAMP BROOK"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="BRACKET ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="20"/>	DATE OF INSPECTION: <input type="text" value="5/17/2011"/>
FEATURE UNDER: <input type="text" value="INDIAN CAMP BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.3"/>
ROAD INV NO: <input type="text" value="0000550055"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="6210"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="ADJ TO WINDHAM TOWNLIN"/>	YEAR BUILT: <input type="text" value="1970"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="GREAT FALLS #1 (LONG)"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="WINDHAM CENTER RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="136"/>	DATE OF INSPECTION: <input type="text" value="7/9/2012"/>
FEATURE UNDER: <input type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81.6"/>
ROAD INV NO: <input type="text" value="0000500689"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3304"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2.2 MI N 25 ON 114"/>	YEAR BUILT: <input type="text" value="1992"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: GALOUP MILL	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="RTE 114"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="39"/>	DATE OF INSPECTION: <input type="text" value="4/12/2012"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="95"/>
ROAD INV NO: <input type="text" value="000000114X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00114"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5768"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".5 MI W JCT 114"/>	YEAR BUILT: <input type="text" value="1959"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="CURTIS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="22"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="13"/>	DATE OF INSPECTION: <input type="text" value="7/23/2012"/>
FEATURE UNDER: <input type="text" value="EAST BL STROUDWATER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="61.9"/>
ROAD INV NO: <input type="text" value="000000022X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00022"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3762"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
LOCATION: <input type="text" value="0.9 MI S'LY OF WINDHAM"/>	YEAR BUILT: <input type="text" value="1949"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="DEGUIO MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTES US202 & 4"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="60"/>	DATE OF INSPECTION: <input type="text" value="10/22/2012"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="67.4"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5449"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.6 MI NE RT 114"/>	YEAR BUILT: <input type="text" value="1954"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="NORTH BRANCH BROOK BRI"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="MIGHTY RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="12/19/2011"/>
FEATURE UNDER: <input type="text" value="NORTH BRANCH BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="89"/>
ROAD INV NO: <input type="text" value="0000500673"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5430"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.4 MI NW OF SACO STREET"/>	YEAR BUILT: <input type="text" value="1962"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGRNAME: <input type="text" value="BRACKETT ROAD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="BRACKET ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="32"/>	DATE OF INSPECTION: <input type="text" value="7/9/2012"/>
FEATURE UNDER: <input type="text" value="STROUDWATER RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="87.7"/>
ROAD INV NO: <input type="text" value="0000550055"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5304"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.1 MI W RTE 114"/>	YEAR BUILT: <input type="text" value="1992"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="ELMWOOD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="WASHBURN DR"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="10"/>	DATE OF INSPECTION: <input type="text" value="12/15/2011"/>
FEATURE UNDER: <input type="text" value="STROUT BK"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="100"/>
ROAD INV NO: <input type="text" value="0000500752"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5303"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.2 MI N OF JCT ROUTE 22"/>	YEAR BUILT: <input type="text" value="1951"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: SHAWS	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 114"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="43"/>	DATE OF INSPECTION: <input type="text" value="4/11/2012"/>
FEATURE UNDER: <input type="text" value="STROUDWATER RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="49.1"/>
ROAD INV NO: <input type="text" value="000000114X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00114"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Gorham

CONDITION RATINGS

TOWN1: <input type="text" value="Gorham"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3993"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".2 MI E TOWNLINE"/>	YEAR BUILT: <input type="text" value="1949"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="WARREN"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="FLAGGY MEADOW RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="19"/>	DATE OF INSPECTION: <input type="text" value="12/19/2011"/>
FEATURE UNDER: <input type="text" value="LITTLE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81.1"/>
ROAD INV NO: <input type="text" value="0000500749"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Windham

CONDITION RATINGS

TOWN1: <input type="text" value="Windham"/>	TOWN2: <input type="text" value="Gorham"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="0266"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="0"/> <input type="text"/>
LOCATION: <input type="text" value=".9 MI SW RTE 202-4"/>	YEAR BUILT: <input type="text" value="1912"/>	DECK CONDITION: <input type="text" value="0"/> <input type="text"/>
BRDGNAME: <input type="text" value="GAMBO FALLS BR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="5 Truss"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="2"/> <input type="text" value="Critical"/>
FEATURE ON: <input type="text" value="GAMBO ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="165"/>	DATE OF INSPECTION: <input type="text" value="9/16/1997"/>
FEATURE UNDER: <input type="text" value="PRESUMPCOTT RIVER"/>	POSTING STATUS: <input type="text" value="2 Closed"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="17"/>
ROAD INV NO: <input type="text" value="0003200152"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="16"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Windham

CONDITION RATINGS

TOWN1: <input type="text" value="Windham"/>	TOWN2: <input type="text" value="Gorham"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="2787"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.4 MI N OF JCT RTE 237"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: SOUTH WINDHAM	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="ROUTE US202 & 4"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="167"/>	DATE OF INSPECTION: <input type="text" value="5/8/2012"/>
FEATURE UNDER: <input type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="77.2"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Windham

CONDITION RATINGS

TOWN1: <input type="text" value="Windham"/>	TOWN2: <input type="text" value="Gorham"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="5821"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.1 MI ELY OF RTE 237"/>	YEAR BUILT: <input type="text" value="1969"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="MALLISON FALLS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="MALLISON STREET"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="157"/>	DATE OF INSPECTION: <input type="text" value="10/6/2011"/>
FEATURE UNDER: <input type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="87"/>
ROAD INV NO: <input type="text" value="0000500721"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		