

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5120"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value=".1 MI N&PARR-TNLN"/>	YEAR BUILT: <input type="text" value="1939"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: CHASE	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="#15 - 16"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="16"/>	DATE OF INSPECTION: <input type="text" value="5/14/2012"/>
FEATURE UNDER: <input type="text" value="MAYFIELD BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="91.4"/>
ROAD INV NO: <input type="text" value="00000006X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00006"/>		
ROAD WIDTH: <input type="text" value="35"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="3873"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value=".3 MI N RT 15"/>	YEAR BUILT: <input type="text" value="1955"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: BEARCE BRIDGE	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="ANDREWS RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="28"/>	DATE OF INSPECTION: <input type="text" value="7/19/2012"/>
FEATURE UNDER: <input type="text" value="SALMON STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="74.3"/>
ROAD INV NO: <input type="text" value="0002100661"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="15"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="3512"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="5.8MI N JCT 15 + 150"/>	YEAR BUILT: <input type="text" value="1939"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="DAVIS BROOK BRIDGE"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 150"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="12"/>	DATE OF INSPECTION: <input type="text" value="5/14/2012"/>
FEATURE UNDER: <input type="text" value="DAVIS BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="70.4"/>
ROAD INV NO: <input type="text" value="000000150X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00150"/>		
ROAD WIDTH: <input type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3044"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.2 MI W TOWNLINE"/>	YEAR BUILT: <input type="text" value="2006"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="SALMON STREAM"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="#15 - 16"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="28"/>	DATE OF INSPECTION: <input type="text" value="5/14/2012"/>
FEATURE UNDER: <input type="text" value="SALMON STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.9"/>
ROAD INV NO: <input type="text" value="000000006X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00006"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2337"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="ADJ TP S'LY JCT RTE 150"/>	YEAR BUILT: <input type="text" value="1954"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="GUILFORD MEMORIAL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="ROUTE 6,15,16,&150"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="175"/>	DATE OF INSPECTION: <input type="text" value="12/28/2011"/>
FEATURE UNDER: <input type="text" value="PISCATAQUIS RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="56.4"/>
ROAD INV NO: <input type="text" value="00000006X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00006"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="Sangerville"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1008"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="100 FT S OF RTE 6,15,&16"/>	YEAR BUILT: <input type="text" value="1990"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="LOWE'S BRIDGE"/>	SPAN MATERIAL: <input type="text" value="3 Wood"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="5 Truss"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="LOWE'S BRIDGE ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="174"/>	DATE OF INSPECTION: <input type="text" value="4/25/2012"/>
FEATURE UNDER: <input type="text" value="PISCATAQUIS RIVER"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="60.3"/>
ROAD INV NO: <input type="text" value="0003201034"/>	POSTING TYPE: <input type="text" value="3 Underclearance Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="14"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Guilford

CONDITION RATINGS

TOWN1: <input type="text" value="Guilford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="0929"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="1.1 MI W SEBEC SHORES RD"/>	YEAR BUILT: <input type="text" value="1955"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="SALMON STREAM"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="WHARFF OR ANDERSON"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="20"/>	DATE OF INSPECTION: <input type="text" value="5/14/2012"/>
FEATURE UNDER: <input type="text" value="SALMON STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="80.9"/>
ROAD INV NO: <input type="text" value="0002100408"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="20"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sangerville

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Sangerville"/>	TOWN2: <input style="width: 100px;" type="text" value="Guilford"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="2801"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
LOCATION: <input style="width: 130px;" type="text" value="0.1 MI S JCT RTES 656"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="2006"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
BRDGNAME: SANGERVILLE STATION	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 80px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
FEATURE ON: <input style="width: 100px;" type="text" value="ROUTE 23"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="157"/>	DATE OF INSPECTION: <input style="width: 80px;" type="text" value="2/7/2013"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="PISCATAQUIS RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="97.5"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="000000023X"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 50px;" type="text" value="00023"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		