

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3526"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".3M E OFF EMERSON MILL RD"/>	YEAR BUILT: <input type="text" value="1905"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="B&ARR#27.731PAPER MILL R"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="8"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="B & A RR #27.73"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="362"/>	DATE OF INSPECTION: <input type="text" value="10/1/2012"/>
FEATURE UNDER: <input type="text" value="PAPER MILL RD&SOUAD"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-2"/>
ROAD INV NO: <input type="text"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="0863"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.1 MI W MEADOW RD"/>	YEAR BUILT: <input type="text" value="1998"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: SAWYER	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="SAWYER RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="23"/>	DATE OF INSPECTION: <input type="text" value="10/30/2012"/>
FEATURE UNDER: <input type="text" value="W BR SOUADABSCOOK S"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="89"/>
ROAD INV NO: <input type="text" value="0001900669"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Hampden"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 60px;" type="text" value="0864"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="2.5 MI N RT 202"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1984"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
BRDGNAME: <input style="width: 100px;" type="text" value="UPPER PAPERMILL"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
OWNER: <input style="width: 90px;" type="text" value="4 Municipal"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input style="width: 50px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
FEATURE ON: <input style="width: 110px;" type="text" value="PAPERMILL RD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="77"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="11/1/2012"/>
FEATURE UNDER: <input style="width: 110px;" type="text" value="SOUADABSCOOK STR"/>	POSTING STATUS: <input style="width: 90px;" type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="79"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0001900668"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="9 Other - lane closure etc."/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 60px;" type="text" value="15"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1430"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="MILE 179.8/4.5 MI E TL"/>	YEAR BUILT: <input type="text" value="1962"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="I-95 SB / EMERSON MILLS RD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="4"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I-95 SOUTHBOUND"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="206"/>	DATE OF INSPECTION: <input type="text" value="1/3/2012"/>
FEATURE UNDER: <input type="text" value="B&A RR & EMERSON MI"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="93.4"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1431"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="3.3 MI E TL /95 MI 177.9"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="I95 SB / SOUADABSCOOK EAS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I-95 SB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="10/26/2011"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.2"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1432"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="2.5 MI E TL/ 95 MI 177.1"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="I95 SB / SOUADABSCOOK CEN"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="I95 SB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="10/26/2011"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.4"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="1433"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="2 MI E TL/9*5 MIN176.5"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="I95 SB / SOUADABSCOOK WES"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I95 SB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="136"/>	DATE OF INSPECTION: <input type="text" value="1/28/2013"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="82.9"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1524"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="0.3 MI N OF JCT RTE 9"/>	YEAR BUILT: <input type="text" value="1965"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="202SB / SOUADABSCOOK STR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="US #202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="292"/>	DATE OF INSPECTION: <input type="text" value="11/6/2012"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81.6"/>
ROAD INV NO: <input type="text" value="000000202S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="2334"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
LOCATION: <input type="text" value=".4 MI N 9&202"/>	YEAR BUILT: <input type="text" value="1924"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="GRIST MILL"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="US 1A & 9"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="61"/>	DATE OF INSPECTION: <input type="text" value="12/20/2012"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="52"/>
ROAD INV NO: <input type="text" value="00000001A"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2797"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.6 MI W OF NEWBURG RD"/>	YEAR BUILT: <input type="text" value="1957"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: STANLEY	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="BOG RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="76"/>	DATE OF INSPECTION: <input type="text" value="12/21/2011"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="78.9"/>
ROAD INV NO: <input type="text" value="0001900476"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="0157"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value=".6MI SW BANGOR TL"/>	YEAR BUILT: <input type="text" value="1980"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="SUCKER BROOK"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RTE #1A"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="18"/>	DATE OF INSPECTION: <input type="text" value="12/13/2011"/>
FEATURE UNDER: <input type="text" value="SUCKER*BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="98.9"/>
ROAD INV NO: <input type="text" value="00000001A"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
BRIDGE NO.: <input type="text" value="3366"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="1.1 MI N RT 202"/>	YEAR BUILT: <input type="text" value="1996"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: MANNING	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="MANNING MILLS RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="67"/>	DATE OF INSPECTION: <input type="text" value="11/1/2012"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOR STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="43.5"/>
ROAD INV NO: <input type="text" value="0001900665"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="15"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6416"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2.5 MI EAST ROUTE 69"/>	YEAR BUILT: <input type="text" value="1986"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="KENNEBEC ROAD"/>	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="KENNEBEC ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="11"/>	DATE OF INSPECTION: <input type="text" value="9/19/2011"/>
FEATURE UNDER: <input type="text" value="BROWN BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.4"/>
ROAD INV NO: <input type="text" value="0001900444"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5108"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value=".5MI. SO. TOWNLINE"/>	YEAR BUILT: <input type="text" value="1990"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="EMERSON MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="EMERSON MILL RD."/>	STRUCTURE LENGTH IN FEET: <input type="text" value="76"/>	DATE OF INSPECTION: <input type="text" value="9/4/2012"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="93.9"/>
ROAD INV NO: <input type="text" value="0001900482"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5109"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="2 MI E TOWNLINE"/>	YEAR BUILT: <input type="text" value="1951"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: YORK	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 9 & US 202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="49"/>	DATE OF INSPECTION: <input type="text" value="6/27/2012"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="67.5"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5315"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1 MI SE OF NEWGURG TL"/>	YEAR BUILT: <input type="text" value="1951"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="TWIN"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="RTE #69"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="25"/>	DATE OF INSPECTION: <input type="text" value="9/4/2012"/>
FEATURE UNDER: <input type="text" value="W.BR.SOUADABSCOOK S"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="87.3"/>
ROAD INV NO: <input type="text" value="000000069X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00069"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5949"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="3.3 MI E TL / 95 MI 177.9"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="SOUADABSCOOK EAST NB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I 95 NB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="1/28/2013"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="91.1"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5950"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2.5 MI E TL/ 95 MI 177.1"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="SOUADABSCOOK CENTER NB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="95 NB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="135"/>	DATE OF INSPECTION: <input type="text" value="1/28/2013"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="85.8"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="5951"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2 MI E TL/95 MILE 176.5"/>	YEAR BUILT: <input type="text" value="1961"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="SOUADABSCOOK WEST NB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="95 NB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="137"/>	DATE OF INSPECTION: <input type="text" value="1/28/2013"/>
FEATURE UNDER: <input type="text" value="SOUADABSCOOK STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="79.5"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5969"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="MILE 179.2/4.5 MILE E TL"/>	YEAR BUILT: <input type="text" value="1962"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="I-95 NB/EMERSON MILLS RD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="4"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I-95 NORTHBOUND"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="206"/>	DATE OF INSPECTION: <input type="text" value="7/19/2011"/>
FEATURE UNDER: <input type="text" value="B&ARR,EMERSON MILL"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.1"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="40"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="5970"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="I-95 INTERCHANGE #44"/>	YEAR BUILT: <input type="text" value="1962"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="COLD BROOK ROAD/I-95"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="5"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="COLD BROOK ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="325"/>	DATE OF INSPECTION: <input type="text" value="1/3/2012"/>
FEATURE UNDER: <input type="text" value="I-95"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="64.2"/>
ROAD INV NO: <input type="text" value="0001900553"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="6079"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="0.3 MI. N OF JCT RTE 9"/>	YEAR BUILT: <input type="text" value="1965"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="202 NB / SQUADABSCOOK STR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="US 202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="292"/>	DATE OF INSPECTION: <input type="text" value="11/6/2012"/>
FEATURE UNDER: <input type="text" value="SQUADABSCOOK STREA"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81.7"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="6080"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value=".7 MI S I-395"/>	YEAR BUILT: <input type="text" value="1965"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="RTE. 202 / MCRR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE US 202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="154"/>	DATE OF INSPECTION: <input type="text" value="12/20/2012"/>
FEATURE UNDER: <input type="text" value="MCRR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="91.6"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="43"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Hampden

CONDITION RATINGS

TOWN1: <input type="text" value="Hampden"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3019"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".6 MI SO TOWNLINE"/>	YEAR BUILT: <input type="text" value="1962"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="COLD BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="SA 3"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="12/13/2011"/>
FEATURE UNDER: <input type="text" value="COLD BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="82.5"/>
ROAD INV NO: <input type="text" value="0001900553"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		