

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="6102"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value=".3 MI E HINCKLEY HILL RD"/>	<b>YEAR BUILT:</b> <input type="text" value="1999"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="BOG ROAD"/>	<b>SPAN MATERIAL:</b> <input type="text" value="5 Aluminum"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>FEATURE ON:</b> <input type="text" value="BOG ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="13"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="11/1/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="PATTEN STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="99.9"/>
<b>ROAD INV NO:</b> <input type="text" value="0001900476"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 6101	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> .1 MI S TOWNLINE	<b>YEAR BUILT:</b> 1996	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> WARD STREAM NB	<b>SPAN MATERIAL:</b> 5 Aluminum	<b>CHANNEL CONDITION:</b> 5 Fair
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 8 Very Good
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> I-95 NB	<b>STRUCTURE LENGTH IN FEET:</b> 13	<b>DATE OF INSPECTION:</b> 12/6/2011
<b>FEATURE UNDER:</b> WARD STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 93.2
<b>ROAD INV NO:</b> 000000095X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00095		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 5968	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> 7 Good
<b>LOCATION:</b> .5 MLE. TOWNLINE	<b>YEAR BUILT:</b> 1963	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> POND(NEWBURG)ROAD	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> N Not Applicable
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 5	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> POND (NEWBURG) ROA	<b>STRUCTURE LENGTH IN FEET:</b> 317	<b>DATE OF INSPECTION:</b> 9/19/2012
<b>FEATURE UNDER:</b> I-95	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 86.1
<b>ROAD INV NO:</b> 0001902018	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 28 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRIDGE NO.:</b> <input type="text" value="5421"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value=".5 MI W TOWNLINE"/>	<b>YEAR BUILT:</b> <input type="text" value="1928"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="B&amp;ARR/US 2 &amp; R100RR#29.73"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>OWNER:</b> <input type="text" value="6 Railroad"/>	<b>SPAN TYPE:</b> <input type="text" value="2 Girder - floor beam"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="6 Railroad"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>FEATURE ON:</b> <input type="text" value="BANGOR &amp; AROOSTOOK"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="39"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="7/9/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="ROUTE #100 &amp; US #2"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="-2"/>
<b>ROAD INV NO:</b> <input type="text"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text"/>		
<b>ROAD WIDTH:</b> <input type="text"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text"/>		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input type="text" value="5420"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value=".5 MI W TOWNLN ON US2&amp;100"/>	<b>YEAR BUILT:</b> <input type="text" value="1905"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="B&amp;ARR/HAMOND&amp;MCR RR#2"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>OWNER:</b> <input type="text" value="6 Railroad"/>	<b>SPAN TYPE:</b> <input type="text" value="2 Girder - floor beam"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="6 Railroad"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="3"/>	<b>APPROACH CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>FEATURE ON:</b> <input type="text" value="BANGOR &amp; AROOSTOOK"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="151"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="7/9/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="ROUTE #100 &amp; US 2"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="-2"/>
<b>ROAD INV NO:</b> <input type="text"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text"/>		
<b>ROAD WIDTH:</b> <input type="text"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text"/>		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 5225	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>LOCATION:</b> 1 MI NE HINKLEY HILL ROAD	<b>YEAR BUILT:</b> 1950	<b>DECK CONDITION:</b> 4 Poor
<b>BRDGNAME:</b> HERMAN POND	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 3 Serious
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> NEWBURG RD	<b>STRUCTURE LENGTH IN FEET:</b> 70	<b>DATE OF INSPECTION:</b> 6/27/2012
<b>FEATURE UNDER:</b> SOUADABSCOOK STREA	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 48.4
<b>ROAD INV NO:</b> 0001900466	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 23 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 3786	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 0.8 MI E OF BLACK STR RD	<b>YEAR BUILT:</b> 1941	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> BLACK STREAM	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> FULLER RD	<b>STRUCTURE LENGTH IN FEET:</b> 29	<b>DATE OF INSPECTION:</b> 6/25/2012
<b>FEATURE UNDER:</b> BLACK STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 81.6
<b>ROAD INV NO:</b> 0001900404	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 27 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>BRIDGE NO.:</b> <input type="text" value="3560"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>LOCATION:</b> <input type="text" value="1.1MI N OF US 2 &amp; RTE 100"/>	<b>YEAR BUILT:</b> <input type="text" value="2004"/>	<b>DECK CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>BRDGNAME:</b> <input type="text" value="GOODSPEED"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="BLACK STREAM RD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="100"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="6/14/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="BLACK STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="82.8"/>
<b>ROAD INV NO:</b> <input type="text" value="0001900421"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="23"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 2368	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 100' S OF COLDBROOK ROAD	<b>YEAR BUILT:</b> 1999	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> HERMON CENTER	<b>SPAN MATERIAL:</b> 7 Precast Concrete	<b>CHANNEL CONDITION:</b> 5 Fair
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 6 Arch	<b>CULVERT CONDITION:</b> 8 Very Good
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 8 Very Good
<b>FEATURE ON:</b> US 2 - 100	<b>STRUCTURE LENGTH IN FEET:</b> 18	<b>DATE OF INSPECTION:</b> 11/1/2012
<b>FEATURE UNDER:</b> WHEELER STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 95.7
<b>ROAD INV NO:</b> 000000002X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00002		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> Hermon	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 2205	<b>BRIDGE REGION:</b> Eastern	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> .3 MI E TOWNLINE	<b>YEAR BUILT:</b> 1930	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> CROSS	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 4 Poor
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> US 2 - 100	<b>STRUCTURE LENGTH IN FEET:</b> 19	<b>DATE OF INSPECTION:</b> 12/22/2011
<b>FEATURE UNDER:</b> BLACK STR	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 59.6
<b>ROAD INV NO:</b> 000000002X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00002		
<b>ROAD WIDTH:</b> 30 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="1434"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="1 MI S TOWNLINE"/>	<b>YEAR BUILT:</b> <input type="text" value="1996"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="I95 SB / WARD STREAM"/>	<b>SPAN MATERIAL:</b> <input type="text" value="5 Aluminum"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="I-95 SB"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="13"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="12/6/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="WARD STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="94"/>
<b>ROAD INV NO:</b> <input type="text" value="000000095S"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00095"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

## Structures in the Municipality of Hermon

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hermon"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRIDGE NO.:</b> <input type="text" value="0845"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="1.6 MI. SOUTH OF RT 100"/>	<b>YEAR BUILT:</b> <input type="text" value="1910"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="UNDERPASS"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>OWNER:</b> <input type="text" value="6 Railroad"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="6 Railroad"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>FEATURE ON:</b> <input type="text" value="MCRR"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="109"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="6/27/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="NEWBURG RD - SOUADA"/>	<b>POSTING STATUS:</b> <input type="text" value="3 Posted"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="-2"/>
<b>ROAD INV NO:</b> <input type="text"/>	<b>POSTING TYPE:</b> <input type="text" value="3 Underclearance Limit"/>	
<b>ROUTE NO:</b> <input type="text"/>		
<b>ROAD WIDTH:</b> <input type="text"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text"/>		