

## Structures in the Municipality of Cornish

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Cornish"/>	<b>TOWN2:</b> <input type="text" value="Hiram"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>BRIDGE NO.:</b> <input type="text" value="5088"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value="0.6 MI W OF JCT RTE 25"/>	<b>YEAR BUILT:</b> <input type="text" value="1929"/>	<b>DECK CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRDGNAME:</b> <input type="text" value="WARREN"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>FEATURE ON:</b> <input type="text" value="SOUTH HIRAM ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="108"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="4/19/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="OSS�PEE RIVER"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="29"/>
<b>ROAD INV NO:</b> <input type="text" value="0001701341"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="20"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Cornish

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Cornish"/>	<b>TOWN2:</b> <input type="text" value="Hiram"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRIDGE NO.:</b> <input type="text" value="5087"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>LOCATION:</b> <input type="text" value="0.2 MI N OF JCT RTE 25"/>	<b>YEAR BUILT:</b> <input type="text" value="1930"/>	<b>DECK CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRDGNAME:</b> <b>HIRAM</b>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="4"/>	<b>APPROACH CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>FEATURE ON:</b> <input type="text" value="BRIDGE ST RIVER R"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="200"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="4/19/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="OSSIPPEE RIVER"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="78.7"/>
<b>ROAD INV NO:</b> <input type="text" value="0001700853"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="20"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="5923"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value=".6 MI NE JCT 160 + 25"/>	<b>YEAR BUILT:</b> <input type="text" value="2010"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="MILL POND"/>	<b>SPAN MATERIAL:</b> <input type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="9"/> <input type="text" value="Excellent"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>FEATURE ON:</b> <input type="text" value="160 SA 2"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="10"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/20/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="RIDLON BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="94.2"/>
<b>ROAD INV NO:</b> <input type="text" value="000000160X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00160"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRIDGE NO.:</b> <input type="text" value="3946"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>LOCATION:</b> <input type="text" value="2.4 MI E TOWNLIN E"/>	<b>YEAR BUILT:</b> <input type="text" value="1948"/>	<b>DECK CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRDGNAME:</b> <input type="text" value="WADSWORTH"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="3 Slab"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>FEATURE ON:</b> <input type="text" value="SOUTH HIRAM ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="17"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/20/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="WADSWORTH BK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="68.9"/>
<b>ROAD INV NO.:</b> <input type="text" value="0001701341"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO.:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="24"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input style="width: 150px;" type="text" value="Hiram"/>	<b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="3879"/>	<b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input style="width: 130px;" type="text" value="300' S OF N JCT RTE 117"/>	<b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1950"/>	<b>DECK CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="BURBANK"/>	<b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="9 Other"/>	<b>CHANNEL CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
<b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
<b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
<b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="ROUTES 5, 113 &amp; 117"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="28"/>	<b>DATE OF INSPECTION:</b> <input style="width: 60px;" type="text" value="8/9/2011"/>
<b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="HANCOCK BROOK"/>	<b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="93.8"/>
<b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="000000005X"/>	<b>POSTING TYPE:</b> <input style="width: 100px;" type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00005"/>		
<b>ROAD WIDTH:</b> <input style="width: 40px;" type="text" value="0"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>	
<b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="3789"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="1.5 MI E OF JCT RTE 117"/>	<b>YEAR BUILT:</b> <input type="text" value="1941"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="RANKIN MILL"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>FEATURE ON:</b> <input type="text" value="SEBAGO ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="39"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="8/9/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="HANCOCK BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="99.9"/>
<b>ROAD INV NO:</b> <input type="text" value="0001700806"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>BRIDGE NO.:</b> <input type="text" value="2709"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>LOCATION:</b> <input type="text" value="1.6 MI N TOWNLIN E"/>	<b>YEAR BUILT:</b> <input type="text" value="1921"/>	<b>DECK CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRDGNAME:</b> <input type="text" value="RED MILL BROOK"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="3 Slab"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="513"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="13"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/20/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="RED MILL BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="93.4"/>
<b>ROAD INV NO:</b> <input type="text" value="000000005X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00005"/>		
<b>ROAD WIDTH:</b> <input type="text" value="33"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>BRIDGE NO.:</b> <input type="text" value="2373"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>LOCATION:</b> <input type="text" value="100' W OF JCT RTE 117"/>	<b>YEAR BUILT:</b> <input type="text" value="1992"/>	<b>DECK CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>BRDGNAME:</b> <b>HIRAM</b>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="ROUTES 5 &amp; 113"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="236"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="10/25/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="SACO RIVER"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="89.9"/>
<b>ROAD INV NO:</b> <input type="text" value="000000005X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00005"/>		
<b>ROAD WIDTH:</b> <input type="text" value="34"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input type="text" value="0786"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>LOCATION:</b> <input type="text" value="200 FT S SEBAGO RD"/>	<b>YEAR BUILT:</b> <input type="text" value="1940"/>	<b>DECK CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRDGNAME:</b> <input type="text" value="RANKINS MILL"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="2 Girder - floor beam"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>FEATURE ON:</b> <input type="text" value="TOWN WAY TO SAND P"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="42"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/26/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="HANCOCK BK"/>	<b>POSTING STATUS:</b> <input type="text" value="2 Closed"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="18.9"/>
<b>ROAD INV NO:</b> <input type="text" value="0001701910"/>	<b>POSTING TYPE:</b> <input type="text" value="9 Other - lane closure etc."/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="11"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="0766"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="1 MI E RT 117"/>	<b>YEAR BUILT:</b> <input type="text" value="2004"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="LOCK"/>	<b>SPAN MATERIAL:</b> <input type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="WARDS HILL RD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="19"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/26/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="HANCOCK BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="98.8"/>
<b>ROAD INV NO:</b> <input type="text" value="0001701404"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRIDGE NO.:</b> <input type="text" value="0740"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value=".1 MI W NOTCH RD"/>	<b>YEAR BUILT:</b> <input type="text" value="1913"/>	<b>DECK CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRDGNAME:</b> <input type="text" value="ADAMS BROOK"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>FEATURE ON:</b> <input type="text" value="TEN MILE BROOK RD."/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="21"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/26/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="TEN MILE STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="3 Posted"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="20.9"/>
<b>ROAD INV NO:</b> <input type="text" value="0001700818"/>	<b>POSTING TYPE:</b> <input type="text" value="1 Weight Limit"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="8"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

## Structures in the Municipality of Hiram

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Hiram"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRIDGE NO.:</b> <input type="text" value="0648"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>LOCATION:</b> <input type="text" value="1.5 MI N RTE 25"/>	<b>YEAR BUILT:</b> <input type="text" value="1934"/>	<b>DECK CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRDGNAME:</b> <input type="text" value="CRANBERRY BOG"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="3 Slab"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="3"/> <input type="text" value="Serious"/>
<b>FEATURE ON:</b> <input type="text" value="RTE 160"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="12"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="7/13/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="RIDLON BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="68.1"/>
<b>ROAD INV NO:</b> <input type="text" value="000000160X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00160"/>		
<b>ROAD WIDTH:</b> <input type="text" value="26"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		