

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5705"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2.1 MI W JACT 25"/>	YEAR BUILT: <input type="text" value="1992"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="BLACK BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="BOOTHBY ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="8/24/2011"/>
FEATURE UNDER: <input type="text" value="BLACK BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="88.9"/>
ROAD INV NO: <input type="text" value="0003100410"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Limington"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="5165"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>
LOCATION: <input style="width: 120px;" type="text" value="20 FT E BEAVER BERRY RD"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1923"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
BRDGNAME: NASONS MILL	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
OWNER: <input style="width: 80px;" type="text" value="4 Municipal"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="5 Truss"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="2"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="4"/> <input style="width: 60px;" type="text" value="Poor"/>
FEATURE ON: <input style="width: 100px;" type="text" value="NASONS MILLS ROAD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="111"/>	DATE OF INSPECTION: <input style="width: 60px;" type="text" value="1/11/2013"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="LITTLE OSIPEE RV"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="66.4"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0003100416"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="16"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3768"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value=".5 MI W JCT 117"/>	YEAR BUILT: <input type="text" value="1941"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="GILKEY"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="MOODY RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="17"/>	DATE OF INSPECTION: <input type="text" value="8/24/2011"/>
FEATURE UNDER: <input type="text" value="GILKEY BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="64.4"/>
ROAD INV NO: <input type="text" value="0003101570"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="22"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="Standish"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="3328"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
LOCATION: <input type="text" value="4 MI S'LY JCT RTE 113"/>	YEAR BUILT: <input type="text" value="1936"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="STEEP FALLS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="5 Truss"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="RTE 11"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="226"/>	DATE OF INSPECTION: <input type="text" value="11/10/2010"/>
FEATURE UNDER: <input type="text" value="SACO RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="44"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="22"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>	
BRIDGE NO.: <input type="text" value="3281"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>	
LOCATION: <input type="text" value="0.3 MI S OF JCT RTE 25"/>	YEAR BUILT: <input type="text" value="1935"/>	DECK CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>	
BRDGNAME: <input type="text" value="CHASES MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>	
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>	
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>	
FEATURE ON: <input type="text" value="HARDSCRABBLE RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="100"/>	DATE OF INSPECTION: <input type="text" value="8/11/2011"/>	
FEATURE UNDER: <input type="text" value="LITTLE OSSIPEE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.4"/>	
ROAD INV NO: <input type="text" value="0003100409"/>	POSTING TYPE: <input type="text" value="0 None needed"/>		
ROUTE NO: <input type="text" value="00000"/>			
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>		
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>			

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3050"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="1.7 MI S JCT 11"/>	YEAR BUILT: <input type="text" value="1939"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="CREEK"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="117"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="19"/>	DATE OF INSPECTION: <input type="text" value="11/7/2011"/>
FEATURE UNDER: <input type="text" value="BARNEL BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="74.5"/>
ROAD INV NO: <input type="text" value="000000117X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00117"/>		
ROAD WIDTH: <input type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3026"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2 MI S TOWNLIN E"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="WHALEBACK"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="25"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="13"/>	DATE OF INSPECTION: <input type="text" value="1/7/2013"/>
FEATURE UNDER: <input type="text" value="BACK BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="70.3"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="Cornish"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3024"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="TOWNLINE"/>	YEAR BUILT: <input type="text" value="1955"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="TANNERY"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="2517"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="13"/>	DATE OF INSPECTION: <input type="text" value="2/6/2012"/>
FEATURE UNDER: <input type="text" value="DOUGLAS BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="93.2"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="2918"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="0.2 MI NE OF JCT RTE 25"/>	YEAR BUILT: <input type="text" value="1932"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="WEBSTERS MILL"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="ROUTE 11"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="23"/>	DATE OF INSPECTION: <input type="text" value="6/26/2012"/>
FEATURE UNDER: <input type="text" value="WEBSTER MILL POND"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="65.6"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="2638"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="250 FT W OF STANDISH TL"/>	YEAR BUILT: <input type="text" value="1978"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="OVERFLOW"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="ROUTE 25"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="25"/>	DATE OF INSPECTION: <input type="text" value="12/31/2012"/>
FEATURE UNDER: <input type="text" value="SACO RIVER OVERFLOW"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="92"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2348"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="1 MI W TOWNLINE"/>	YEAR BUILT: <input type="text" value="1920"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="HAMLIN BROOK"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="25"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="19"/>	DATE OF INSPECTION: <input type="text" value="1/7/2013"/>
FEATURE UNDER: <input type="text" value="HAMLIN BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="64.3"/>
ROAD INV NO: <input type="text" value="000000025X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00025"/>		
ROAD WIDTH: <input type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Limington

CONDITION RATINGS

TOWN1: <input type="text" value="Limington"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1290"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".5 MI NE RTE 25"/>	YEAR BUILT: <input type="text" value="1967"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="TWIN MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="WHALEBACK RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="10"/>	DATE OF INSPECTION: <input type="text" value="8/24/2011"/>
FEATURE UNDER: <input type="text" value="BACK BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="54.9"/>
ROAD INV NO: <input type="text" value="0003101087"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Standish

CONDITION RATINGS

TOWN1: Standish	TOWN2: Limington	SUBSTRUCTURE CONDITION: 8 Very Good
BRIDGE NO.: 2252	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 1.5 MI SE JCT 11	YEAR BUILT: 1978	DECK CONDITION: 7 Good
BRDGNAME: EAST LIMINGTON	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION: 7 Good
FEATURE ON: ROUTE 25	STRUCTURE LENGTH IN FEET: 346	DATE OF INSPECTION: 6/18/2012
FEATURE UNDER: SACO RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 96.5
ROAD INV NO: 000000025X	POSTING TYPE: 0 None needed	
ROUTE NO: 00025		
ROAD WIDTH: 39 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Waterboro

CONDITION RATINGS

TOWN1: <input type="text" value="Waterboro"/>	TOWN2: <input type="text" value="Limington"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5514"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="4.3 MI S OF JCT RTE 11"/>	YEAR BUILT: <input type="text" value="1968"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="EDGEComb"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="ROUTE 117"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="146"/>	DATE OF INSPECTION: <input type="text" value="1/4/2013"/>
FEATURE UNDER: <input type="text" value="LITTLE OSSIPEE RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="73.5"/>
ROAD INV NO: <input type="text" value="000000117X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00117"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		