

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/> |
| BRIDGE NO.: <input type="text" value="5827"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| LOCATION: <input type="text" value=".3 MI N BEARR U-PASS"/> | YEAR BUILT: <input type="text" value="1936"/> | DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRDGNAME: <input type="text" value="SMITH BROOK"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="2"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="Bates Street"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="22"/> | DATE OF INSPECTION: <input type="text" value="6/16/2011"/> |
| FEATURE UNDER: <input type="text" value="SMITH BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="39.3"/> |
| ROAD INV NO: <input type="text" value="0001930005"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="31"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRIDGE NO.: <input type="text" value="5684"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| LOCATION: <input type="text" value=".2 MI SO TOWNLINE"/> | YEAR BUILT: <input type="text" value="1936"/> | DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| BRDGNAME: <input type="text" value="STATION RD. CULVERT"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="STATION RD."/> | STRUCTURE LENGTH IN FEET: <input type="text" value="18"/> | DATE OF INSPECTION: <input type="text" value="5/15/2012"/> |
| FEATURE UNDER: <input type="text" value="SMITH BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="69.8"/> |
| ROAD INV NO: <input type="text" value="0001930087"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="22"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRIDGE NO.: <input type="text" value="3277"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value=".5 MI N OF ROUTE 11"/> | YEAR BUILT: <input type="text" value="1936"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="B&ARR/BATES ST RR#104.64"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| OWNER: <input type="text" value="6 Railroad"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="6 Railroad"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| FEATURE ON: <input type="text" value="BANGOR & AROOSTOOK"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="37"/> | DATE OF INSPECTION: <input type="text" value="4/10/2012"/> |
| FEATURE UNDER: <input type="text" value="BATES ST"/> | POSTING STATUS: <input type="text" value="3 Posted"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="-2"/> |
| ROAD INV NO: <input type="text"/> | POSTING TYPE: <input type="text" value="3 Underclearance Limit"/> | |
| ROUTE NO: <input type="text"/> | | |
| ROAD WIDTH: <input type="text"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| BRIDGE NO.: <input type="text" value="2747"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| LOCATION: <input type="text" value="100 FT W DOLBY REST AREA"/> | YEAR BUILT: <input type="text" value="1926"/> | DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| BRDGNAME: <input type="text" value="SCHOODIC"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="ROUTE 11 & 157"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="33"/> | DATE OF INSPECTION: <input type="text" value="4/10/2012"/> |
| FEATURE UNDER: <input type="text" value="SCHOODIC STR/DOLBY F"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="67.7"/> |
| ROAD INV NO: <input type="text" value="000000011X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00011"/> | | |
| ROAD WIDTH: <input type="text" value="35"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRIDGE NO.: <input type="text" value="2570"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| LOCATION: <input type="text" value="2.MI E T-3 TOWNLINE"/> | YEAR BUILT: <input type="text" value="1991"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: <input type="text" value="MILLINOCKET"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="RTE. 11 - 157"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="62"/> | DATE OF INSPECTION: <input type="text" value="6/2/2011"/> |
| FEATURE UNDER: <input type="text" value="MILLINOCKET STREAM"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="66.7"/> |
| ROAD INV NO: <input type="text" value="000000011X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00011"/> | | |
| ROAD WIDTH: <input type="text" value="52"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRIDGE NO.: <input type="text" value="0914"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value="200 FT E AROOSTOOK AVE"/> | YEAR BUILT: <input type="text" value="1964"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: <input type="text" value="SECOND STREET"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="SECOND STREET"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="90"/> | DATE OF INSPECTION: <input type="text" value="4/10/2012"/> |
| FEATURE UNDER: <input type="text" value="MILLINOCKET STREAM"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="85.5"/> |
| ROAD INV NO: <input type="text" value="0001930058"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="25"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRIDGE NO.: <input type="text" value="0909"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| LOCATION: <input type="text" value="0.25 MILE N RTE 11"/> | YEAR BUILT: <input type="text" value="1950"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: <input type="text" value="STATE STREET"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="STATE STREET"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="90"/> | DATE OF INSPECTION: <input type="text" value="4/10/2012"/> |
| FEATURE UNDER: <input type="text" value="MILLINOCKET STREAM"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="91.5"/> |
| ROAD INV NO: <input type="text" value="0001930064"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="28"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="0906"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value=".5 MI N RT 11"/> | YEAR BUILT: <input type="text" value="1970"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="PENOBSCOT AVENUE"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="4 Culvert"/> | CULVERT CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="PENOBSCOT AVE"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="13"/> | DATE OF INSPECTION: <input type="text" value="5/15/2012"/> |
| FEATURE UNDER: <input type="text" value="SMITH BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="46.8"/> |
| ROAD INV NO: <input type="text" value="0001930050"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="0905"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value=".3 MI N RT 11"/> | YEAR BUILT: <input type="text" value="1919"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="LITTLE SMITH BROOK"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="7 Rigid Frame"/> | CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="KATAHDIN AVE"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="17"/> | DATE OF INSPECTION: <input type="text" value="5/15/2012"/> |
| FEATURE UNDER: <input type="text" value="LITTLE SMITH BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="90.8"/> |
| ROAD INV NO: <input type="text" value="0001930033"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of Millinocket

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="Millinocket"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="0902"/> | BRIDGE REGION: <input type="text" value="Northern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value=".4 MI. W. MEDWAY RD"/> | YEAR BUILT: <input type="text" value="1937"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="GRANITE STREET"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="GRANITE STREET"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="92"/> | DATE OF INSPECTION: <input type="text" value="4/10/2012"/> |
| FEATURE UNDER: <input type="text" value="MILLINOCKET STREAM"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="41.9"/> |
| ROAD INV NO: <input type="text" value="0001930026"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="23"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |