

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="3031"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value="2 MI NO TOWNLIN"/> | YEAR BUILT: <input type="text" value="1952"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="HUSSEY"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| FEATURE ON: <input type="text" value="4"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="17"/> | DATE OF INSPECTION: <input type="text" value="5/29/2012"/> |
| FEATURE UNDER: <input type="text" value="FROST BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="81.3"/> |
| ROAD INV NO: <input type="text" value="000000004X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00004"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="Sanford"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="1225"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value=".4 MI E N.BERWICK RD"/> | YEAR BUILT: <input type="text" value="1981"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="JOHNSON MILL"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="4 Culvert"/> | CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="SAND POND RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="18"/> | DATE OF INSPECTION: <input type="text" value="6/21/2011"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="88.7"/> |
| ROAD INV NO: <input type="text" value="0003100570"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="1226"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value=".2 MI W DILLINGHAM RD"/> | YEAR BUILT: <input type="text" value="1990"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="ABBOTS"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="TURKEY STREET"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="19"/> | DATE OF INSPECTION: <input type="text" value="6/21/2011"/> |
| FEATURE UNDER: <input type="text" value="BRANCH OF LITTLE RIV"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="96"/> |
| ROAD INV NO: <input type="text" value="0003100589"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="20"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| BRIDGE NO.: <input type="text" value="1238"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| LOCATION: <input type="text" value=".3 MI E LEBANON RD"/> | YEAR BUILT: <input type="text" value="1928"/> | DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| BRDGNAME: STAPLES | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="CARD MILL RD TOWNW"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="26"/> | DATE OF INSPECTION: <input type="text" value="4/30/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="60"/> |
| ROAD INV NO: <input type="text" value="0003100414"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="18"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="2424"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value=".8 MI E OF JCT RTE 4"/> | YEAR BUILT: <input type="text" value="1953"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="JINS"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="ROUTE 9"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="84"/> | DATE OF INSPECTION: <input type="text" value="1/19/2012"/> |
| FEATURE UNDER: <input type="text" value="B&M RR"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="71.8"/> |
| ROAD INV NO: <input type="text" value="00000009X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00009"/> | | |
| ROAD WIDTH: <input type="text" value="34"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="2588"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value="0.8 MI N KOF JCT RTE 9"/> | YEAR BUILT: <input type="text" value="1964"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="MASS"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="4 Culvert"/> | CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="2"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="4"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="26"/> | DATE OF INSPECTION: <input type="text" value="12/26/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="85.2"/> |
| ROAD INV NO: <input type="text" value="000000004X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00004"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRIDGE NO.: <input type="text" value="1213"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value="3.5 MI S RTE 202"/> | YEAR BUILT: <input type="text" value="1950"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="STACKPOLE (STACO)"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="LITTLE RIVER ROAD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="39"/> | DATE OF INSPECTION: <input type="text" value="5/29/2012"/> |
| FEATURE UNDER: <input type="text" value="LITTLE RIVER"/> | POSTING STATUS: <input type="text" value="3 Posted"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="57.3"/> |
| ROAD INV NO: <input type="text" value="0003100591"/> | POSTING TYPE: <input type="text" value="1 Weight Limit"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="20"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRIDGE NO.: <input type="text" value="2778"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value="BAETWEEN JCTS RTES 4 & 9"/> | YEAR BUILT: <input type="text" value="1974"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: SNOW | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="ROUTES 4&9"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="43"/> | DATE OF INSPECTION: <input type="text" value="12/26/2012"/> |
| FEATURE UNDER: <input type="text" value="NEOUTAQUET RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="84.9"/> |
| ROAD INV NO: <input type="text" value="000000004X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00004"/> | | |
| ROAD WIDTH: <input type="text" value="44"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="6190"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value="2.3 MI W JCT 4"/> | YEAR BUILT: <input type="text" value="1969"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="NUTTER"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="7 Rigid Frame"/> | CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| FEATURE ON: <input type="text" value="BEECH RIDGE RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="14"/> | DATE OF INSPECTION: <input type="text" value="6/16/2011"/> |
| FEATURE UNDER: <input type="text" value="NEAUTAQUET RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="99.8"/> |
| ROAD INV NO: <input type="text" value="0003100525"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="3485"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value="2.6 MI N JCT 4"/> | YEAR BUILT: <input type="text" value="1956"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="QUINT"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="BAUNEG BEG RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="14"/> | DATE OF INSPECTION: <input type="text" value="6/16/2011"/> |
| FEATURE UNDER: <input type="text" value="GREAT BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="69.7"/> |
| ROAD INV NO.: <input type="text" value="0003100583"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO.: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="24"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="5170"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| LOCATION: <input type="text" value=".7 MI N JCT 4"/> | YEAR BUILT: <input type="text" value="1928"/> | DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRDGNAME: <input type="text" value="BOYLE"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="2"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="TOWNWAY"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="24"/> | DATE OF INSPECTION: <input type="text" value="12/26/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="68.9"/> |
| ROAD INV NO: <input type="text" value="0003100585"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="20"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="5171"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value="1.1 MI SW LEBANON RD"/> | YEAR BUILT: <input type="text" value="1927"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: GOVERNOR GOODWIN | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="BACK SANFORD RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="14"/> | DATE OF INSPECTION: <input type="text" value="6/16/2011"/> |
| FEATURE UNDER: <input type="text" value="NEAUTAQUET RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="99.6"/> |
| ROAD INV NO: <input type="text" value="0003100623"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRIDGE NO.: <input type="text" value="5172"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value=".2 MI E JCT 4"/> | YEAR BUILT: <input type="text" value="1963"/> | DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| BRDGNAME: <input type="text" value="MADISON STREET"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="MADISON ST"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="75"/> | DATE OF INSPECTION: <input type="text" value="4/30/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="79.9"/> |
| ROAD INV NO: <input type="text" value="0003105250"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="24"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|---|--|--|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRIDGE NO.: <input type="text" value="5173"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value="1 MI N JCT 4"/> | YEAR BUILT: <input type="text" value="1928"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: MORRILLS MILL | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="BAUNEG BEG RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="20"/> | DATE OF INSPECTION: <input type="text" value="6/14/2011"/> |
| FEATURE UNDER: <input type="text" value="OUTLET BAUNEG BEG L"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="87.9"/> |
| ROAD INV NO: <input type="text" value="0003100583"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="28"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="5174"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value=".9 MI N JCT 4"/> | YEAR BUILT: <input type="text" value="1928"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: SUMMER MORRILL | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="3 Slab"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| FEATURE ON: <input type="text" value="OAK WOODS RD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="18"/> | DATE OF INSPECTION: <input type="text" value="6/16/2011"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="79.9"/> |
| ROAD INV NO: <input type="text" value="0003100579"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="20"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of North Berwick

CONDITION RATINGS

| | | |
|--|--|---|
| TOWN1: <input type="text" value="North Berwick"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="2599"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| LOCATION: <input type="text" value=".1 MI E OF JCT RTE 4"/> | YEAR BUILT: <input type="text" value="1974"/> | DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| BRDGNAME: <input type="text" value="NORTH BERWICK VETERANS"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="ROUTE 9"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="44"/> | DATE OF INSPECTION: <input type="text" value="4/30/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="85"/> |
| ROAD INV NO: <input type="text" value="000000009X"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00009"/> | | |
| ROAD WIDTH: <input type="text" value="44"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/> | | |

Structures in the Municipality of South Berwick

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="South Berwick"/> | TOWN2: <input type="text" value="North Berwick"/> | SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRIDGE NO.: <input type="text" value="1241"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| LOCATION: <input type="text" value="0.5MI E OF RT4 ON ALLEN R"/> | YEAR BUILT: <input type="text" value="1986"/> | DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| BRDGNAME: <input type="text" value="DENET # 1"/> | SPAN MATERIAL: <input type="text" value="1 Steel"/> | CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/> |
| OWNER: <input type="text" value="4 Municipal"/> | SPAN TYPE: <input type="text" value="4 Culvert"/> | CULVERT CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/> |
| MAINTAINER: <input type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input type="text" value="2"/> | APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| FEATURE ON: <input type="text" value="TUTTLE ROAD TW"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="14"/> | DATE OF INSPECTION: <input type="text" value="11/3/1986"/> |
| FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="89.8"/> |
| ROAD INV NO: <input type="text" value="0003100461"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="0"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/> | |
| CLASS: <input type="text"/> | | |