

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 2554	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 1.5 MI W TOWNLIN	<b>YEAR BUILT:</b> 2006	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> WORTHLEY BROOK	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 5 Fair
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 8 Very Good
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> #108	<b>STRUCTURE LENGTH IN FEET:</b> 18	<b>DATE OF INSPECTION:</b> 10/6/2011
<b>FEATURE UNDER:</b> WORTHLEY BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 92.8
<b>ROAD INV NO:</b> 000000108X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00108		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 8 Very Good
<b>BRIDGE NO.:</b> 0663	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 8 Very Good
<b>LOCATION:</b> 4.0 MI S RTE 108	<b>YEAR BUILT:</b> 1997	<b>DECK CONDITION:</b> 8 Very Good
<b>BRDGNAME:</b> MCGUIRE	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 8 Very Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> DICKVALE RD / MAIN	<b>STRUCTURE LENGTH IN FEET:</b> 41	<b>DATE OF INSPECTION:</b> 5/12/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 91.3
<b>ROAD INV NO:</b> 0001700416	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 0664	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 4.5 MI S RT 108	<b>YEAR BUILT:</b> 1975	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> CHAPEL	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 8 Very Good
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 6 Arch	<b>CULVERT CONDITION:</b> 4 Poor
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> WOODSTOCK RD	<b>STRUCTURE LENGTH IN FEET:</b> 17	<b>DATE OF INSPECTION:</b> 8/17/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 71.3
<b>ROAD INV NO:</b> 0001700416	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON TOWN WAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 0665	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 5.2MI S RT108	<b>YEAR BUILT:</b> 1988	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> SHACKBY	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 5 Fair
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 4 Poor
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 5 Fair
<b>FEATURE ON:</b> WOODSTOCK ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 14	<b>DATE OF INSPECTION:</b> 8/17/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 71.9
<b>ROAD INV NO:</b> 0001700416	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON TOWN WAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 0781	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>LOCATION:</b> 0.1 MI NW WOODSTOCK ROA	<b>YEAR BUILT:</b> 2001	<b>DECK CONDITION:</b> 4 Poor
<b>BRDGNAME:</b> MARY TURNER ROAD	<b>SPAN MATERIAL:</b> 3 Wood	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 5 Fair
<b>FEATURE ON:</b> MARY TURNER ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 53	<b>DATE OF INSPECTION:</b> 8/17/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 70.6
<b>ROAD INV NO:</b> 0001701606	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 14 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> LOW USE/REDUNDANT BRIDGE		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 4 Poor
<b>BRIDGE NO.:</b> 0791	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 0.1MI FROM VALLEY ROAD	<b>YEAR BUILT:</b> 1950	<b>DECK CONDITION:</b> 8 Very Good
<b>BRDGNAME:</b> SICOTTE	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 5 Fair
<b>FEATURE ON:</b> SICOTTE RD	<b>STRUCTURE LENGTH IN FEET:</b> 24	<b>DATE OF INSPECTION:</b> 8/17/2011
<b>FEATURE UNDER:</b> STONY BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 54.3
<b>ROAD INV NO:</b> 0001702315	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 17 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON TOWN WAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 0662	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 0.4 MI E OF DICKVALE RD	<b>YEAR BUILT:</b> 1983	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> MINERAL SPRING	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 6 Satisfactory
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 2	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> MINERAL SPRINGS RO	<b>STRUCTURE LENGTH IN FEET:</b> 36	<b>DATE OF INSPECTION:</b> 5/12/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 99
<b>ROAD INV NO:</b> 0001700413	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> Mexico	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 2019	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 4 Poor
<b>LOCATION:</b> 150 FT S'LY OF JCT US2	<b>YEAR BUILT:</b> 1930	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> ANDROSCOGGIN RIVER	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 5 Truss	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 3	<b>APPROACH CONDITION:</b> 4 Poor
<b>FEATURE ON:</b> IN PERU = N. MAIN	<b>STRUCTURE LENGTH IN FEET:</b> 574	<b>DATE OF INSPECTION:</b> 8/9/2012
<b>FEATURE UNDER:</b> ANDROSCOGGIN RIVER	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 11.4
<b>ROAD INV NO:</b> 0001700416	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 22 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON STATE HIGHWAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 7 Good
<b>BRIDGE NO.:</b> 5733	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>LOCATION:</b> 250 FT N'LY OF SUMNER TL	<b>YEAR BUILT:</b> 1959	<b>DECK CONDITION:</b> 6 Satisfactory
<b>BRDGNAME:</b> GREENWOODS	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> GREENWOOD ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 25	<b>DATE OF INSPECTION:</b> 4/24/2012
<b>FEATURE UNDER:</b> E BRANCH NEZINSCOT R	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 81.5
<b>ROAD INV NO:</b> 0001700543	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 1 Imminent Failure
<b>BRIDGE NO.:</b> 2640	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 1 Imminent Failure
<b>LOCATION:</b> 0.1 MI NE OF JCT RTE 108	<b>YEAR BUILT:</b> 1930	<b>DECK CONDITION:</b> 4 Poor
<b>BRDGNAME:</b> M.C.R.R. OVERPASS	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> N Not Applicable
<b>OWNER:</b> 6 Railroad	<b>SPAN TYPE:</b> 2 Girder - floor beam	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 1 Imminent Failure
<b>FEATURE ON:</b> RIVER ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 148	<b>DATE OF INSPECTION:</b> 4/9/2012
<b>FEATURE UNDER:</b> MAINE CENTRAL RAILR	<b>POSTING STATUS:</b> 2 Closed	<b>FEDERAL SUFFICIENCY RATING:</b> 31
<b>ROAD INV NO:</b> 0001702506	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> RAILROAD BRIDGE		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 2659	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 3.2 MI NW TOWNLINE	<b>YEAR BUILT:</b> 1962	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> PERU	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 4 Poor
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> Route 108	<b>STRUCTURE LENGTH IN FEET:</b> 22	<b>DATE OF INSPECTION:</b> 10/5/2011
<b>FEATURE UNDER:</b> UPPER STONEY BRK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 60.8
<b>ROAD INV NO:</b> 000000108X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00108		
<b>ROAD WIDTH:</b> 40 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 7 Good
<b>BRIDGE NO.:</b> 2791	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>LOCATION:</b> 1.5 MI ELY OF RUMFORD	<b>YEAR BUILT:</b> 1962	<b>DECK CONDITION:</b> 6 Satisfactory
<b>BRDGRNAME:</b> SPEARS STREAM	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 108	<b>STRUCTURE LENGTH IN FEET:</b> 110	<b>DATE OF INSPECTION:</b> 4/3/2012
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 92.4
<b>ROAD INV NO:</b> 000000108X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00108		
<b>ROAD WIDTH:</b> 44 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON STATE HIGHWAY		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 3450	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 4 Poor
<b>LOCATION:</b> 1.6 MI S JCT RTE 108	<b>YEAR BUILT:</b> 1936	<b>DECK CONDITION:</b> 4 Poor
<b>BRDGNAME:</b> OUTLET	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 3 Serious
<b>FEATURE ON:</b> EAST SHORE RD	<b>STRUCTURE LENGTH IN FEET:</b> 23	<b>DATE OF INSPECTION:</b> 4/24/2012
<b>FEATURE UNDER:</b> WORTHLEY BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 45.5
<b>ROAD INV NO:</b> 0001700551	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 22 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 5432	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 7 Good
<b>LOCATION:</b> 30 FT SE OF JCT MAIN ST	<b>YEAR BUILT:</b> 1952	<b>DECK CONDITION:</b> 6 Satisfactory
<b>BRDGNAME:</b> GOWELL	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 2 Critical
<b>FEATURE ON:</b> RIDGE ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 41	<b>DATE OF INSPECTION:</b> 4/3/2012
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 65.8
<b>ROAD INV NO:</b> 0001700417	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 5603	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 3.5 MI S JCT RTE 108	<b>YEAR BUILT:</b> 1955	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> DICKVALE	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 5 Fair
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 3 Serious
<b>FEATURE ON:</b> DICKVALE RD/ MAIN	<b>STRUCTURE LENGTH IN FEET:</b> 27	<b>DATE OF INSPECTION:</b> 4/3/2012
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 80.9
<b>ROAD INV NO:</b> 0001700416	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Peru

### CONDITION RATINGS

<b>TOWN1:</b> Peru	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 9 Excellent
<b>BRIDGE NO.:</b> 0806	<b>BRIDGE REGION:</b> Western	<b>SUPERSTRUCTURE CONDITION:</b> 9 Excellent
<b>LOCATION:</b> 0.1 MIE OF MAIN STREET	<b>YEAR BUILT:</b> 2004	<b>DECK CONDITION:</b> 8 Very Good
<b>BRDGRNAME:</b> ARNOLD	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> PLEASANT STREET	<b>STRUCTURE LENGTH IN FEET:</b> 87	<b>DATE OF INSPECTION:</b> 5/12/2011
<b>FEATURE UNDER:</b> SPEARS STREAM	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 80.2
<b>ROAD INV NO:</b> 0001700415	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 24 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		