

Structures in the Municipality of Alfred

CONDITION RATINGS

TOWN1: <input type="text" value="Alfred"/>	TOWN2: <input type="text" value="Sanford"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1260"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="1.6 MI NE OF JCT RTE 99"/>	YEAR BUILT: <input type="text" value="1985"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: WHITCHERS MILL	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="WHITCHERS MILL ROA"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="75"/>	DATE OF INSPECTION: <input type="text" value="12/7/2011"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="91.1"/>
ROAD INV NO: <input type="text" value="0003100801"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="31"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of North Berwick

CONDITION RATINGS

TOWN1: <input type="text" value="North Berwick"/>	TOWN2: <input type="text" value="Sanford"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1225"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".4 MI E N.BERWICK RD"/>	YEAR BUILT: <input type="text" value="1981"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="JOHNSON MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="SAND POND RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="18"/>	DATE OF INSPECTION: <input type="text" value="6/21/2011"/>
FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="88.7"/>
ROAD INV NO: <input type="text" value="0003100570"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1360"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.1 MI E JCT 11& 109"/>	YEAR BUILT: <input type="text" value="2000"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="MILL STREET"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="MILL STREET"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="40"/>	DATE OF INSPECTION: <input type="text" value="12/31/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99"/>
ROAD INV NO: <input type="text" value="0003160160"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1212"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.7 MI E BUTLER CR RD"/>	YEAR BUILT: <input type="text" value="1991"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="MORRISON BROOK"/>	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="LITTLEFIELD RD & M"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="12"/>	DATE OF INSPECTION: <input type="text" value="8/1/2011"/>
FEATURE UNDER: <input type="text" value="MORRISON BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="89"/>
ROAD INV NO: <input type="text" value="0003100524"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Sanford"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="1262"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
LOCATION: <input style="width: 130px;" type="text" value="2.6 MI E RTE 4"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1980"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
BRDGNAME: <input style="width: 100px;" type="text" value="LINSCOTT"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
FEATURE ON: <input style="width: 100px;" type="text" value="STATE AID 14"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="76"/>	DATE OF INSPECTION: <input style="width: 80px;" type="text" value="4/7/2011"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="95.3"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0003100801"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 50px;" type="text" value="31"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="Alfred"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1265"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.2 MI NE OF NEW DAM RD"/>	YEAR BUILT: <input type="text" value="1907"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="GOODWINS"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="GOODWINS BRIDGE RO"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="35"/>	DATE OF INSPECTION: <input type="text" value="6/20/2011"/>
FEATURE UNDER: <input type="text" value="MIDDLE BR MOUSAM RI"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="80.8"/>
ROAD INV NO: <input type="text" value="0003100790"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="22"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Sanford"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="1302"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/>
LOCATION: <input style="width: 130px;" type="text" value=".1 MI N JCT 11&109"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1920"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="4"/> <input style="width: 80px;" type="text" value="Poor"/>
BRDGNAME: JELLISON	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 80px;" type="text" value="Satisfactory"/>
OWNER: <input style="width: 80px;" type="text" value="4 Municipal"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="S-CURVE ROAD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="21"/>	DATE OF INSPECTION: <input style="width: 60px;" type="text" value="8/1/2011"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="75.8"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0003101604"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="N"/>	
CLASS: <input style="width: 100px;" type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1349"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1 MI S JCT 224"/>	YEAR BUILT: <input type="text" value="1978"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="RED (RIVER STREET #2)"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RIVER ST"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="42"/>	DATE OF INSPECTION: <input type="text" value="5/11/2011"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="98.9"/>
ROAD INV NO: <input type="text" value="0003160198"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="44"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1350"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".5 MI N JCT 202"/>	YEAR BUILT: <input type="text" value="2009"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="WATER WORKS (BR # 3)"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RIVER ST"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="35"/>	DATE OF INSPECTION: <input type="text" value="4/18/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="100"/>
ROAD INV NO: <input type="text" value="0003160198"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Sanford"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
BRIDGE NO.: <input style="width: 60px;" type="text" value="1206"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
LOCATION: <input style="width: 130px;" type="text" value=".2 MI N JCT 11"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1978"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>
BRDGNAME: SAW MILL	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
OWNER: <input style="width: 90px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="4 Culvert"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 90px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 50px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
FEATURE ON: <input style="width: 110px;" type="text" value="STANLEY ROAD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="30"/>	DATE OF INSPECTION: <input style="width: 60px;" type="text" value="4/4/2011"/>
FEATURE UNDER: <input style="width: 110px;" type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 60px;" type="text" value="98.6"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0003100489"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 60px;" type="text" value="33"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 40px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1359"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.2 MI E JCT ROUTE 4A"/>	YEAR BUILT: <input type="text" value="1920"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="WASHINGTON STREET"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="WASHINGTON STREET"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="67"/>	DATE OF INSPECTION: <input type="text" value="1/30/2013"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="97.3"/>
ROAD INV NO: <input type="text" value="0003160243"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="35"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Sanford"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="6184"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
LOCATION: <input style="width: 130px;" type="text" value="0.8 MI NE RTE 109/4A"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1969"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRDGNAME: <input style="width: 100px;" type="text" value="EMERY STREET"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="3"/> <input style="width: 100px;" type="text" value="Serious"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="3 Slab"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="EMERY / YALE ST"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="33"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="12/10/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="86.3"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0003160063"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 50px;" type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="2961"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value=".2 MI NE 109 ON 4A"/>	YEAR BUILT: <input type="text" value="1975"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="WINTER STREET"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="4A-202"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="72"/>	DATE OF INSPECTION: <input type="text" value="12/31/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="69.9"/>
ROAD INV NO: <input type="text" value="000000202X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00202"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="Alfred"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3162"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="ALFRED-SANFORD TL"/>	YEAR BUILT: <input type="text" value="1983"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="HAY BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="RTE 4"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="12"/>	DATE OF INSPECTION: <input type="text" value="7/23/2012"/>
FEATURE UNDER: <input type="text" value="HAY BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="96.4"/>
ROAD INV NO: <input type="text" value="000000004X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00004"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="3636"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value=".1 MI SO TOWNLINE"/>	YEAR BUILT: <input type="text" value="1952"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="JELLISON"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="11 & 109"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="34"/>	DATE OF INSPECTION: <input type="text" value="5/11/2011"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="78.9"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="33"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3747"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value=".8 MI W JCT 4A"/>	YEAR BUILT: <input type="text" value="1941"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: GREAT WORKS BROOK	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="OLD MILL ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="15"/>	DATE OF INSPECTION: <input type="text" value="7/23/2012"/>
FEATURE UNDER: <input type="text" value="GREAT WORKS BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="71.4"/>
ROAD INV NO: <input type="text" value="0003160285"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3827"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="0.5 MI NE JCT 4A & 109"/>	YEAR BUILT: <input type="text" value="1958"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="POWERS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="ROUTE 4"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="75"/>	DATE OF INSPECTION: <input type="text" value="12/10/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="75.7"/>
ROAD INV NO: <input type="text" value="000000004X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00004"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="3928"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.5 MI NW OF RTE 4"/>	YEAR BUILT: <input type="text" value="1973"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="BUTLERS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="SCHOOL STREET"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="41"/>	DATE OF INSPECTION: <input type="text" value="12/10/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="69.3"/>
ROAD INV NO: <input type="text" value="0003160210"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="Alfred"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="5368"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
LOCATION: <input type="text" value=".6 MI S RTE 4"/>	YEAR BUILT: <input type="text" value="1940"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="HAY BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="BERNIER/STONE RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="15"/>	DATE OF INSPECTION: <input type="text" value="8/1/2011"/>
FEATURE UNDER: <input type="text" value="HAY BROOK"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="48.8"/>
ROAD INV NO: <input type="text" value="0003100803"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="19"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6123"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".9 MI S JCT 11"/>	YEAR BUILT: <input type="text" value="1972"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="BEEF BRIDGE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="N BERWICK RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="15"/>	DATE OF INSPECTION: <input type="text" value="8/1/2011"/>
FEATURE UNDER: <input type="text" value="GREAT WORKS RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="88.4"/>
ROAD INV NO: <input type="text" value="0003160020"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Sanford

CONDITION RATINGS

TOWN1: <input type="text" value="Sanford"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="1358"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.1 MI N RTE 11/109"/>	YEAR BUILT: <input type="text" value="1901"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="BRIDGE STREET"/>	SPAN MATERIAL: <input type="text" value="4 Stone"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="RTE 224"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="64"/>	DATE OF INSPECTION: <input type="text" value="12/31/2012"/>
FEATURE UNDER: <input type="text" value="MOUSAM RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="76.7"/>
ROAD INV NO: <input type="text" value="000000224X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00224"/>		
ROAD WIDTH: <input type="text" value="44"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		