

Structures in the Municipality of Stoneham

CONDITION RATINGS

| | | |
|---|---|--|
| TOWN1: <input style="width: 150px;" type="text" value="Stoneham"/> | TOWN2: <input style="width: 100px;" type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input style="width: 60px;" type="text" value="5096"/> | BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/> |
| LOCATION: <input style="width: 130px;" type="text" value="100 Feet W RTE 5"/> | YEAR BUILT: <input style="width: 50px;" type="text" value="1921"/> | DECK CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/> |
| BRDGNAME: <input style="width: 100px;" type="text" value="MILL BROOK"/> | SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/> |
| OWNER: <input style="width: 90px;" type="text" value="4 Municipal"/> | SPAN TYPE: <input style="width: 100px;" type="text" value="3 Slab"/> | CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/> |
| MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/> | APPROACH CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/> |
| FEATURE ON: <input style="width: 100px;" type="text" value="SLAB CITY RD"/> | STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="20"/> | DATE OF INSPECTION: <input style="width: 100px;" type="text" value="9/19/2011"/> |
| FEATURE UNDER: <input style="width: 100px;" type="text" value="MILL BROOK"/> | POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="80.5"/> |
| ROAD INV NO: <input style="width: 60px;" type="text" value="0001700740"/> | POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/> | |
| ROUTE NO: <input style="width: 60px;" type="text" value="00000"/> | | |
| ROAD WIDTH: <input style="width: 60px;" type="text" value="24"/> FEET | FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="N"/> | |
| CLASS: <input style="width: 100px;" type="text" value="MINOR SPAN ON TOWN WAY"/> | | |

Structures in the Municipality of Stoneham

CONDITION RATINGS

| | | |
|---|--|---|
| TOWN1: <input type="text" value="Stoneham"/> | TOWN2: <input type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input type="text" value="5095"/> | BRIDGE REGION: <input type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/> |
| LOCATION: <input type="text" value="50 FT SW JCT HUT ROAD"/> | YEAR BUILT: <input type="text" value="1921"/> | DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| BRDGNAME: <input type="text" value="GREAT BROOK"/> | SPAN MATERIAL: <input type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/> |
| OWNER: <input type="text" value="1 State DOT"/> | SPAN TYPE: <input type="text" value="1 Girder"/> | CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/> |
| MAINTAINER: <input type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input type="text" value="1"/> | APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/> |
| FEATURE ON: <input type="text" value="W STONEHAM ROAD"/> | STRUCTURE LENGTH IN FEET: <input type="text" value="33"/> | DATE OF INSPECTION: <input type="text" value="11/9/2012"/> |
| FEATURE UNDER: <input type="text" value="GREAT BROOK"/> | POSTING STATUS: <input type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input type="text" value="80.5"/> |
| ROAD INV NO: <input type="text" value="0001701190"/> | POSTING TYPE: <input type="text" value="0 None needed"/> | |
| ROUTE NO: <input type="text" value="00000"/> | | |
| ROAD WIDTH: <input type="text" value="20"/> FEET | FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/> | |
| CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> | | |

Structures in the Municipality of Stoneham

CONDITION RATINGS

| | | |
|--|---|---|
| TOWN1: <input style="width: 150px;" type="text" value="Stoneham"/> | TOWN2: <input style="width: 100px;" type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/> |
| BRIDGE NO.: <input style="width: 50px;" type="text" value="3744"/> | BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/> |
| LOCATION: <input style="width: 130px;" type="text" value="1.2 MI W TOWNLIN"/> | YEAR BUILT: <input style="width: 50px;" type="text" value="1941"/> | DECK CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/> |
| BRDGNAME: SAWYER | SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/> |
| OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/> | SPAN TYPE: <input style="width: 100px;" type="text" value="3 Slab"/> | CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/> |
| MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/> | NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/> | APPROACH CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/> |
| FEATURE ON: <input style="width: 100px;" type="text" value="#5"/> | STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="19"/> | DATE OF INSPECTION: <input style="width: 100px;" type="text" value="9/17/2012"/> |
| FEATURE UNDER: <input style="width: 100px;" type="text" value="STONY BROOK"/> | POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="76.7"/> |
| ROAD INV NO: <input style="width: 60px;" type="text" value="00000005X"/> | POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/> | |
| ROUTE NO: <input style="width: 50px;" type="text" value="00005"/> | | |
| ROAD WIDTH: <input style="width: 50px;" type="text" value="26"/> FEET | FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="N"/> | |
| CLASS: <input style="width: 100px;" type="text" value="MINOR SPAN ON STATE HIGHWAY"/> | | |

Structures in the Municipality of Stoneham

CONDITION RATINGS

| | | |
|---|---|--|
| TOWN1: <input style="width: 150px;" type="text" value="Stoneham"/> | TOWN2: <input style="width: 100px;" type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/> |
| BRIDGE NO.: <input style="width: 60px;" type="text" value="0794"/> | BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/> |
| LOCATION: <input style="width: 130px;" type="text" value="300 FT S RT5"/> | YEAR BUILT: <input style="width: 50px;" type="text" value="1980"/> | DECK CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/> |
| BRDGNAME: <input style="width: 100px;" type="text" value="MILL BROOK"/> | SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/> | CHANNEL CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/> |
| OWNER: <input style="width: 80px;" type="text" value="4 Municipal"/> | SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/> | CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/> |
| MAINTAINER: <input style="width: 100px;" type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/> | APPROACH CONDITION: <input style="width: 30px;" type="text" value="4"/> <input style="width: 100px;" type="text" value="Poor"/> |
| FEATURE ON: <input style="width: 100px;" type="text" value="STEARNS AVE"/> | STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="24"/> | DATE OF INSPECTION: <input style="width: 100px;" type="text" value="9/19/2011"/> |
| FEATURE UNDER: <input style="width: 100px;" type="text" value="MILL BROOK"/> | POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="80.6"/> |
| ROAD INV NO: <input style="width: 60px;" type="text" value="0001702408"/> | POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/> | |
| ROUTE NO: <input style="width: 60px;" type="text" value="00000"/> | | |
| ROAD WIDTH: <input style="width: 40px;" type="text" value="15"/> FEET | FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/> | |
| CLASS: <input style="width: 100px;" type="text" value="LOW USE/REDUNDANT BRIDGE"/> | | |

Structures in the Municipality of Stoneham

CONDITION RATINGS

| | | |
|---|---|--|
| TOWN1: <input style="width: 150px;" type="text" value="Stoneham"/> | TOWN2: <input style="width: 100px;" type="text" value="No town 2"/> | SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/> |
| BRIDGE NO.: <input style="width: 60px;" type="text" value="0763"/> | BRIDGE REGION: <input style="width: 80px;" type="text" value="Southern"/> | SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/> |
| LOCATION: <input style="width: 130px;" type="text" value=".5 MI N OF TL"/> | YEAR BUILT: <input style="width: 50px;" type="text" value="1979"/> | DECK CONDITION: <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/> |
| BRDGNAME: <input style="width: 100px;" type="text" value="COLD BROOK"/> | SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/> | CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/> |
| OWNER: <input style="width: 90px;" type="text" value="4 Municipal"/> | SPAN TYPE: <input style="width: 100px;" type="text" value="7 Rigid Frame"/> | CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/> |
| MAINTAINER: <input style="width: 90px;" type="text" value="4 Municipal"/> | NUMBER OF MAIN SPANS: <input style="width: 50px;" type="text" value="1"/> | APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/> |
| FEATURE ON: <input style="width: 100px;" type="text" value="SLIDE INN (W.LOVEL)"/> | STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="27"/> | DATE OF INSPECTION: <input style="width: 60px;" type="text" value="9/19/2011"/> |
| FEATURE UNDER: <input style="width: 100px;" type="text" value="COLD BROOK"/> | POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/> | FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="86.5"/> |
| ROAD INV NO: <input style="width: 60px;" type="text" value="0001701190"/> | POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/> | |
| ROUTE NO: <input style="width: 60px;" type="text" value="00000"/> | | |
| ROAD WIDTH: <input style="width: 50px;" type="text" value="12"/> FEET | FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/> | |
| CLASS: <input style="width: 100px;" type="text" value="LOW USE/REDUNDANT BRIDGE"/> | | |