

## Structures in the Municipality of Stow

### CONDITION RATINGS

|  |   |  |
|--|---|--|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                    | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>      |
| <b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="5512"/>                | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>    |
| <b>LOCATION:</b> <input style="width: 130px;" type="text" value="0.2 MI E N.H. BORDER"/> | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1936"/>             | <b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>              |
| <b>BRDGNAME:</b> STATE LINE  | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="1 Steel"/>      | <b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>           |
| <b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>              | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="1 Girder"/>         | <b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/> |
| <b>MAINTAINER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>         | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="1"/>      | <b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>          |
| <b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="ROUTE 113"/>          | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="44"/> | <b>DATE OF INSPECTION:</b> <input style="width: 50px;" type="text" value="8/2/2012"/>  |
| <b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="COLD RIVER"/>      | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="76.7"/>  |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="000000113X"/>         | <b>POSTING TYPE:</b> <input style="width: 80px;" type="text" value="0 None needed"/>  |  |
| <b>ROUTE NO:</b> <input style="width: 50px;" type="text" value="00113"/>                 |   |  |
| <b>ROAD WIDTH:</b> <input style="width: 40px;" type="text" value="19"/> FEET             | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |  |
| <b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/> |   |  |

## Structures in the Municipality of Stow

### CONDITION RATINGS

|   |   |   |
|---|---|---|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                                 | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>           |
| <b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="3751"/>                             | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/> |
| <b>LOCATION:</b> <input style="width: 130px;" type="text" value=".1 MI W JCT 113"/>                   | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1941"/>             | <b>DECK CONDITION:</b> <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>           |
| <b>BRDGNAME:</b> LUFKIN   | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="2 Concrete"/>   | <b>CHANNEL CONDITION:</b> <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>                |
| <b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>                           | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="3 Slab"/>           | <b>CULVERT CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>      |
| <b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="1 State DOT"/>                     | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="1"/>      | <b>APPROACH CONDITION:</b> <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>       |
| <b>FEATURE ON:</b> <input style="width: 110px;" type="text" value="CENTRAL CHATHAM RD"/>              | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="25"/> | <b>DATE OF INSPECTION:</b> <input style="width: 50px;" type="text" value="8/2/2012"/>   |
| <b>FEATURE UNDER:</b> <input style="width: 110px;" type="text" value="LITTLE COLD RIVER"/>            | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="76.2"/>   |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0001700427"/>                      | <b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>  |   |
| <b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>                              |   |   |
| <b>ROAD WIDTH:</b> <input style="width: 50px;" type="text" value="22"/> FEET                          | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |   |
| <b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> |   |   |

## Structures in the Municipality of Stow

### CONDITION RATINGS

|   |   |  |
|---|---|--|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                                 | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>   |
| <b>BRIDGE NO.:</b> <input style="width: 60px;" type="text" value="3581"/>                             | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/> |
| <b>LOCATION:</b> <input style="width: 130px;" type="text" value="AT JCT WITH NEW RD."/>               | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1938"/>             | <b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>           |
| <b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="LITTLE COLD RIVER"/>                 | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="2 Concrete"/>   | <b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>        |
| <b>OWNER:</b> <input style="width: 90px;" type="text" value="1 State DOT"/>                           | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="7 Rigid Frame"/>    | <b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>      |
| <b>MAINTAINER:</b> <input style="width: 90px;" type="text" value="1 State DOT"/>                      | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 50px;" type="text" value="1"/>      | <b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>               |
| <b>FEATURE ON:</b> <input style="width: 110px;" type="text" value="ROUTE 113"/>                       | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 50px;" type="text" value="44"/> | <b>DATE OF INSPECTION:</b> <input style="width: 100px;" type="text" value="8/2/2012"/>   |
| <b>FEATURE UNDER:</b> <input style="width: 110px;" type="text" value="LITTLE COLD RIVER"/>            | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="72.7"/>  |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="000000113X"/>                      | <b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>  |  |
| <b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00113"/>                              |   |  |
| <b>ROAD WIDTH:</b> <input style="width: 60px;" type="text" value="23"/> <b>FEET</b>                   | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |  |
| <b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> |   |  |

## Structures in the Municipality of Stow

### CONDITION RATINGS

|   |   |  |
|---|---|--|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                                 | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>      |
| <b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="2996"/>                             | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>    |
| <b>LOCATION:</b> <input style="width: 130px;" type="text" value=".5 MI E JCT 113"/>                   | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1932"/>             | <b>DECK CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>              |
| <b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="COLD RIVER"/>                        | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="2 Concrete"/>   | <b>CHANNEL CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>           |
| <b>OWNER:</b> <input style="width: 80px;" type="text" value="1 State DOT"/>                           | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="1 Girder"/>         | <b>CULVERT CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/> |
| <b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="1 State DOT"/>                     | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="1"/>      | <b>APPROACH CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>          |
| <b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="NEW ROAD"/>                        | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="38"/> | <b>DATE OF INSPECTION:</b> <input style="width: 50px;" type="text" value="8/2/2012"/>  |
| <b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="COLD RIVER"/>                   | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="74.7"/>  |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0001700668"/>                      | <b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>  |  |
| <b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>                              |   |  |
| <b>ROAD WIDTH:</b> <input style="width: 50px;" type="text" value="22"/> FEET                          | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |  |
| <b>CLASS:</b> <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/> |   |  |

## Structures in the Municipality of Stow

### CONDITION RATINGS

|   |   |  |
|---|---|--|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                         | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>   |
| <b>BRIDGE NO.:</b> <input style="width: 60px;" type="text" value="0711"/>                     | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/> |
| <b>LOCATION:</b> <input style="width: 130px;" type="text" value="0.1MI E RT 113(SNOW CAMP)"/> | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1979"/>             | <b>DECK CONDITION:</b> <input style="width: 30px;" type="text" value="8"/> <input style="width: 80px;" type="text" value="Very Good"/>           |
| <b>BRDGNAME:</b> <input style="width: 130px;" type="text" value="STATE LINE ( STONE HOUSE)"/> | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="3 Wood"/>       | <b>CHANNEL CONDITION:</b> <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>             |
| <b>OWNER:</b> <input style="width: 90px;" type="text" value="5 Federal"/>                     | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="1 Girder"/>         | <b>CULVERT CONDITION:</b> <input style="width: 30px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>   |
| <b>MAINTAINER:</b> <input style="width: 90px;" type="text" value="5 Federal"/>                | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 50px;" type="text" value="1"/>      | <b>APPROACH CONDITION:</b> <input style="width: 30px;" type="text" value="6"/> <input style="width: 80px;" type="text" value="Satisfactory"/>    |
| <b>FEATURE ON:</b> <input style="width: 110px;" type="text" value="ST.LINE/STONE HOUS"/>      | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 50px;" type="text" value="33"/> | <b>DATE OF INSPECTION:</b> <input style="width: 60px;" type="text" value="7/28/1993"/>   |
| <b>FEATURE UNDER:</b> <input style="width: 110px;" type="text" value="COLD RIVER"/>           | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="76.8"/>  |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0001700666"/>              | <b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>  |  |
| <b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>                      |   |  |
| <b>ROAD WIDTH:</b> <input style="width: 60px;" type="text" value="15"/> FEET                  | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |  |
| <b>CLASS:</b> <input style="width: 100px; height: 40px;" type="text"/>                        |   |  |

## Structures in the Municipality of Stow

### CONDITION RATINGS

|   |   |   |
|---|---|---|
| <b>TOWN1:</b> <input style="width: 150px;" type="text" value="Stow"/>                             | <b>TOWN2:</b> <input style="width: 100px;" type="text" value="No town 2"/>            | <b>SUBSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>           |
| <b>BRIDGE NO.:</b> <input style="width: 50px;" type="text" value="0189"/>                         | <b>BRIDGE REGION:</b> <input style="width: 80px;" type="text" value="Southern"/>      | <b>SUPERSTRUCTURE CONDITION:</b> <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/> |
| <b>LOCATION:</b> <input ""="" style="width: 130px;" type="text" value=".3MI E RT113 ATWINDAGAN"/> | <b>YEAR BUILT:</b> <input style="width: 50px;" type="text" value="1979"/>             | <b>DECK CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>                   |
| <b>BRDGNAME:</b> <input style="width: 100px;" type="text" value="EZRA HEALD"/>                    | <b>SPAN MATERIAL:</b> <input style="width: 100px;" type="text" value="1 Steel"/>      | <b>CHANNEL CONDITION:</b> <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>                |
| <b>OWNER:</b> <input style="width: 80px;" type="text" value="4 Municipal"/>                       | <b>SPAN TYPE:</b> <input style="width: 100px;" type="text" value="1 Girder"/>         | <b>CULVERT CONDITION:</b> <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>      |
| <b>MAINTAINER:</b> <input style="width: 100px;" type="text" value="4 Municipal"/>                 | <b>NUMBER OF MAIN SPANS:</b> <input style="width: 40px;" type="text" value="2"/>      | <b>APPROACH CONDITION:</b> <input style="width: 20px;" type="text" value="4"/> <input style="width: 60px;" type="text" value="Poor"/>               |
| <b>FEATURE ON:</b> <input style="width: 100px;" type="text" value="SHELL POND ROAD"/>             | <b>STRUCTURE LENGTH IN FEET:</b> <input style="width: 40px;" type="text" value="63"/> | <b>DATE OF INSPECTION:</b> <input style="width: 50px;" type="text" value="9/19/2011"/>  |
| <b>FEATURE UNDER:</b> <input style="width: 100px;" type="text" value="COLD RIVER"/>               | <b>POSTING STATUS:</b> <input style="width: 80px;" type="text" value="1 Open"/>       | <b>FEDERAL SUFFICIENCY RATING:</b> <input style="width: 50px;" type="text" value="72.5"/>   |
| <b>ROAD INV NO:</b> <input style="width: 60px;" type="text" value="0001701288"/>                  | <b>POSTING TYPE:</b> <input style="width: 90px;" type="text" value="0 None needed"/>  |   |
| <b>ROUTE NO:</b> <input style="width: 60px;" type="text" value="00000"/>                          |   |   |
| <b>ROAD WIDTH:</b> <input style="width: 40px;" type="text" value="15"/> <b>FEET</b>               | <b>FEDERAL BRIDGE INDICATOR:</b> <input style="width: 30px;" type="text" value="Y"/>  |   |
| <b>CLASS:</b> <input style="width: 100px;" type="text" value="LOW USE/REDUNDANT BRIDGE"/>         |   |   |