

Structures in the Municipality of Ogunquit

CONDITION RATINGS

TOWN1: <input type="text" value="Ogunquit"/>	TOWN2: <input type="text" value="Wells"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1252"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="4 MI SW TATNIC RD"/>	YEAR BUILT: <input type="text" value="1955"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="DICKENS HILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="NORTH VILLAGE ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="31"/>	DATE OF INSPECTION: <input type="text" value="11/27/2012"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="81.8"/>
ROAD INV NO: <input type="text" value="0003100749"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Ogunquit

CONDITION RATINGS

TOWN1: <input type="text" value="Ogunquit"/>	TOWN2: <input type="text" value="Wells"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="1254"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="2"/> <input type="text" value="Critical"/>
LOCATION: <input type="text" value=".2 MI S TATNIC RD"/>	YEAR BUILT: <input type="text" value="1970"/>	DECK CONDITION: <input type="text" value="0"/> <input type="text"/>
BRDGNAME: <input type="text" value="TIBBETTS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="0"/> <input type="text"/>
FEATURE ON: <input type="text" value="KINGS HIGHWAY"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="30"/>	DATE OF INSPECTION: <input type="text" value="10/30/1995"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="2 Closed"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="23.3"/>
ROAD INV NO: <input type="text" value="-1"/>	POSTING TYPE: <input type="text" value="9 Other - lane closure etc."/>	
ROUTE NO: <input type="text" value="00000"/>	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
ROAD WIDTH: <input type="text" value="16"/> FEET		
CLASS: <input type="text"/>		

Structures in the Municipality of Ogunquit

CONDITION RATINGS

TOWN1: <input type="text" value="Ogunquit"/>	TOWN2: <input type="text" value="Wells"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="2239"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="2.3 MI N TOWNLIN E"/>	YEAR BUILT: <input type="text" value="1931"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="DONNELLS"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
FEATURE ON: <input type="text" value="US1"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="24"/>	DATE OF INSPECTION: <input type="text" value="6/1/2011"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT R."/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="75.7"/>
ROAD INV NO: <input type="text" value="000000001X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Ogunquit

CONDITION RATINGS

TOWN1: <input type="text" value="Ogunquit"/>	TOWN2: <input type="text" value="Wells"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1317"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.264 mi E Capt Thomas Rd"/>	YEAR BUILT: <input type="text" value="1947"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="OGUNQUIT RIVER BRIDGE"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="I-95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="40"/>	DATE OF INSPECTION: <input type="text" value="5/12/2012"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="77.1"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1320"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="17.7 MILE POINT"/>	YEAR BUILT: <input type="text" value="1947"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="WEBHANNET RIVER"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="I-95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="16"/>	DATE OF INSPECTION: <input type="text" value="5/2/2012"/>
FEATURE UNDER: <input type="text" value="WEBHANNET RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="77.5"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1478"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.439 mi W of SR9&109"/>	YEAR BUILT: <input type="text" value="1948"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="B&M RR OVERPASS SB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="I-95 (SB)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="152"/>	DATE OF INSPECTION: <input type="text" value="5/11/2012"/>
FEATURE UNDER: <input type="text" value="B&MRR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="92.6"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="63"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: Kenneb	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1328	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 23.1 MILE POINT	YEAR BUILT: 1947	DECK CONDITION: N Not Applicable
BRDGNAME: BRANCH BROOK	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 6 Satisfactory
OWNER: 8 ME TPK	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 8 Very Good
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION:
FEATURE ON: I-95	STRUCTURE LENGTH IN FEET: 16	DATE OF INSPECTION: 5/2/2012
FEATURE UNDER: BRANCH BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 77.4
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1327"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.135 mi W of Ledgewood"/>	YEAR BUILT: <input type="text" value="2001"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="COLES HILL RD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="COLES HILL RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="307"/>	DATE OF INSPECTION: <input type="text" value="5/9/2012"/>
FEATURE UNDER: <input type="text" value="I-95"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="93.5"/>
ROAD INV NO: <input type="text" value="0003100779"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1326"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.314 mi W Coles Hill Rd"/>	YEAR BUILT: <input type="text" value="1947"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="MERRILAND RIVER BRIDGE"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="6 Arch"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value=""/> <input type="text" value=""/>
FEATURE ON: <input type="text" value="I-95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="24"/>	DATE OF INSPECTION: <input type="text" value="5/9/2012"/>
FEATURE UNDER: <input type="text" value="MERRILAND RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="76.8"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1325"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.084 mi SE of Lindsey Rd"/>	YEAR BUILT: <input type="text" value="1997"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="BURNT MILL ROAD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value=""/> <input type="text" value=""/>
FEATURE ON: <input type="text" value="BURNT MILL ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="218"/>	DATE OF INSPECTION: <input type="text" value="2/20/2013"/>
FEATURE UNDER: <input type="text" value="I-95"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="97.9"/>
ROAD INV NO: <input type="text" value="0003100748"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1324	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.296 mi W of Spencer Dr	YEAR BUILT: 1948	DECK CONDITION: 8 Very Good
BRDGNAME: WELLS INTERCHANGE NB	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION:
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 54	DATE OF INSPECTION: 5/9/2012
FEATURE UNDER: WELLS INTERCHANGE	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 94.3
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 64 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1323"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.175 mi W of Spencer Dr"/>	YEAR BUILT: <input type="text" value="1993"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="WELLS SANFORD ROAD NB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="I-95 (NB)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="102"/>	DATE OF INSPECTION: <input type="text" value="5/9/2012"/>
FEATURE UNDER: <input type="text" value="SANFORD RD/RTE 9 & 10"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.4"/>
ROAD INV NO: <input type="text" value="000000009X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00009"/>		
ROAD WIDTH: <input type="text" value="56"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1102"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="1.4 MI SO TOWNLINE"/>	YEAR BUILT: <input type="text" value="1981"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="US RTE 1 OVER B&M RR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="US RTE 1"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="106"/>	DATE OF INSPECTION: <input type="text" value="11/1/2012"/>
FEATURE UNDER: <input type="text" value="B & M RR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="87.5"/>
ROAD INV NO: <input type="text" value="000000001X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="46"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1321"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="14.56"/>	YEAR BUILT: <input type="text" value="1947"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: WEBHANNET BRANCH	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="I-95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="16"/>	DATE OF INSPECTION: <input type="text" value="5/2/2012"/>
FEATURE UNDER: <input type="text" value="CREDIFORD BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="78"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2107"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value=".3 MI N'LY OF RTE 9B"/>	YEAR BUILT: <input type="text" value="1931"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="BUFFAM"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="US #1"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="21"/>	DATE OF INSPECTION: <input type="text" value="5/21/2012"/>
FEATURE UNDER: <input type="text" value="WEBHANNET RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="65.5"/>
ROAD INV NO: <input type="text" value="000000001X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="43"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="1319"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.776 mi E of Loop Rd"/>	YEAR BUILT: <input type="text" value="1995"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="LITTLEFIELD ROAD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="8 ME TPK"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="8 ME TPK"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text"/> <input type="text"/>
FEATURE ON: <input type="text" value="LITTLEFIELD ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="189"/>	DATE OF INSPECTION: <input type="text" value="5/11/2012"/>
FEATURE UNDER: <input type="text" value="I-95"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="92.3"/>
ROAD INV NO: <input type="text" value="000000009B"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00009"/>		
ROAD WIDTH: <input type="text" value="32"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="MAINE TURNPIKE AUTHORITY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1318	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.091 mi E of N Village R	YEAR BUILT: 1996	DECK CONDITION: 7 Good
BRDGNAME: TATNIC ROAD	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION:
FEATURE ON: TATNIC ROAD	STRUCTURE LENGTH IN FEET: 185	DATE OF INSPECTION: 5/11/2012
FEATURE UNDER: I-95	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 95.7
ROAD INV NO: 0003100730	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 32 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: Kenneb	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 1267	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.3 MI NW RTE 1	YEAR BUILT: 2001	DECK CONDITION: N Not Applicable
BRDGNAME: JEFFRED BRANCH	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 7 Rigid Frame	CULVERT CONDITION: 8 Very Good
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: HARRASEEKET RD	STRUCTURE LENGTH IN FEET: 32	DATE OF INSPECTION: 4/6/2011
FEATURE UNDER: BRANCH BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99.8
ROAD INV NO: 0003100804	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 1259	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.0 MI W RTE 9	YEAR BUILT: 1979	DECK CONDITION: N Not Applicable
BRDGNAME: CAMP	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 8 Very Good
OWNER: 4 Municipal	SPAN TYPE: 6 Arch	CULVERT CONDITION: 5 Fair
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: COLES'S HILL RD	STRUCTURE LENGTH IN FEET: 17	DATE OF INSPECTION: 11/17/2011
FEATURE UNDER: MERRILAND RIVER	POSTING STATUS: 3 Posted	FEDERAL SUFFICIENCY RATING: 88.8
ROAD INV NO: 0003100779	POSTING TYPE: 1 Weight Limit	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 8 Very Good
BRIDGE NO.: 1255	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: 0.5 E RT 9A	YEAR BUILT: 1998	DECK CONDITION: 8 Very Good
BRDGNAME: CLARKS	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 8 Very Good
OWNER: 4 Municipal	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: MILDRAM ROAD	STRUCTURE LENGTH IN FEET: 22	DATE OF INSPECTION: 12/1/2011
FEATURE UNDER: MERRILAND RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 85.9
ROAD INV NO: 0003100762	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 21 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 1253	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 8 Very Good
LOCATION: .4 MI N RTE 9A	YEAR BUILT: 1957	DECK CONDITION: 8 Very Good
BRDGNAME: STOVER MILL	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 7 Good
OWNER: 4 Municipal	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: HOBBS FARM RD	STRUCTURE LENGTH IN FEET: 20	DATE OF INSPECTION: 12/1/2011
FEATURE UNDER: MERRILAND RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 79.9
ROAD INV NO: 0003100750	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 18 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1322	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.422 mi W of SR 9&109	YEAR BUILT: 1948	DECK CONDITION: 7 Good
BRDGNAME: B&M RR OVERPASS NB	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 3	APPROACH CONDITION:
FEATURE ON: I-95 (NB)	STRUCTURE LENGTH IN FEET: 152	DATE OF INSPECTION: 5/11/2012
FEATURE UNDER: B&MRR	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 81.4
ROAD INV NO: 000000095X	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 56 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="3200"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.3 MI W JCT 1"/>	YEAR BUILT: <input type="text" value="1988"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="BRAGDON CROSSING"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="RTE 9 & 109"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="51"/>	DATE OF INSPECTION: <input type="text" value="11/17/2011"/>
FEATURE UNDER: <input type="text" value="B & M RR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="89.8"/>
ROAD INV NO: <input type="text" value="000000009X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00009"/>		
ROAD WIDTH: <input type="text" value="39"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="6216"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
LOCATION: <input type="text" value="2.3 MI W ROUTE 1"/>	YEAR BUILT: <input type="text" value="1978"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: HILTON	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="TATNIC ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="21"/>	DATE OF INSPECTION: <input type="text" value="11/16/2011"/>
FEATURE UNDER: <input type="text" value="BR OF OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="38.5"/>
ROAD INV NO: <input type="text" value="0003100730"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="23"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="Ogunquit"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="6122"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="1.7 MI W JCT US1"/>	YEAR BUILT: <input type="text" value="2007"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="SHERBURNE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="CAPTAIN THOMAS RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="40"/>	DATE OF INSPECTION: <input type="text" value="4/13/2011"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99"/>
ROAD INV NO: <input type="text" value="0003100734"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="5338"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="1.8 MI SW OF JCT RTE 109"/>	YEAR BUILT: <input type="text" value="1953"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="MERRILAND RIDGE BRIDGE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="ROUTE 9"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="125"/>	DATE OF INSPECTION: <input type="text" value="1/7/2013"/>
FEATURE UNDER: <input type="text" value="B&M RR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="55.5"/>
ROAD INV NO: <input type="text" value="000000009X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00009"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="5337"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".1 MI N JCT 9"/>	YEAR BUILT: <input type="text" value="1920"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="B&M RR UNDERPASS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="BOSTON AND MAINE R"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="81"/>	DATE OF INSPECTION: <input type="text" value="11/1/2012"/>
FEATURE UNDER: <input type="text" value="TOWN WAY OLD ROUTE"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-1"/>
ROAD INV NO.: <input type="text"/>	POSTING TYPE: <input type="text" value="3 Underclearance Limit"/>	
ROUTE NO.: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3916	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .9 MI N JCT 9	YEAR BUILT: 1948	DECK CONDITION: N Not Applicable
BRDGNAME: LEWIS WEST	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 5 Fair
OWNER: 4 Municipal	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 3 Serious
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: BRAGDON RD	STRUCTURE LENGTH IN FEET: 10	DATE OF INSPECTION: 11/16/2011
FEATURE UNDER: CHARLES WEST RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 48.1
ROAD INV NO: 0003100728	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 3915	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 6 Satisfactory
LOCATION: .7 MI N 9	YEAR BUILT: 1947	DECK CONDITION: 6 Satisfactory
BRDGNAME: CHARLES WEST	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 7 Good
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 5 Fair
FEATURE ON: BRAGDON RD	STRUCTURE LENGTH IN FEET: 13	DATE OF INSPECTION: 11/16/2011
FEATURE UNDER: CHARLES WEST RV	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 73.3
ROAD INV NO: 0003100728	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 25 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 3844	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 6 Satisfactory
LOCATION: 2 MI N JCT 109	YEAR BUILT: 1948	DECK CONDITION: 6 Satisfactory
BRDGNAME: BERT WELLS	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 7 Good
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: RTE #9A	STRUCTURE LENGTH IN FEET: 25	DATE OF INSPECTION: 10/10/2012
FEATURE UNDER: MERRILAND RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 73.7
ROAD INV NO: 000000009A	POSTING TYPE: 0 None needed	
ROUTE NO: 00009		
ROAD WIDTH: 24 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="3771"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.2 MI SW OF JCT RTE 9"/>	YEAR BUILT: <input type="text" value="2007"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: SKINNER	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="TW"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="33"/>	DATE OF INSPECTION: <input type="text" value="4/6/2011"/>
FEATURE UNDER: <input type="text" value="MERRILAND RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="84"/>
ROAD INV NO: <input type="text" value="0003180037"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="14"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1479	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.193 mi W of Spencer Dr	YEAR BUILT: 1993	DECK CONDITION: 7 Good
BRDGNAME: WELLS SANFORD ROAD SB	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION:
FEATURE ON: I-95 (SB)	STRUCTURE LENGTH IN FEET: 102	DATE OF INSPECTION: 5/9/2012
FEATURE UNDER: SANFORD RD/RTE 9 & 10	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 96.4
ROAD INV NO: 000000095S	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 82 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 3577	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: .6 MI E JCT 9	YEAR BUILT: 1938	DECK CONDITION: 7 Good
BRDGNAME: DRAKES ISLAND	SPAN MATERIAL: 3 Wood	CHANNEL CONDITION: 7 Good
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 8 Very Good
FEATURE ON: DRAKES IS- RD	STRUCTURE LENGTH IN FEET: 16	DATE OF INSPECTION: 11/17/2011
FEATURE UNDER: BR WELLS RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 47.8
ROAD INV NO: 0003180015	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 22 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 7 Good
BRIDGE NO.: 1480	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.305 mi W of Spencer Dr	YEAR BUILT: 1948	DECK CONDITION: 7 Good
BRDGNAME: WELLS INTERCHANGE SB	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 8 ME TPK	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 8 ME TPK	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION:
FEATURE ON: I-95(SB)	STRUCTURE LENGTH IN FEET: 54	DATE OF INSPECTION: 5/9/2012
FEATURE UNDER: WELLS INTER.	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 94.5
ROAD INV NO: 000000095S	POSTING TYPE: 0 None needed	
ROUTE NO: 00095		
ROAD WIDTH: 63 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MAINE TURNPIKE AUTHORITY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3199"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2.2 MI NW'LY OF RTE 9A"/>	YEAR BUILT: <input type="text" value="2012"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="HIGH PINE CROSSING"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="7 Rigid Frame"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
FEATURE ON: <input type="text" value="ROUTE 109"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="13"/>	DATE OF INSPECTION: <input type="text" value="1/7/2013"/>
FEATURE UNDER: <input type="text" value="B&M RR (NO TRACKS)"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="50.4"/>
ROAD INV NO: <input type="text" value="000000109X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00109"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="3175"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.5 MI E JCT US1"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: ISLAND LEDGE ROAD	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="MILE ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="160"/>	DATE OF INSPECTION: <input type="text" value="4/18/2012"/>
FEATURE UNDER: <input type="text" value="WEBHANNET RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="80.1"/>
ROAD INV NO: <input type="text" value="0003180090"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="29"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: Kenneb	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3091	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 1.6 MI S JCT 99	YEAR BUILT: 1934	DECK CONDITION: N Not Applicable
BRDGNAME: BRANCH BROOK	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 4 Poor
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 5 Fair
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 7 Good
FEATURE ON: 9A	STRUCTURE LENGTH IN FEET: 17	DATE OF INSPECTION: 6/10/2011
FEATURE UNDER: BRANCH BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 79.1
ROAD INV NO: 000000009A	POSTING TYPE: 0 None needed	
ROUTE NO: 00009		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE AID ROAD		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: Kenneb	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 2693	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: KENN-WELLS TOWNLINE	YEAR BUILT: 1927	DECK CONDITION: 4 Poor
BRDGNAME: PUMPING STATION	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 4 Poor
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: US #1	STRUCTURE LENGTH IN FEET: 18	DATE OF INSPECTION: 4/18/2012
FEATURE UNDER: BRANCH BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 64.9
ROAD INV NO: 000000001X	POSTING TYPE: 0 None needed	
ROUTE NO: 00001		
ROAD WIDTH: 40 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON STATE HIGHWAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: Kenneb	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 2468	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: KENNEB-WELLS TL	YEAR BUILT: 1930	DECK CONDITION: 5 Fair
BRDGNAME: LITTLE RIVER	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: ROUTE 9	STRUCTURE LENGTH IN FEET: 21	DATE OF INSPECTION: 11/1/2012
FEATURE UNDER: LITTLE RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 85.8
ROAD INV NO: 000000009X	POSTING TYPE: 0 None needed	
ROUTE NO: 00009		
ROAD WIDTH: 40 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 8 Very Good
BRIDGE NO.: 2263	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 2.3 MI NW I95	YEAR BUILT: 1967	DECK CONDITION: 7 Good
BRDGNAME: EDWARD HILL	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 8 Very Good
OWNER: 1 State DOT	SPAN TYPE: 7 Rigid Frame	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 8 Very Good
FEATURE ON: #109	STRUCTURE LENGTH IN FEET: 23	DATE OF INSPECTION: 10/10/2012
FEATURE UNDER: MERRILAND R	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 72.2
ROAD INV NO: 000000109X	POSTING TYPE: 0 None needed	
ROUTE NO: 00109		
ROAD WIDTH: 30 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: Wells	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 2126	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 1.2 MI S TOWNLIN	YEAR BUILT: 1931	DECK CONDITION: 5 Fair
BRDGNAME: CAPELL	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: US1 & ROUTE 9	STRUCTURE LENGTH IN FEET: 32	DATE OF INSPECTION: 11/1/2012
FEATURE UNDER: MERRILAND RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 73.9
ROAD INV NO: 00000001X	POSTING TYPE: 0 None needed	
ROUTE NO: 00001		
ROAD WIDTH: 57 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON STATE HIGHWAY		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6492"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".2 Mi. S Rte 109"/>	YEAR BUILT: <input type="text" value="2006"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="MERRILAND RIVER / BRAGD"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="2"/> <input type="text" value="Critical"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="Bradgon Road"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="11"/>	DATE OF INSPECTION: <input type="text" value="11/30/2011"/>
FEATURE UNDER: <input type="text" value="Merriland River"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.9"/>
ROAD INV NO: <input type="text" value="0003100756"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Wells

CONDITION RATINGS

TOWN1: <input type="text" value="Wells"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="3765"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value=".5 MI E JCT US1"/>	YEAR BUILT: <input type="text" value="2009"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="BOURNE AVENUE"/>	SPAN MATERIAL: <input type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="TW"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="88"/>	DATE OF INSPECTION: <input type="text" value="11/17/2011"/>
FEATURE UNDER: <input type="text" value="OGUNQUIT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="80.8"/>
ROAD INV NO: <input type="text" value="0003180005"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="23"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		