

Structures in the Municipality of Portland

CONDITION RATINGS

TOWN1: <input type="text" value="Portland"/>	TOWN2: <input type="text" value="Westbrook"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="2932"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="PORTLAND-WESTBROOK"/>	YEAR BUILT: <input type="text" value="1994"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="PRIDES"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="ROUTE 302"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="177"/>	DATE OF INSPECTION: <input type="text" value="12/14/2011"/>
FEATURE UNDER: <input type="text" value="PRESUMPCOT RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="68"/>
ROAD INV NO: <input type="text" value="000000302X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00302"/>		
ROAD WIDTH: <input type="text" value="52"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 6045	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 0.6 MI S JCT RTE 25	YEAR BUILT: 1966	DECK CONDITION: N Not Applicable
BRDGNAME: SACO STREET	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 5 Fair
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 7 Good
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: SACO STREET	STRUCTURE LENGTH IN FEET: 31	DATE OF INSPECTION: 1/8/2013
FEATURE UNDER: STROUDWATER RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99.1
ROAD INV NO: 0000590150	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 5751	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 1.2 MI S JCT RTE 25	YEAR BUILT: 1916	DECK CONDITION: 5 Fair
BRDGNAME: JOHNSONS	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 8 Very Good
OWNER: 1 State DOT	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: SPRING STREET	STRUCTURE LENGTH IN FEET: 34	DATE OF INSPECTION: 1/8/2013
FEATURE UNDER: STROUDWATER RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 65.4
ROAD INV NO: 0000590156	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 28 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 5749	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 150 FT S'LY OF PRIDE ST	YEAR BUILT: 1960	DECK CONDITION: N Not Applicable
BRDGNAME: MILL BROOK HILL	SPAN MATERIAL: 9 Other	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 6 Satisfactory
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: AUSTIN STREET	STRUCTURE LENGTH IN FEET: 22	DATE OF INSPECTION: 6/10/2011
FEATURE UNDER: MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99.6
ROAD INV NO: 0000590005	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 5661	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: 0.1 MI N JCT RTE 25	YEAR BUILT: 1958	DECK CONDITION: 4 Poor
BRDGNAME: BRIDGE STREET	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 2 Girder - floor beam	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 7 Good
FEATURE ON: BRIDGE STREET	STRUCTURE LENGTH IN FEET: 106	DATE OF INSPECTION: 9/12/2012
FEATURE UNDER: PRESUMPCOT RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 46.6
ROAD INV NO: 0000590013	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 28 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 4 Poor
BRIDGE NO.: 5490	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.1 MI W JCT RTE 25	YEAR BUILT: 1954	DECK CONDITION: 3 Serious
BRDGNAME: CUMBERLAND MILLS EAST	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: CUMBERLAND STREET	STRUCTURE LENGTH IN FEET: 103	DATE OF INSPECTION: 2/27/2012
FEATURE UNDER: PRESUMPCOT RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 31.6
ROAD INV NO: 0000590035	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 26 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3987	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: 0.1 MI SW JCT RTE 302	YEAR BUILT: 2011	DECK CONDITION: N Not Applicable
BRDGNAME: LITTLE	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: 8 Very Good
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 8 Very Good
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 8 Very Good
FEATURE ON: EAST BRIDGE STREET	STRUCTURE LENGTH IN FEET: 28	DATE OF INSPECTION: 7/10/2012
FEATURE UNDER: MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 99.3
ROAD INV NO: 0000590044	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: N Not Applicable
BRIDGE NO.: 3467	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .9 MI S TOWNLINE	YEAR BUILT: 2011	DECK CONDITION: N Not Applicable
BRDGNAME: MILL BROOK	SPAN MATERIAL: 7 Precast Concrete	CHANNEL CONDITION: 8 Very Good
OWNER: 1 State DOT	SPAN TYPE: 4 Culvert	CULVERT CONDITION: 8 Very Good
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 8 Very Good
FEATURE ON: ROUTE 302	STRUCTURE LENGTH IN FEET: 26	DATE OF INSPECTION: 2/15/2012
FEATURE UNDER: MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 94
ROAD INV NO: 000000302X	POSTING TYPE: 0 None needed	
ROUTE NO: 00302		
ROAD WIDTH: 0 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: MINOR SPAN ON STATE HIGHWAY		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 1547	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .4 MI S JCT 25	YEAR BUILT: 1975	DECK CONDITION: N Not Applicable
BRDGNAME: LAWRENCE ST PEDESTRIAN	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: N Not Applicable
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: N Not Applicable
FEATURE ON: PEDESTRIAN OVERPAS	STRUCTURE LENGTH IN FEET: 444	DATE OF INSPECTION: 5/10/2012
FEATURE UNDER: WESTBROOK ARTERIAL	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: -1
ROAD INV NO:	POSTING TYPE: 0 None needed	
ROUTE NO:		
ROAD WIDTH: FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS:		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 6 Satisfactory
BRIDGE NO.: 1545	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 7 Good
LOCATION: 0.5 MI S OF JCT RTE 25	YEAR BUILT: 1976	DECK CONDITION: 6 Satisfactory
BRDGNAME: WOODLAWN AVENUE	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: 7 Good
FEATURE ON: WOODLAWN AVENUE	STRUCTURE LENGTH IN FEET: 233	DATE OF INSPECTION: 5/10/2012
FEATURE UNDER: WESTBROOK ARTERIAL	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 81
ROAD INV NO: 0000590187	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 30 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 1519	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 5 Fair
LOCATION: 0.1 MI W JCT RTE 25	YEAR BUILT: 1954	DECK CONDITION: 4 Poor
BRDGNAME: CUMBERLAND MILLS, WEST	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: 6 Satisfactory
OWNER: 1 State DOT	SPAN TYPE: 1 Girder	CULVERT CONDITION: N Not Applicable
MAINTAINER: 1 State DOT	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 6 Satisfactory
FEATURE ON: CUMBERLAND STREET	STRUCTURE LENGTH IN FEET: 85	DATE OF INSPECTION: 2/27/2012
FEATURE UNDER: PRESUMPCOT RIVER	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 54.5
ROAD INV NO: 0000590035	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 27 FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS: BRIDGE ON TOWN WAY OR STATE AID ROAD		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 4 Poor
BRIDGE NO.: 0367	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: 4 Poor
LOCATION: 0.1 MI. E RT. 302	YEAR BUILT: 1950	DECK CONDITION: 4 Poor
BRDGNAME: WHITNEY	SPAN MATERIAL: 2 Concrete	CHANNEL CONDITION: 4 Poor
OWNER: 4 Municipal	SPAN TYPE: 3 Slab	CULVERT CONDITION: N Not Applicable
MAINTAINER: 4 Municipal	NUMBER OF MAIN SPANS: 1	APPROACH CONDITION: 8 Very Good
FEATURE ON: DUCK POND ROAD	STRUCTURE LENGTH IN FEET: 22	DATE OF INSPECTION: 12/9/2011
FEATURE UNDER: MILL BROOK	POSTING STATUS: 1 Open	FEDERAL SUFFICIENCY RATING: 49.9
ROAD INV NO: 0000590190	POSTING TYPE: 0 None needed	
ROUTE NO: 00000		
ROAD WIDTH: 26 FEET	FEDERAL BRIDGE INDICATOR: N	
CLASS: MINOR SPAN ON TOWN WAY		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: Westbrook	TOWN2: No town 2	SUBSTRUCTURE CONDITION: 5 Fair
BRIDGE NO.: 0331	BRIDGE REGION: Southern	SUPERSTRUCTURE CONDITION: N Not Applicable
LOCATION: .3 MI S WESTBROOK ST	YEAR BUILT: 1925	DECK CONDITION: N Not Applicable
BRDGNAME: BROWN ST. UNDERPASS	SPAN MATERIAL: 1 Steel	CHANNEL CONDITION: N Not Applicable
OWNER: 6 Railroad	SPAN TYPE: 2 Girder - floor beam	CULVERT CONDITION: N Not Applicable
MAINTAINER: 6 Railroad	NUMBER OF MAIN SPANS: 2	APPROACH CONDITION: N Not Applicable
FEATURE ON: MAINE CENTRAL RAIL	STRUCTURE LENGTH IN FEET: 75	DATE OF INSPECTION: 12/20/2012
FEATURE UNDER: BROWN STREET	POSTING STATUS: 3 Posted	FEDERAL SUFFICIENCY RATING: -1
ROAD INV NO:	POSTING TYPE: 3 Underclearance Limit	
ROUTE NO:		
ROAD WIDTH: FEET	FEDERAL BRIDGE INDICATOR: Y	
CLASS:		

Structures in the Municipality of Westbrook

CONDITION RATINGS

TOWN1: <input type="text" value="Westbrook"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="0330"/>	BRIDGE REGION: <input type="text" value="Southern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".4 MI N JCT 25"/>	YEAR BUILT: <input type="text" value="1900"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="CUMBERLAND ST UNDERPAS"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="7 Private"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="7 Private"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="MCRR"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="43"/>	DATE OF INSPECTION: <input type="text" value="6/10/2011"/>
FEATURE UNDER: <input type="text" value="CUMBERLAND ST."/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-1"/>
ROAD INV NO: <input type="text"/>	POSTING TYPE: <input type="text" value="3 Underclearance Limit"/>	
ROUTE NO: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		