

## STATE OF MAINE DEPARTMENT OF MARINE RESOURCES 21 STATE HOUSE STATION AUGUSTA, MAINE 04333-0021

PATRICK C. KELIHER
COMMISSIONER

**Date:** April 30, 2024

To: Towns of Bremen & Bristol Municipal Officials, and Melanee Osier-Gilber & Robert Ball,

Harbormasters Lease applicant

Riparian (shorefront) landowners within 1,000 ft. of the proposal

ME IF&W, and DACF

GovDelivery

From: Department of Marine Resources (DMR) Aquaculture Division

**Re:** Notice of Completed Aquaculture Application and Comment Period

The DMR has received two complete lease applications from the applicant listed below for the following:

**Applicant Name:** JDL Fisheries LLC

Application Type: Two experimental proposals

Culture Type: Suspended Species: Marine algae Application I:

Location: Muscongus Bay, Bremen

**Acreage and Term Requested:** 4 Acres for 3 Years

**Application II:** 

Location: Muscongus Bay, Bristol

**Acreage and Term Requested: 4** Acres for 3 Years

Comment Period: DMR announces a **30-day public comment period** during which interested persons may submit written comments or request a public hearing on the applications. A hearing is optional unless DMR receives five or more written requests from interested persons during the comment period. For reference, the applications are available on DMR's website and labeled: JDL Fisheries LLC, App 1; and JDL Fisheries LLC, App 2. Please specify which application the comment(s) or request(s) apply to (i.e., App 1 or App 2.). Written comments or hearing requests need to be submitted by mail or email to the address provided below **no later than 4:00 p.m. on June 1, 2024.** 

Maine Department of Marine Resources
Attn: Aquaculture Division
21 State House Station
Augusta, ME 04333-0021
DMRaquaculture@maine.gov

**View the Applications:** Please visit DMR's Aquaculture webpage. Applications are available under 'Maine Aquaculture Leases and LPAs.'

**CONTACT THE APPLICANT:** Please contact the applicant with any questions regarding their proposal. Contact information for the applicant can be found in their application.

Relevant Authority: 12 MRSA 6072-A (5) and DMR Rules Chapter 2.64.