Community Paramedicine Scope of Practice Document

Draft

Version 0.1

December 20, 2022



ION

Change Log

This table lists all changes made in the most recent revision of this document since the November 7, 2023 publication of Version 0.1.

Change Number	Page Number	Change

Contents

Document Purpose	
Glossary of Terms	4
Screenings	5
Medications	5-6
Procedures	6

Purpose

The purpose of this document is to describe a broad view of the types of services Emergency Medical Services (EMS) clinicians participating in a community paramedicine (CP) program can offer to patients referred to their CP program.

Glossary of Terms

ADL – Activities of Daily Living CHF – Congestive Heart Failure COPD – Chronic Obstructive Pulmonary Disorder CLIA – Clinical Laboratory Improvement Amendments (See U.S. FDA CLIA waived analytes for most up to date testing) IV – Intravenous PCP – Primary Care Physician SDOH – Social Determinants of Health SUD – Substance Use Disorder

Screenings

Skill	CP Affiliate	CP Technician	CP Clinician
	Level	Level	Level
	(EMT)	(AEMT)	(Paramedic)
Standardized SDOH screening & referral	Х	Х	Х
Standardized ADL screening & referral	Х	Х	Х
Home Safety Assessment	Х	Х	X
Fall & Mobility Assessments	Х	Х	Х
Delirium Screen	Х	X	Х
Dementia Screen	Х	Х	X
Standardized Behavioral Health Screenings & Referrals	Х	х	X
SUD Screening	Х	Х	Х

Medications

Skill	CP Affiliate	CP Technician	CP Clinician
	Level	Level	Level
	(EMT)	(AEMT)	(Paramedic)
Medication Compliance	X	Х	Х
Inventory	Х	Х	Х
Organize	х	Х	Х
Regimen Compliance	х	Х	Х
 Coordinate with prescribers 	Х	Х	Х
Start medication with qualified	Depends on	Depends on	Х
healthcare professional order ¹	Scope	scope	
Medication Administration ²	Depends on	Х	Х
	Scope		
Infusion Therapy ³	Depends on	Х	Х
	scope		
Dispensation of naloxone	Х	Х	х
Dispensation of naloxone	Х	Х	Х

¹ As permitted by formulary ² As permitted by formulary ³ As permitted by formulary

Procedures

	CP Affiliate	CP Technician	CP Clinician
Skill	Level	Level	Level
	(EMT)	(AEMT)	(Paramedic)
Chronic condition monitoring	Monitor only	Х	Х
& treatment including but not			
limited to:			
Diabetes Management	Monitor only	Х	Х
CHF Monitoring	Monitor only	X	Х
Asthma/COPD	Monitor only	Х	Х
Monitoring			
Mobility & Fall Risk	Monitor only	Х	Х
• SUD	Monitor only	Х	Х
Tobacco Cessation	Monitor only	X	X
Intervention			
Sub-acute and chronic wound		Х	Х
care management			
 Simple wound care: 		Х	Х
 Monitor 		Х	Х
Progress			
 Simple Dressing 		Х	Х
Changes			
 Wet-to-dry 		X	Х
Dressing			
Complex Wound Care ⁴			Х
Monitor Cellulitis Treatment		X	Х
Foot Check		X	Х
Peak Flow Measurement		X	Х
Incentive Spirometry		X	Х
Standardized Nutritional Diet		X	Х
Education			
Specimen collection, to		X	Х
include, but not limited to:			
Urine		X	Х
Blood		X	Х
Stool		Х	Х
Respiratory Swabs	Х	Х	Х

⁴ Including those requiring sterile technique, wound irrigation, the use of vacuum-assisted closure devices or other products designed for specific wound needs while following a wound care plan from a qualified healthcare professional.

		V	V
Wound Swabs		X	X
CLIA Waived Labs		Х	Х
Access Ports ⁵		Х	Х
 Central Venous 			Х
Catheter			
Percutaneous Lines			Х
Ostomy Care		Х	Х
Bladder Scan			Х
Suture Removal / Staple			Х
Removal			
Feeding tube care ⁶			Х
Foley Care			Х
Vaccine Administration ⁷	X	Х	Х
Direct Observed Therapy	Х	Х	Х
Monitoring of Substance Use		Х	Х
Disorder Treatment ⁸			
Telemedicine Coordination	Х	Х	Х
As on scene originating	Х	Х	Х
site facilitator /			
coordinator			
As remote site for	Х	Х	Х
checking in with			
patients			
o Audio	Х	Х	Х
 Audio/video 	Х	Х	Х
 Messaging 	Х	Х	Х
systems			
Transitional Care Coordination	Х	Х	Х
Interfacing/Referrals	Х	Х	Х
with other health			
service agencies and			
qualified health care			
professionals to			

⁵ Community Paramedics must be trained to safely access central lines in a fashion that minimizes the risk of infection. The most appropriate training for this is through a local partner hospital; however, if this is unavailable, service-level training through the EMS Medical Director may be sufficient. In either case, the agency should ensure competency and initial credentialing followed by annual re-credentialing. Central lines appropriate for access by Community Paramedicine providers with training and credentialing include midlines, tunneled catheters, and ports. Dialysis catheters may not be accessed at any time. Central line access always requires a separate and distinct physician order.

⁶ Removal and placement, including reinsertion, is not included

⁷ As permitted by the formulary, for the CP-A level vaccine administration will be limited to the 911 protocols.

⁸ Only pertains to episodic monitoring of treatment initiated elsewhere.

include, but not limited to:			
 Ordering Clinician 	Х	х	Х
o Home Health	Х	Х	Х
o Hospice	Х	Х	Х
 Behavioral Health 	Х	х	Х
 Substance Use Treatment 	Х	х	Х
• PCP	Х	X	Х
Non-Medical Referrals	Х	Х	Х
including, but not			
limited:			
 Referral to 	Х	Х	Х
Community			
Services			
 Referral to Food 	Х	Х	Х
Assistance			
 Referral to 	X	Х	Х
Behavioral			
Health Services			